



## Brisa Fresco

Ultrafabrics

Composition:

100% Polyurethane Surface

65% Polyester, 35% Rayon backing

Application:

Width: 137cm

Weight: 315g/square metre

Price band 6

Standards:

Abrasion Resistance: ASTM D4157 / 300,000 Double Rubs (Wyzenbeek). BS 2543 / 160,000 Rubs (Martindale)

Flammability: • ASTM E84 (Adhered) - Class A. CA TB 117-2013 - Pass •

FMVSS 302 & 95/28 Annex IV – Pass. NFPA 260 - Class 1. UFAC - Class 1

Light Fastness: AATCC 16.3, 200 Hours, Grade 4-5

Fastness to Rubbing: AATCC 8, Class 5 Wet & Dry

Colour Matching: Batch to batch variations in shade may occur within commercial tolerances.

Maintenance: Vacuum regularly. Wipe clean with a damp cloth.




Sepia  
70701

544-3105




Whey  
70712

544-3100




Oatstraw  
70713

544-3101




Waxed Canvas  
70716

544-4474



Goldenrod  
70707

544-5265




Tiger Lily  
70708

544-8211



Grotto  
70709

544-3102



Paprika  
70710


544-1341



Elderberry  
70711


544-1349

## Brisa Fresco




Flint  
70704

544-5752



Peninsula  
70705

544-5743




Patina  
70714

544-3197




Pear  
70715

544-4445



Coconut  
70717

544-5711



Peppercorn  
70718

544-5754




Hibiscus  
70719

544-6585



Sea Glass  
70720

544-7313



Azurite  
70706

544-2566