



Prices effective July 5, 2023

Published July 2023

Co/Struc® System

| | |
|---|---------------|
| Introduction | page 2 |
| Co/Struc® System | 3 |
| Structure | 5 |
| Work Surfaces | 70 |
| Storage | 113 |
| Mobile Technology Carts | 199 |
| Transport | 205 |
| Indices | 207 |
| By Name | 207 |
| By Number | 209 |
| Appendices | |
| 20-Day or Less/Assigned Lead-Time Order Information-Healthcare | |
| Packaging/Keyed-Alike Information-Co/Struc System | |
| For the latest materials information, refer to the Materials pages on HermanMiller.com. | |

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective July 5, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Structure


Work Surfaces

Storage


Mobile Technology Carts

Transport





| Product Information |
|---|
| Description |
| This assembly attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 25 stand-offs, and 5 spacers. |
| Notes |
| To attach assembly to wall, order rail hardware (CO28441, or CO28541) separately. |
| To finish end, order end cap for standard or seismic rail (CO338) separately. |
| When seismic components are required, order seismic wall rail (CO479) instead of standard rail (CO282). |
| Dimensions |




| Specification Information | | |
|---------------------------|-------------------|-------|
| Step 1. | | |
| CO282FF | | \$432 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Structure

Rail Hardware

C0284
C0285



Co/Struc® Structure

Product Information


Description
This package contains enough fasteners to install 12' of standard rail.
Package contains 300 fastener sets.
The 3" sheet metal screws with plastic anchors are #14, flat-head, Phillips-drive screws with 1 3/8"-long plastic anchors. The 4" toggle bolts with wall bushings are 1/4"-20, flat-head, Phillips-drive toggle bolts.

Specification Information

| | |
|-----------------------|--|
| Step 1. | |
| C028 | |
| Step 2. Hardware | |
| 441 | 3" sheet metal screws with plastic anchors |
| 541 | 4" toggle bolts with wall bushings |
| Prices for Steps 1-2. | |
| C028441 | \$323 |
| C028541 | \$1003 |

Adapter Rail


C1610.



Product Information


Description

This rail attaches to a panel, a module, or wall strips to support Co/Struc® hanging components or a storage case in a straight-line configuration. It does not hang directly on a wall. 2 rails are required to hang a locker from an open panel frame or glazed panel.



Equipment Rail, Wall Mounted

C1170.



Co/Struc® Structure

Product Information

Description

This aluminum rail attaches to an architectural wall. It holds work tools or accessories and can be field cut to the appropriate width. The rail includes plastic end caps to accommodate 2 field-cut rail sections.

Notes

Customer must supply attachment hardware for wall conditions.

Order rail-mounted accessories separately:


- Chart holder (CT730.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

Dimensions



Specification Information

Step 1.

C1170.

Step 2. Width

| | |
|----|----------|
| 24 | 24" wide |
| 30 | 30" wide |
| 36 | 36" wide |
| 42 | 42" wide |
| 48 | 48" wide |
| 60 | 60" wide |

Prices for Steps 1-2.


| | |
|-----------|-------|
| C1170. 24 | \$139 |
| 30 | \$168 |
| 36 | \$193 |
| 42 | \$204 |
| 48 | \$226 |
| 60 | \$254 |

Step 3. End Cap Finish


| | | |
|----|-------------------|------|
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Equipment Rail, Systems Mounted

C1172.



| Product Information |
|--|
| Description This aluminum rail attaches to a panel, freestanding module, or wall strips and holds work tools or accessories. It includes steel end caps. Attachment hardware is included. |
| Notes Order rail-mounted accessories separately: <ul style="list-style-type: none"> • Chart holder (CT730.) • Glove box holder (CT726.) • Sharps container holder (CT734.) • Supply basket (CT720. or CT722.) • Suture basket (CT723.) • Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.) • Utility hook (CT776.) • Wastebasket and holder (CT728.) Order work tools separately: <ul style="list-style-type: none"> • Diagonal tray (Y7218.) • Mini-shelf (Y7310.) • Organizer tray (Y7210.) • Paper tray (Y7216.) • Rail divider (Y7320.) • Vertical tray (Y7217.) To mount customer-supplied accessories, order rail clamp (CT729.) separately. |
| Dimensions |




| Specification Information | | |
|---------------------------|-------------------|-------|
| Step 1. | | |
| C1172. | | |
| Step 2. Width | | |
| 24 | 24" wide | |
| 30 | 30" wide | |
| 36 | 36" wide | |
| 48 | 48" wide | |
| Prices for Steps 1-2. | | |
| C1172. 24 | | \$201 |
| 30 | | \$214 |
| 36 | | \$231 |
| 48 | | \$290 |
| Step 4. End Cap Finish | | |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Structure

End Cap for Standard or Seismic RailC0338

Rail



Co/Struc® Structure

Product Information


Description

This end cap provides a finished end for a standard or seismic wall rail and a positive stop for a locker.

Notes

For areas requiring seismic components, order 1 end cap for each end of rail, and order seismic wall rail (C0479) separately.
For areas not requiring seismic components, order 1 end cap for each end of rail, and order standard rail (C0282) separately.

Dimensions




Specification Information

Step 1.


| | |
|---------|------|
| C0338FF | \$81 |
|---------|------|

Step 2. Surface Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |



| Product Information |
|--|
| Description |
| This aluminum rail attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 26 stand-offs, and 5 spacers. |
| Notes |
| Order rail for areas requiring seismic components, when attaching to studs 16" on center, or when attaching to plaster in accordance with OPA-0117 in California. |
| To meet the conditions of appropriate OPA, refer to the OPA document for specific hardware. For other applications, order rail hardware (C028441, or C028541) separately. |
| Order additional seismic components separately: |
| • End cap for standard or seismic rail (C0338) |
| Field drilling is required for proper installation. |




| Specification Information | | |
|---------------------------|-------------------|-------|
| Step 1. | | |
| CO479FF | | \$632 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Structure

Draw Rod, Seismic

CO215.



Co/Struc® Structure

Product Information


Description
This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® support panels in a straight line. It has a threaded hole in the draw block for attachment to a seismic floor anchor bracket.

Notes
For Action Office Series 1 panels or Co/Struc support panels, specify height of draw rod to match height of panel.
For Action Office Series 2 panels, specify draw rod as follows:

- 32"-high panel, CO215.27
- 39"-high panel, CO215.34
- 47"-high panel, CO215.42
- 53"-high panel, CO215.48
- 62"-high panel, CO215.57
- 67"-high panel, CO215.62
- 85"-high panel, CO215.80

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions




Specification Information

| | |
|----------------|----------|
| Step 1. | |
| CO215. | |
| Step 2. Height | |
| 27 | 27" high |
| 34 | 34" high |
| 42 | 42" high |
| 48 | 48" high |
| 57 | 57" high |
| 62 | 62" high |
| 80 | 80" high |


| | |
|-----------------------|------|
| Prices for Steps 1-2. | |
| CO215.27 | \$41 |
| 34 | \$42 |
| 42 | \$42 |
| 48 | \$43 |
| 57 | \$43 |
| 62 | \$44 |
| 80 | \$47 |

Floor Anchor Bracket, Co/Struc®
Lab Module

C0568




| Product Information |
|---|
| <p>Description</p> <p>This bracket fastens both sides of a module frame to the floor. Each anchor location requires 1 bracket. Finish is light tone. Package contains 10. Hardware to attach module is included. Floor anchor and bolt must be customer supplied.</p> |
| <p>Notes</p> <p>Order bracket for areas requiring seismic components.</p> <p>Lab modules need to be mounted flush for anchor to install.</p> |
| <p>Dimensions</p> |



| Specification Information |
|--------------------------------------|
| <p>Step 1.</p> <p>C0568FF</p> |
| <p>\$1399</p> |

Co/Struc® Structure

Floor Anchor Bracket, Action Office® Series 1C0481



Co/Struc® Structure

Product Information


Description
This bracket fastens both sides of an Action Office® Series 1 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.

Notes
Order the following products separately:

- Draw rod (C0215.)
- Floor anchor adapter kit (C0552.)
- Seismic finished end (A1250.) when using only Action Office Series 2 components
- Seismic hingeable end (AO258.) when using Action Office Series 1 or Co/Struc® components

Customer must supply required bolts and concrete anchors.

Dimensions




Specification Information

| | | |
|----------------|-------------------|-------|
| Step 1. | | |
| C0481 | | \$518 |
| Step 2. Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Floor Anchor Bracket, Action Office® Series 2

CO485



Product Information

Description

This bracket fastens both sides of an Action Office® Series 2 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.

Notes

Order the following products separately:


- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.)

Customer must supply required concrete anchors.

Dimensions


| Specification Information | | |
|---------------------------|-------------------|--------|
| Step 1. | | |
| CO485 | | \$1147 |
| Step 2. Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Structure



Seismic Finished End

A1250.




Co/Struc® Structure

Product Information

Description
This seismic cover finishes the exposed end of a panel. It has a draw block that accepts a seismic bracket to meet the state of California seismic codes, and includes a cable management end cover.

Notes
Order floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions



Specification Information

Step 1.

A1250.

Step 2. Height

- 39S 39" high
- 47S 47" high
- 53S 53" high
- 62S 62" high
- 67S 67" high
- 85S 85" high

Prices for Steps 1-2.


| | |
|------------|-------|
| A1250. 39S | \$174 |
| 47S | \$185 |
| 53S | \$189 |
| 62S | \$196 |
| 67S | \$196 |
| 85S | \$204 |

Step 3. Surface Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| MT | medium tone | +\$0 |
| WL | sandstone | +\$0 |
| WN | warm grey neutral | +\$0 |

Step 4. Cable Management Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LU | soft white | +\$0 |
| MT | medium tone | +\$0 |
| WL | sandstone | +\$0 |
| WN | warm grey neutral | +\$0 |



Product Information

Description
This kit replaces the bottom block of an Action Office® Series 1 or 2 spacer or 2-way, 3-way, or 4-way connector. It is designed to be used in areas requiring seismic components and has a threaded hole in the draw block for attachment to a seismic floor anchor bracket. Package contains 10.


Notes
Order floor anchor bracket, Action Office Series 1 (C0481.) or floor anchor bracket, Action Office Series 2 (C0485.) separately.

Dimensions

Specification Information


Step 1.
C0552 \$289

Co/Struc® Structure



Panel Stiffener, Action Office®
Series 1 or Series 2 Top Cap

C0553




Co/Struc® Structure

Product Information

Description
This top cap fits over a standard top cap and spans multiple Action Office® Series 1 or 2 panels. It provides extra rigidity along the panel run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.

Dimensions




Specification Information

| | | |
|------------------------|-------------------|-------|
| Step 1. | | |
| C0553FF | | \$779 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| MT | medium tone | +\$0 |
| WN | warm grey neutral | +\$0 |

Wall Strip Cover


C0487.




| Product Information |
|--|
| Description |
| This plastic cover snaps onto a wall strip to cover the slots. It helps with infection control in healthcare environments by preventing bacteria and germs from growing in these slots. It is 84" and must be field cut to match the wall strip height. Package contains 6 covers. |
| Notes |
| Order wall strips (A0213. or E1130.) separately. |
| Dimensions |

| Specification Information |
|---------------------------|
| Step 1. |
| C0487. |
| \$629 |
| Step 2. Finish |
| BU black umber |
| HF inner tone light |
| LU soft white |
| MT medium tone |

Co/Struc® Structure



Open Support PanelC1150.



Co/Struc® Structure

Product Information


Description

This open panel has hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.


Dimensions



| Specification Information | | | | | |
|---------------------------|-------------------|-----------|-----------|-----------|---------------------|
| Step 1. | | | | | |
| C1150. | | | | | |
| Step 2. Height | | | | | |
| 48 | 48" high | | | | |
| 80 | 80" high | | | | |
| Step 3. Width | | | | | |
| 12 | 12" wide | | | | |
| 24 | 24" wide | | | | |
| 30 | 30" wide | | | | |
| 36 | 36" wide | | | | |
| 48 | 48" wide | | | | |
| Prices for Steps 1-3. | | | | | |
| | | 12 | 24 | 30 | 36 48 |
| C1150. 48 | | \$744 | 772 | 830 | 892 966 |
| 80 | | \$1024 | 1090 | 1147 | 1217 1326 |
| Step 4. Surface Finish | | | | | |
| HF | inner tone light | | | | +\$0 |
| LT | light tone | | | | +\$0 |
| LU | soft white | | | | +\$0 |
| WN | warm grey neutral | | | | +\$0 |

Support Panel

C1151.




Co/Struc® Structure

Product Information

Description
This panel has a 48"-high recessed filler and hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1151.

Step 2. Height

48 48" high**80** 80" high

Step 3. Width

12 12" wide**24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide


Prices for Steps 1-3.

| | 12 | 24 | 30 | 36 | 48 |
|------------------|-----------|-----------|-----------|-----------|-----------|
| C1151. 48 | \$988 | 1226 | 1358 | 1475 | 1658 |
| 80 | \$1324 | 1493 | 1646 | 1849 | 2043 |

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0

Floor Entry Support PanelC1155.




Co/Struc® Structure

Product Information

Description
This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the floor and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes
To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.
For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Floor Entry Support Panel *continued***Specification Information**

Step 1.

C1155.

Step 2. Height

48 48" high**80** 80" high

Step 3. Width


24 24" wide**30** 30" wide**48** 48" wide

Prices for Steps 1-3.

| | 24 | 30 | 48 |
|------------------|-----------|-----------|-----------|
| C1155. 48 | \$1739 | 1926 | 2292 |
| 80 | \$2050 | 2175 | 2556 |

Step 4. Surface Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |



Product Information

Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the ceiling and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

To carry different types of electrical power (e.g. regular and emergency power) or to carry electrical power and low-voltage cables, vertical raceway can be divided into separate internal raceways; contact local contractor.

To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.


Dimensions



Ceiling Entry Support Panel

continued

| Specification Information | | | | |
|---------------------------|-------------------|-----------|-----------|-----------|
| Step 1. | | | | |
| C1156. | | | | |
| Step 2. Height | | | | |
| 48 | 48" high | | | |
| 80 | 80" high | | | |
| Step 3. Width | | | | |
| 24 | 24" wide | | | |
| 30 | 30" wide | | | |
| 48 | 48" wide | | | |
| Prices for Steps 1-3. | | | | |
| | | 24 | 30 | 48 |
| C1156. 48 | | \$4211 | 4561 | 4584 |
| 80 | | \$4611 | 4815 | 4987 |
| Step 4. Surface Finish | | | | |
| HF | inner tone light | | | +\$0 |
| LT | light tone | | | +\$0 |
| LU | soft white | | | +\$0 |
| WN | warm grey neutral | | | +\$0 |



Co/Struc® Structure

Product Information

Description

The center point of this 60"-wide panel attaches at a 90° angle to other panels and provides support to a panel run. Each panel has adjustable glides, finished ends, and a 48"-high recessed filler and hanger frames at 1" intervals to support components. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes.

The panel is available in 2 heights. The 80"-high panel supports a locker; 48"- and 80"-high panels support work surfaces and other 60"-wide components.




Notes

To support locker, order 2 adapter rails (C1610.) separately.

To connect to panel at 90° angle, order draw rod (AO215.) separately.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions




Terminal Panel *continued*

| Specification Information | | |
|---------------------------|-------------------|--------|
| Step 1. | | |
| C1161. | | |
| Step 2. Height | | |
| 4860 | 48" high | |
| 8060 | 80" high | |
| Prices for Steps 1-2. | | |
| C1161. 4860 | | \$2559 |
| 8060 | | \$3145 |
| Step 3. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Panel Wall Start

C1211.




Co/Struc® Structure

Product Information

Description
This connector attaches a support panel to a wall or column for a peninsula configuration.

Notes
Order draw rod (A0215.) separately.
Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

Dimensions




Specification Information

| | | |
|------------------------|-------------------|-------|
| Step 1. | | |
| C1211. | | |
| Step 2. Height | | |
| 48 | 48" high | |
| 80 | 80" high | |
| Prices for Steps 1-2. | | |
| C1211. 48 | | \$473 |
| 80 | | \$565 |
| Step 3. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

2-Way 90° Corner Connector

C1221.



Product Information

Description

This connector joins 2 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.

Notes

Order support panels (C1150., C1151., C1155., C1156.) separately.
To create panel-to-panel connections of same height, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.
To create panel-to-panel connection of unequal height or panel-to-corner connection of unequal height, order change-of-height draw rod (AO219.) to match lower height and finished-end change-of-height panel/panel (AO272.) separately.
When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions

Specification Information

Step 1.

C1221.

Step 2. Height

| | |
|----|----------|
| 48 | 48" high |
| 80 | 80" high |


Prices for Steps 1-2.

| | |
|-----------|-------|
| C1221. 48 | \$473 |
| 80 | \$566 |


Step 3. Surface Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Structure



TOP




SIDE



FRONT

3-Way 90° Corner ConnectorC1231.





Co/Struc® Structure

Product Information

Description
This connector joins 3 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.

Notes
Order support panels (C1150., C1151., C1155., C1156.) separately.
Order 3 draw rods (AO215.) or 3 seismic draw rods (CO215.) separately.
When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions



SIDE




FRONT

Specification Information

| | | |
|------------------------|-------------------|-------|
| Step 1. | | |
| C1231. | | |
| Step 2. Height | | |
| 48 | 48" high | |
| 80 | 80" high | |
| Prices for Steps 1-2. | | |
| C1231. 48 | | \$496 |
| 80 | | \$610 |
| Step 3. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Interface Connector

C1261.



Product Information

Description

This 11"wide connector joins a module to a support panel. It has a removable cover strip that conceals predrilled holes used for attaching connectors.

Notes

To complete shelf surface at end of module run, order shelf end cap (C1510.E or C1511.E) separately.

Order panel connector (C1281.) and 3 draw rods (AO215. or CO215.) separately.

To attach support panel to interface connector (C1261.) of unequal height, order the following products separately:

- Panel connector (C1281.)
- Change of height draw rod (AO219.)
- Change of height panel/panel finished end (AO272.)

Dimensions

Specification Information

Step 1.

C1261.

Step 2. Height

| | |
|-------------|----------|
| 4812 | 48" high |
| 8012 | 80" high |


Prices for Steps 1-2.

| | |
|--------------------|--------|
| C1261. 4812 | \$1204 |
| 8012 | \$1466 |

Step 3. Surface Finish


| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Structure



Panel Connector


C1281.



Co/Struc® Structure

Product Information


| |
|---|
| Description |
| This connector attaches a support panel to an interface connector. |
| Notes |
| Specify connector height to match panel height. Order draw rods (AO215.) or seismic draw rods (CO215.) separately. |
| Dimensions |



Specification Information

| | | |
|------------------------|-------------------|-------|
| Step 1. | | |
| C1281. | | |
| Step 2. Height | | |
| 48 | 48" high | |
| 80 | 80" high | |
| Prices for Steps 1-2. | | |
| C1281. 48 | | \$111 |
| 80 | | \$140 |
| Step 3. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

C1272.



Product Information


Description

This brace provides additional support to a straight panel run that has components hanging on 1 side. It includes a leveling glide.


Notes

To support 24"-deep work surface, specify 21"-wide mid-run support;
to support 30"-deep work surface, specify 27"-wide mid-run support.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.


Dimensions




TOP



FRONT



21" WIDE
SIDE



27" WIDE
SIDE

Specification Information

Step 1.

C1272.

Step 2. Height

| | |
|-----------|----------|
| 48 | 48" high |
| 80 | 80" high |

Step 3. Width

| | |
|-----------|----------|
| 21 | 21" wide |
| 27 | 27" wide |


Prices for Steps 1-3.

| | 21 | 27 |
|-----------|--------|------|
| C1272. 48 | \$857 | 948 |
| 80 | \$1072 | 1115 |

Step 4. Surface Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Mid-Run Support, Double Sided C1273.



Co/Struc® Structure

Product Information


Description

This brace provides additional support to a straight panel run that has components hanging on both sides. It includes leveling glides.


Notes

To support 24"-deep work surface, specify 41"-wide mid-run support; to support 30"-deep work surface, specify 53"-wide mid-run support. To support 24"-deep work surface on 1 side and 30"-deep work surface on other side, specify 53"-wide mid-run support.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.


Dimensions




TOP



FRONT



41" WIDE
SIDE



53" WIDE
SIDE

Specification Information

Step 1.

C1273.

Step 2. Height

48 48" high
80 80" high

Step 3. Width

41 41" wide
53 53" wide

Prices for Steps 1-3.


| | 41 | 53 |
|-----------|--------|------|
| C1273. 48 | \$938 | 1090 |
| 80 | \$1275 | 1422 |

Step 4. Surface Finish


| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Support Panel Top Cap


C1274.



| Product Information |
|---|
| Description |
| This 20"-wide aluminum top cap attaches to 2 support panels in a straight connection. It provides additional support for a panel run. |
| Dimensions |



SIDE




FRONT

| Specification Information |
|---------------------------|
| Step 1. |
| C1274.20 |
| \$194 |
| Step 2. Surface Finish |
| HF inner tone light |
| LT light tone |
| LU soft white |
| WN warm grey neutral |
| +\$0 |
| +\$0 |
| +\$0 |
| +\$0 |

Co/Struc® Structure

Low Module

C1112.




Co/Struc® Structure

Product Information

Description
This 48"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services. The module includes a top shelf and 4 adjustable glides. It has hanger frames at 1" intervals to support components.

Notes
Order access panels separately.
For L, T, or X configuration, order module corner connector separately:
• 2-way connector (C1220.)
• 3-way connector (C1230.)
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
To enclose the end of a module when a terminal panel (C1122.) is not used, order the end closure assembly (C1451.) separately.

Dimensions




Specification Information

| | | |
|------------------------|-----------------------------|--------|
| Step 1. | | |
| C1112.48 | | |
| Step 2. Width | | |
| 24 | 24" wide | |
| 30 | 30" wide | |
| 36 | 36" wide | |
| 48 | 48" wide | |
| Prices for Steps 1-2. | | |
| C1112.48 | 24 | \$1802 |
| | 30 | \$2119 |
| | 36 | \$2162 |
| | 48 | \$2358 |
| Step 3. Surface Finish | | |
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Pass-Through Module

C1114.



Product Information

Description

This 80"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services and provides pass-through access. The module includes an interior shelf that is field adjustable to 30", 36", or 48" high. It has hanger frames at 1" intervals to support components and 4 adjustable glides.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:

- 2-way connector (C1220.)
- 3-way connector (C1230.)


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the top section of a pass-through module, order the end closure panel (C1450.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the end of a module when a terminal panel (C1122., C1124.) is not used, order the end closure assembly (C1451.) separately.

Dimensions



Specification Information

Step 1.

C1114.80

Step 2. Width


- 24 24" wide
- 30 30" wide
- 36 36" wide
- 48 48" wide

Prices for Steps 1-2.


| | | |
|----------|----|--------|
| C1114.80 | 24 | \$2559 |
| | 30 | \$2827 |
| | 36 | \$3002 |
| | 48 | \$3186 |

Step 3. Surface Finish

| | | |
|----|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |




| Product Information |
|---|
| Description |
| This 48"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel includes a top shelf end cap, adjustable glides, and finished ends, and comes in 3 widths. |
| The 60"- and 72"-wide panel supports hanging components. |
| Notes |
| Order draw rods (AO215.) or seismic draw rods (CO215.) separately. |
| Dimensions |



| Specification Information |
|--|
| Step 1. |
| C1122.48 |
| Step 2. Width/Position |
| 36L 36" wide and left-hand panel |
| 36R 36" wide and right-hand panel |
| 60 60" wide |
| 72 72" wide |
| Prices for Steps 1-2. |
| C1122.48 36L \$2448 |
| 36R \$2448 |
| 60 \$2999 |
| 72 \$4422 |
| Step 3. Surface Finish |
| JD warm grey neutral Chemsurf® +\$0 |
| KH light tone Chemsurf® +\$0 |
| KR inner tone light Chemsurf® +\$0 |
| LE soft white Chemsurf® +\$0 |

Pass-Through Module Terminal Panel

C1122.
C1124.




Co/Struc® Structure

Product Information

Description
This 80"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel is available in 3 widths. The 60"- and 72"-wide, full-height panel supports hanging components. Each panel has an interior shelf end cap, adjustable glides, and finished ends.

Notes
To attach terminal panel to module, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

Dimensions




Pass-Through Module Terminal Panel *continued*

| Specification Information | | |
|-------------------------------|-------------------------------|--------|
| Step 1. | | |
| C112 | | |
| Step 2. Height | | |
| 2.80 | full-height | |
| 4.80 | half-height | |
| Step 3. Width/Position | | |
| <i>For full-height (2.80)</i> | | |
| 60 | 60" wide | |
| 72 | 72" wide | |
| <i>For half-height (4.80)</i> | | |
| 36L | 36" wide and left-hand panel | |
| 36R | 36" wide and right-hand panel | |
| 60 | 60" wide | |
| 72 | 72" wide | |
| Prices for Steps 1-3. | | |
| C1122.80 | 60 | \$4085 |
| | 72 | \$4892 |
| C1124.80 | 36L | \$2716 |
| | 36R | \$2716 |
| | 60 | \$3757 |
| | 72 | \$4630 |
| Step 4. Surface Finish | | |
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Vertical Chase Cover

C1460.



Co/Struc® Structure

Product Information

Description

This 72"-high tower encloses services between the ceiling and the top shelf of a low module, the interior shelf of a pass-through module, or a 2- or 3-way module corner connector. It includes a ceiling trim plate. The cover cannot be used with a 4-way module corner connector.

Notes

Order module or connector separately:

- 2-way module corner connector (C1220.)
- 3-way module corner connector (C1230.)
- Low module (C1112.)
- Pass-through module (C1114.)

Dimensions


Specification Information

Step 1.


C1460. \$1142

Step 2. Surface Finish


| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |



TOP




SIDE




FRONT

Module Wall Start

C1212.




| Product Information |
|--|
| Description |
| This connector starts a peninsula configuration by attaching a low or pass-through module to a wall or column. It includes a shelf end cap. |
| Notes |
| For low module, specify 48"-high wall start; for pass-through module, specify 80"-high wall start. |
| Order draw rods (AO215,) or seismic draw rods (CO215,) separately. |
| Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install. |
| Dimensions |



| Specification Information |
|-------------------------------------|
| Step 1. |
| C1212. |
| Step 2. Height |
| 48 48" high |
| 80 80" high |
| Prices for Steps 1-2. |
| C1212. 48 \$806 |
| 80 \$910 |
| Step 3. Surface Finish |
| JD warm grey neutral Chemsurf® +\$0 |
| KH light tone Chemsurf® +\$0 |
| KR inner tone light Chemsurf® +\$0 |
| LE soft white Chemsurf® +\$0 |

Co/Struc® Structure

2-Way Module Corner Connector C1220.



Co/Struc® Structure

Product Information


Description

This connector joins 2 modules of equal or unequal heights at a 90° angle. It includes a top shelf and filler panels to enclose the utility chase.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

Dimensions



Specification Information

Step 1.

C1220.

Step 2. Height

| | |
|----|----------|
| 48 | 48" high |
| 80 | 80" high |


Prices for Steps 1-2.

| | |
|-----------|--------|
| C1220. 48 | \$1872 |
| 80 | \$2246 |


Step 3. Surface Finish

| | | |
|----|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

3-Way Module Corner Connector C1230.




| Product Information |
|---|
| Description |
| This connector joins 3 modules of equal or unequal heights at 90° angles. It includes a top shelf and filler panels to enclose the utility chase. |
| Notes |
| Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately. |
| Dimensions |



| Specification Information |
|---|
| Step 1. |
| C1230. |
| Step 2. Height |
| 48 48" high |
| 80 80" high |
| Prices for Steps 1-2. |
| C1230. 48 \$1872 |
| 80 \$2246 |
| Step 3. Surface Finish |
| JD warm grey neutral Chemsurf® +\$0 |
| KH light tone Chemsurf® +\$0 |
| KR inner tone light Chemsurf® +\$0 |
| LE soft white Chemsurf® +\$0 |

Module Support Leg

C1275.





Co/Struc® Structure

Product Information

Description
This leg provides additional support for normal loading on a low or pass-through module. It has a leveling glide.

Dimensions




Specification Information

| | |
|---------|-------|
| Step 1. | |
| C1275. | \$871 |

| | | |
|------------------------|-------------------|------|
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Anchor Support Kit


C1276.



| Product Information |
|---|
| Description |
| This kit fastens a module to the floor. It includes a bolt, spacer, and plate. Package contains 10. |
| Notes |
| Anchor support kit is not acceptable for seismic anchoring. Source anchor component separately. |
| Dimensions |


| Specification Information |
|---------------------------|
| Step 1. |
| C1276. |
| \$430 |

Co/Struc® Structure



Top Shelf

C1510.




Co/Struc® Structure

Product Information

Description

This 11"-deep shelf encloses the top of a low module service chase and provides a storage shelf. It has a Chemsurf® surface. The shelf can be drilled for fixtures or piping. It cannot attach to a pass-through module.

Dimensions



Specification Information

Step 1.

C1510.12

Step 2. Width

| | |
|----|----------|
| 12 | 12" wide |
| 24 | 24" wide |
| 30 | 30" wide |
| 36 | 36" wide |
| 48 | 48" wide |

Prices for Steps 1-2.


| | | |
|----------|----|-------|
| C1510.12 | 12 | \$337 |
| | 24 | \$452 |
| | 30 | \$566 |
| | 36 | \$594 |
| | 48 | \$609 |

Step 3. Surface Finish


| | | |
|----|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Interior Shelf

C1511.



| Product Information |
|--|
| Description |
| This 11" deep shelf fits inside a pass-through module. It encloses the top of a 48"-high service chase and provides a storage shelf. The shelf has a Chemsurf® surface. It can be drilled for fixtures or piping. Attachment hardware is included. |
| Notes |
| To install shelf higher than 48", order interior shelf and support kit (C1515.) separately. |
| Dimensions |




| Specification Information |
|-------------------------------------|
| Step 1. |
| C1511.12 |
| Step 2. Width |
| 24 24" wide |
| 30 30" wide |
| 36 36" wide |
| 48 48" wide |
| Prices for Steps 1-2. |
| C1511.12 24 \$537 |
| 30 \$598 |
| 36 \$636 |
| 48 \$671 |
| Step 3. Surface Finish |
| JD warm grey neutral Chemsurf® +\$0 |
| KH light tone Chemsurf® +\$0 |
| KR inner tone light Chemsurf® +\$0 |
| LE soft white Chemsurf® +\$0 |

Co/Struc® Structure

Shelf End Cap

C1510.
C1511.




Co/Struc® Structure

Product Information


Description

This cap finishes the end of an interior or top shelf at the connection of a low or pass-through module and an interface connector. It has a Chemsurf® surface. Attachment hardware is included.

Dimensions



SIDE



TOP

Specification Information

Step 1.

C151

Step 2. Depth/Usage

- 1.E 7" deep for interior shelf
- 0.E 12" deep for top shelf


Prices for Steps 1-2.

| | |
|---------|-------|
| C1511.E | \$299 |
| C1510.E | \$292 |

Step 3. Surface Finish

| | | |
|----|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Interior Shelf and Support KitC1515.




Product Information

Description

This 11" deep interior shelf is installed within a pass-through module. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

C1515.12

Step 2. Width

| | |
|----|----------|
| 24 | 24" wide |
| 30 | 30" wide |
| 36 | 36" wide |
| 48 | 48" wide |

Prices for Steps 1-2.

| | | |
|----------|----|--------|
| C1515.12 | 24 | \$1054 |
| | 30 | \$1139 |
| | 36 | \$1266 |
| | 48 | \$1444 |


Step 3. Surface Finish

| | | |
|----|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Co/Struc® Structure

Access Panel Assembly

C1412.




Co/Struc® Structure

Product Information

Description
This assembly of 2 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.
The assembly has 2 30"- or 2 42"-high access panels.

Notes
Order low module (C1112.) or pass-through module (C1114.) separately.
For interior shelf mounted at 36" on pass-through module, specify 30"-high assembly.
For interior shelf mounted at 48" on pass-through module, specify 42"-high assembly.

Dimensions



Specification Information

Step 1.

C1412.

Step 2. Height

30 30" high**42** 42" high

Step 3. Width

19 19¹/₄" wide**25** 25¹/₄" wide**31** 31¹/₄" wide**43** 43¹/₄" wide

Prices for Steps 1-3.


| | 19 | 25 | 31 | 43 |
|------------------|-----------|-----------|-----------|-----------|
| C1412. 30 | \$846 | 986 | 1032 | 1063 |
| 42 | \$950 | 1108 | 1211 | 1332 |

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0

Combination Access Panel Assembly

C1422.



Co/Struc® Structure


Product Information

Description
This assembly of 4 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts (4 per module side) for standard duplex electrical outlets. Brackets and mounting hardware are included.

Shipped knocked down.
The 24"-high assembly has 4 12"-high access panels; the 42"-high assembly has 2 12"- and 2 30"-high access panels.

Notes
Order low module (C1112.) or pass-through module (C1114.) separately.
For interior shelf mounted 30" high on pass-through module, specify 24"-high assembly.
For interior shelf mounted 48" high on pass-through module, specify 42"-high assembly.

Dimensions




Combination Access Panel

Assembly *continued*

| Specification Information | | | | |
|---------------------------|---------------------------------------|------|------|------|
| Step 1. | | | | |
| C1422. | | | | |
| Step 2. Height | | | | |
| 24 | 24" high | | | |
| 42 | 42" high | | | |
| Step 3. Width | | | | |
| 19 | 19 ¹ / ₄ " wide | | | |
| 25 | 25 ¹ / ₄ " wide | | | |
| 31 | 31 ¹ / ₄ " wide | | | |
| 43 | 43 ¹ / ₄ " wide | | | |
| Prices for Steps 1-3. | | | | |
| | 19 | 25 | 31 | 43 |
| C1422. 24 | \$1670 | 1751 | 1833 | 1901 |
| 42 | \$1776 | 1971 | 2188 | 2309 |
| Step 4. Surface Finish | | | | |
| HF | inner tone light | | | +\$0 |
| LT | light tone | | | +\$0 |
| LU | soft white | | | +\$0 |
| WN | warm grey neutral | | | +\$0 |

C1432.



Co/Struc® Structure

Product Information

Description

This assembly attaches to a pass-through module and creates a low cup sink assembly in the lower service chase. It encloses both sides of the service chase and has removable panels for service access. The assembly includes 4 12"-high access panels, 1 shelf support frame, 1 interior shelf, 1 bottom chase cover, and attachment hardware. Each 12"-high panel has 2 knockouts for standard duplex electrical outlets. The assembly has a 15¹/₄" space for a cup sink; this divides the service chase into 2 12" segments. Shipped knocked down.


Notes

Order pass-through module (C1114.) separately.

To enclose service chase of adjacent module, order center closure panel (C1455.1607) separately.

Customer must order sink and fixtures separately and field cut interior shelf to hold sink.

Dimensions



Low Cup Sink Access Panel Assembly *continued*

Specification Information

Step 1.

C1432.42

Step 2. Width

19 19¹/₄" wide

25 25¹/₄" wide

43 43¹/₄" wide

Prices for Steps 1-2.


| | | |
|-----------------|-----------|--------|
| C1432.42 | 19 | \$2567 |
| | 25 | \$2803 |
| | 43 | \$3099 |

Step 3. Surface Finish

| | | |
|-----------|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

End Closure Assembly

C1451.




Co/Struc® Structure

Product Information

Description
This assembly encloses the end of a module when a terminal panel is not used.
The end closure for a low module has a 48"-high panel and 2 48"-high end caps. The full-height end closure for a pass-through module has an 80"-high panel and 2 80"-high end caps.

Notes
Order low module (C1112.) or pass-through module (C1114.) separately.

Dimensions



Specification Information

Step 1.
C145
Step 2. Type
1.4811 end closure for low module
1.8011 full-height end closure for pass-through module

| Prices for Steps 1-2. | |
|-----------------------|-------|
| C1451.4811 | \$397 |
| C1451.8011 | \$520 |

| Step 3. Surface Finish | | |
|------------------------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Center Closure Panel

C1455.



Product Information

Description

This panel attaches to the inside of a module run and encloses the end of a service chase. Attachment hardware is included.



Notes

To enclose service chase on either end of cup sink opening or 14"-high openings created by partial chases at panel connections, order 16"-high panel.

To enclose lower interior module chase, order 43"-high panel.

To enclose upper section of pass-through module, order 32"-high panel.

Dimensions



Specification Information

Step 1.

C1455.

Step 2. Height

| | |
|------|----------|
| 1607 | 16" high |
| 3207 | 32" high |
| 4307 | 43" high |

Prices for Steps 1-2.


| | |
|-------------|-------|
| C1455. 1607 | \$894 |
| 3207 | \$906 |
| 4307 | \$910 |

Step 3. Surface Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Wire Chase Rail

C1313.
C1314.



Co/Struc® Structure

Product Information

Description

This aluminum rail attaches to 1 side of an equal-width module or support panel and provides 1 or 2 cable management channels. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes



Order connection components separately:

- Wire chase rail bridge (C1326. or C1327.) to connect across mid-run support panel or back side of 3-way connector
- 90° inside corner wire chase rail (C1321. or C1322.) to connect around 90° inside corner

Order wire chase rail covers (C1315., C1316., C1317., or C1318.) and rail end cap (C1331. or C1332.) separately.

Receptacles must be customer supplied.

Dimensions



Specification Information

Step 1.

C131

Step 2. Type

3. double channel
4. single channel

Step 3. Width

- | | |
|----|--|
| 24 | 24" wide |
| 30 | 30" wide |
| 36 | 36" wide |
| 42 | 42" wide A |
| 48 | 48" wide |
| 60 | 60" wide |
| 72 | 72" wide |
| 96 | 96" wide |

Prices for Steps 1-3.

| | |
|------------------|-------|
| C1313. 24 | \$165 |
| 30 | \$211 |
| 36 | \$267 |
| 42 | \$312 |
| 48 | \$326 |
| 60 | \$410 |
| 72 | \$487 |
| 96 | \$647 |

| | |
|------------------|-------|
| C1314. 24 | \$87 |
| 30 | \$111 |
| 36 | \$139 |
| 42 | \$156 |
| 48 | \$165 |
| 60 | \$209 |
| 72 | \$245 |
| 96 | \$326 |

Step 4. Surface Finish

For double channel (3.) with 24" wide (24)

| | | |
|----|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|----|-------------------------|------|

For double channel (3.) with 30" wide (30)

| | | |
|----|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|----|-------------------------|------|

For double channel (3.) with 36" wide (36)

| | | |
|----|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|----|-------------------------|------|

Wire Chase Rail *continued*

For double channel (3.) with 42" wide (42)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (3.) with 48" wide (48)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (3.) with 60" wide (60)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (3.) with 72" wide (72)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (3.) with 96" wide (96)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 24" wide (24)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 30" wide (30)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 36" wide (36)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 42" wide (42)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 48" wide (48)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 60" wide (60)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 72" wide (72)


| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (4.) with 96" wide (96)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

Wire Chase Rail, 90° Inside Corner

C1321.
C1322.



Co/Struc® Structure

Product Information


Description

This aluminum rail attaches to 2 modules or support panels at a 90° inside corner. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Rail includes 2 6" mitered corner covers. Order wire chase rail covers to cover the remaining length of each rail (C1315., C1316., C1317., or C1318.) separately.

Dimensions



Specification Information

Step 1.

C132

Step 2. Type

1. double channel
2. single channel

Step 3. Width

- 24** 24" wide
30 30" wide
48 48" wide

Step 4. Depth

For 24" wide (24)

- 24** 24" deep
30 30" deep
48 48" deep

For 30" wide (30)

- 30** 30" deep
48 48" deep

For 48" wide (48)

- 48** 48" deep

Prices for Steps 1-4.

| | 24 | 30 | 48 |
|------------------|-------|-------|-------|
| C1321. 24 | \$567 | 610 | 728 |
| 30 | — | \$646 | 765 |
| 48 | — | — | \$882 |
| C1322. 24 | \$381 | 410 | 468 |
| 30 | — | \$429 | 487 |
| 48 | — | — | \$548 |

Step 5. Surface Finish

For double channel (1.) with 30" wide (30) with 48" deep (48)

AN clear anodized aluminum +\$0

For double channel (1.) with 48" wide (48) with 48" deep (48)

AN clear anodized aluminum +\$0

For single channel (2.) with 24" wide (24) with 24" deep (24)

AN clear anodized aluminum +\$0

Wire Chase Rail, 90° Inside Corner *continued*

For single channel (2.) with 24" wide (24) with 30" deep (30)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (2.) with 24" wide (24) with 48" deep (48)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (2.) with 30" wide (30) with 30" deep (30)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (2.) with 30" wide (30) with 48" deep (48)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For single channel (2.) with 48" wide (48) with 48" deep (48)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (1.) with 24" wide (24) with 24" deep (24)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (1.) with 24" wide (24) with 30" deep (30)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (1.) with 24" wide (24) with 48" deep (48)


| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|

For double channel (1.) with 30" wide (30) with 30" deep (30)

| | | |
|-----------|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|-----------|-------------------------|------|


Wire Chase Rail Bridge

C1326.
C1327.



Co/Struc® Structure


| Product Information |
|--|
| Description |
| This bridge joins wire chase rails across a mid-run support panel or on the back side of a 3-way 90° connector. It allows the continuation of a cable management channel and includes a blank cover. The bridge cannot be used with an Action Office® Series 1 or 2 connector. |
| Notes |
| Order 1 of the following products separately: |
| • 3-way 90° connector (C1231.) |
| • Mid-run support (C1272. or C1273.) |
| Dimensions |




| Specification Information |
|----------------------------|
| Step 1. |
| C132 |
| Step 2. Type |
| 6. double channel |
| 7. single channel |
| Prices for Steps 1-2. |
| C1326. |
| C1327. |
| Step 3. Surface Finish |
| AN clear anodized aluminum |

Wire Chase Rail End Cap

C1331.
C1332.



| Product Information |
|---|
| Description |
| This end cap finishes the exposed end of a wire chase rail. Package contains 2. |
| Dimensions |




| Specification Information |
|---------------------------------|
| Step 1. |
| C133 |
| Step 2. Type |
| 1. double channel |
| 2. single channel |
| Prices for Steps 1-2. |
| C1331. \$131 |
| C1332. \$131 |
| Step 3. Surface Finish |
| AN clear anodized aluminum +\$0 |

Co/Struc® Structure

Wire Chase Rail Cover

C1315.
C1316.
C1317.
C1318.



Co/Struc® Structure

Product Information


Description

This cover encloses a wire chase rail.

Notes

Specify type to cover wire chase rail's power and/or data outlets.
Specify covers in 6"- or 12"-wide increments to match rail width.

Dimensions



Specification Information

Step 1.

C131

Step 2. Type

- 5.06 6"-wide plain cover
- 5.12 12"-wide plain cover
- 6. duplex cutout cover
- 7. GFI cutout cover
- 8. gang cover

Prices for Steps 1-2.


| | |
|----------|------|
| C1315.06 | \$33 |
| C1315.12 | \$41 |
| C1316. | \$44 |
| C1317. | \$46 |
| C1318. | \$46 |

Step 3. Surface Finish

| | | |
|----|-------------------------|------|
| AN | clear anodized aluminum | +\$0 |
|----|-------------------------|------|

Wire Chase Overlay


C1358.




| Product Information |
|---|
| Description |
| This 1½"-wide cover wraps around the outside of a wire chase channel to cover gaps between adjoining channels and covers. |
| Notes |
| Order wire chase and covers separately. |
| Dimensions |

| Specification Information | |
|---------------------------|----------------|
| Step 1. | |
| C1358. | |
| Step 2. Type | |
| D | double channel |
| T | triple channel |
| Prices for Steps 1-2. | |
| C1358. D | \$41 |
| T | \$59 |

Co/Struc® Structure





Product Information

Description

This work surface hangs from a panel, module, or wall strips and is available as laminate or solid surface. The work surface, when supported by work surface supports has a top-loading capacity of up to 200 pounds. The solid surface option, when supported by sink products has a top-loading capacity of 250 pounds. Appropriate sink products and work surface supports must be specified and ordered separately.

Notes

For laminate option (L), order standard duty work surface supports (C2140.S) separately.

For solid surface option (K), order 1 of the following products separately:

- ADA sink support, systems mounted (C2520.)
- Sink module (C2512.)
- Sink unit for storage (C2513.)
- Work surface support, standard duty (C2140.S)

Work surface with solid surface option (K) will not accept a storage case (C5040.) without storage case leg (C5050.).

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.


Work surface with solid surface option (K) has a matte gloss level and includes a backsplash.

When hanging work surface with laminate option (L) from wall strips, order recommended backsplash (C2910.) separately.

Order optional products separately:

- Drawer bearer package (CO228)
- Gripper package (CO266), for laminate (L) option only
- Keyboard/Mouse Support, Adjustable (Y7710.)
- Lockable drawer bearer (CO396)

Dimensions



Standard-Duty Work Surface

continued

Specification Information

Step 1.

C2142.

Step 2. Depth

| | |
|-----------|----------|
| 24 | 24" deep |
| 30 | 30" deep |

Step 3. Width

| | |
|-----------|----------|
| 24 | 24" wide |
| 30 | 30" wide |
| 36 | 36" wide |
| 48 | 48" wide |
| 60 | 60" wide |
| 72 | 72" wide |
| 96 | 96" wide |

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60)

| | |
|----------|--------------------------|
| L | high - pressure laminate |
| K | solid surface |

For 72" wide (72) or 96" wide (96)

| | |
|----------|--------------------------|
| L | high - pressure laminate |
|----------|--------------------------|

Prices for Steps 1-4.

| | L | K |
|---------------------|----------|----------|
| C2142. 24 24 | \$159 | 1948 |
| 30 | \$196 | 2261 |
| 36 | \$263 | 2837 |
| 48 | \$351 | 3209 |
| 60 | \$509 | 3841 |
| 72 | \$639 | — |
| 96 | \$818 | — |
| 30 24 | \$168 | 2181 |
| 30 | \$243 | 2532 |
| 36 | \$305 | 3172 |
| 48 | \$487 | 3576 |
| 60 | \$690 | 4275 |
| 72 | \$848 | — |
| 96 | \$1014 | — |

Step 5. Finish


For high - pressure laminate (L)

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

For solid surface (K)

| | | |
|------------|---------------|--------|
| CQ | glacier white | +\$0 |
| QB | bisque | +\$0 |
| 1S | savannah | +\$52 |
| 1U | sahara | +\$52 |
| 4I | sandstone | +\$52 |
| 58 | cameo white | +\$50 |
| ANC | antarctica | +\$50 |
| IQ | aurora | +\$52 |
| OQ | silt | +\$52 |
| SVG | silver gray | +\$50 |
| CRT | concrete | +\$200 |
| DVC | dove | +\$200 |

Co/Struc® Work Surfaces



Product Information

Description

This work surface is supported by heavy duty work surface supports, allowing it to hang from a panel, module, or wall strips. It has a top-loading capacity of up to 400 pounds. It can hold drawers and includes drawer bearers. Appropriate heavy duty work surface supports must be specified and ordered separately.

The work surface can be specified as laminate, Chemsurf®, stainless steel, Corian®, or phenolic resin. A 51"-wide surface has a 3" overhang on the left or right side to fill the gap created by a mid-run support, C-series 3-way connector, or interface connector. A 96"-wide surface includes 1 additional support bracket. The 24"-wide surface cannot accept components.

Notes

Order heavy duty work surface supports (C2140.H, C2140.W, C214.R) separately.

For stainless steel option (S), order 1 of the following products separately:

- Heavy duty work surface support, with component adapter (C2140.W)
- Heavy duty work surface support, component adapter ready (C2140.R)

Work surface with phenolic resin option (P) or Corian option (K) must use work surface supports (C2140.) heavy duty, with component adaptor (W) or heavy duty, component adaptor ready (R) options.

Finish color on phenolic resin option (P) is black.

Work surface with solid surface option (K) has a matte gloss level.

Work surface with phenolic resin option (P) or Corian option (K) includes a backsplash.

Work surface with phenolic resin option (P) is 1" thick and includes spacers for transitioning to adjacent, non-resin surfaces.

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

When hanging a work surface with laminate option (L) or Chemsurf® option (C) from wall strips, order recommended backsplash (C2910.) separately.

Work surface supports the following quantities of drawers, C frames, or storage cabinets:

- 24" wide: 1 drawer
- 30", 36" wide: 1 drawer, 1 C frame or 1 storage cabinet
- 48", 51", and 60" wide: 2 drawers, 2 C frames, or 2 storage cabinets
- 72" wide: 3 drawers, 3 C frames, or 3 storage cabinets
- 96" wide: 4 drawers, 4 C frames, or 4 storage cabinets


24"-wide work surface will not accept a storage case (C5040.) or storage unit (C5010.) or C frame (C0205).

Work surface with phenolic resin option (P) or stainless steel option (S) will not accept a keyboard/mouse support, adjustable (Y7710.).

Order optional products separately:

- Drawer (C0207, C0208, or C0209)
- Keyboard tray (Y7710.), except for stainless steel (S) and phenolic resin (P) surfaces
- Pencil drawer (A0480.)
- Storage case (C5040.) and adapter rail (C1610.), except for phenolic resin (P) surfaces
- Storage unit (C5010.) and component adaptor (C2193.)

Dimensions



Heavy-Duty Work Surface *continued*

Specification Information

Step 1.

C2141.

Step 2. Depth

24 24" deep
30 30" deep

Step 3. Width

24 24" wide
30 30" wide
36 36" wide
48 48" wide
5L 51" wide, left overhang
5R 51" wide, right overhang
60 60" wide
72 72" wide
96 96" wide

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (60), or 72" wide (72)

L high-pressure laminate
C Chemsurf®
S stainless steel ☐
P phenolic resin
K corian

For 51" wide, left overhang (5L) or 51" wide, right overhang (5R)

L high-pressure laminate
C Chemsurf®
S stainless steel ☐
P phenolic resin
K corian

For 96" wide (96)

L high-pressure laminate
C Chemsurf®
S stainless steel ☐

Prices for Steps 1-4.

| | L | C | S | P | K |
|---------------------|--------|------|------|------|------|
| C2141. 24 24 | \$216 | 290 | 2911 | 1032 | 1711 |
| 30 | \$230 | 340 | 3132 | 1221 | 1912 |
| 36 | \$299 | 431 | 3739 | 1405 | 2330 |
| 48 | \$407 | 544 | 4467 | 1778 | 3141 |
| 5L | \$486 | 628 | 4865 | 1967 | 3567 |
| 5R | \$486 | 628 | 4865 | 1967 | 3567 |
| 60 | \$565 | 700 | 5821 | 2059 | 3569 |
| 72 | \$700 | 852 | 6642 | 2342 | 4408 |
| 96 | \$891 | 1064 | 7437 | — | — |
| 30 24 | \$279 | 329 | 3277 | 1125 | 1949 |
| 30 | \$290 | 442 | 3697 | 1405 | 2185 |
| 36 | \$395 | 589 | 4700 | 1596 | 2643 |
| 48 | \$530 | 748 | 5532 | 2059 | 3515 |
| 5L | \$553 | 773 | 5981 | 2342 | 4000 |
| 5R | \$553 | 773 | 5981 | 2342 | 4000 |
| 60 | \$729 | 947 | 7100 | 2433 | 3992 |
| 72 | \$891 | 1131 | 8177 | 2807 | 4956 |
| 96 | \$1094 | 1381 | 8730 | — | — |

Step 5. Finish

For high-pressure laminate (L)

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

For Chemsurf® (C)


| | | |
|-----------|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Co/Struc® Work Surfaces

| | | |
|-----------------------|---------------|--------|
| <i>For corian (K)</i> | | |
| CQ | glacier white | +\$0 |
| QB | bisque | +\$0 |
| 1S | savannah | +\$380 |
| 1U | sahara | +\$380 |
| 4I | sandstone | +\$380 |
| 58 | cameo white | +\$370 |
| ANC | antarctica | +\$370 |
| IQ | aurora | +\$380 |
| OQ | silt | +\$380 |
| SVG | silver gray | +\$100 |
| CRT | concrete | +\$740 |
| DVC | dove | +\$740 |

Work Surface Support

C2140.



Product Information

Description

This set of supports allows a standard- or heavy duty work surface to hang from a panel, module, or wall strips.

Notes

Supports for standard duty surfaces include the following:

Surface Width—Supports

24"-60" wide—2 supports (1 left and 1 right)

72" wide—3 supports (1 left, 1 middle, and 1 right)

96" wide—4 supports (1 left, 2 middle, and 1 right)

Supports for heavy duty surfaces include the following:

Surface Width—Supports

24"-72" wide—2 supports (1 left and 1 right)


96" wide—3 supports (1 left, 1 middle, and 1 right)

For standard duty option (S), order standard duty work surface

(C2142.) separately.

For heavy duty options (W or R), order appropriate heavy duty work surface (C2141.) separately.

Dimensions



Specification Information

Step 1.

C2140.

Step 2. Type

S standard duty

W heavy duty, with component adaptor

R heavy duty, component adaptor ready

Step 3. Depth

24 for 24"-deep work surface

30 for 30"-deep work surface

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

48 48" wide

60 60" wide

72 72" wide

96 96" wide

Prices for Steps 1-4.

| | | 24 | 30 | 36 | 48 | 60 | 72 |
|-----------------|-------------|-------|-----|-----|-----|-----|-----------|
| C2140. S | 24 | \$240 | 240 | 240 | 240 | 240 | 360 |
| | 30 | \$240 | 240 | 240 | 240 | 240 | 360 |
| | W 24 | \$603 | 641 | 674 | 710 | 775 | 843 |
| | 30 | \$660 | 703 | 733 | 769 | 834 | 902 |
| | R 24 | \$434 | 434 | 434 | 434 | 434 | 478 |
| | 30 | \$493 | 493 | 493 | 493 | 493 | 542 |
| | | | | | | | 96 |
| C2140. S | 24 | | | | | | \$478 |
| | 30 | | | | | | \$478 |
| | W 24 | | | | | | \$1163 |
| | 30 | | | | | | \$1254 |
| | R 24 | | | | | | \$711 |
| | 30 | | | | | | \$808 |

Step 5. Finish

HF inner tone light

+\$0

LT light tone

+\$0


LU soft white

+\$0

WN warm grey neutral

+\$0

Rail-Hanging Work SurfaceC2410.




Product Information

Description
This 24"-deep rectangular work surface hangs on a standard rail. It has predrilled holes for hanging drawers, suspended pedestals, or keyboard trays. The work surface can be installed, relocated, or removed without tools and without disturbing other rail components. The support arm finish matches the surface finish.

Notes
Order optional work surface backsplash (C2910.) separately.
Order optional keyboard/mouse support, adjustable (Y7710.) separately.

Dimensions




Specification Information

| | | |
|------------------------|-------------------|--------|
| Step 1. | | |
| C2410.24 | | |
| Step 2. Width | | |
| 48 | 48" wide | |
| 72 | 72" wide | |
| Prices for Steps 1-2. | | |
| C2410.24 | 48 | \$1564 |
| | 72 | \$1935 |
| Step 3. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Pass-Through Cover

C2399.



Product Information

Description

This cover provides a continuous surface for 2 back-to-back squared-edge work surfaces hung on an open panel frame. It is 48" wide but can be field cut to fit a narrower opening.

Dimensions

Specification Information


Step 1.


C2399.48\$143

Step 2. Finish

LUsoft white+\$0

Co/Struc® Work Surfaces





Co/Struc® Work Surfaces

Product Information

Description


This assembly attaches to a support panel, a module, or wall strips and provides support for a C frame and components hanging on the C frame. Attachment hardware is included. Shipped knocked down. The assembly holds the following quantities of C frames:

- 24" and 30" wide: 1 C frame
- 48" and 60" wide: 2 C frames
- 72" wide: 3 C frames

Notes

For 51"-wide work surface, order 48"-wide C frame support.

Dimensions



Specification Information

Step 1.

C2192.

Step 2. Work Surface Depth

- 24** for 24"-deep work surface
30 for 30"-deep work surface

Step 3. Width

- 24** 24" wide
30 30" wide
36 36" wide
48 48" wide
60 60" wide
72 72" wide

Prices for Steps 1-3.


| | 24 | 30 | 36 | 48 | 60 | 72 |
|------------------|-------|-----|-----|-----|-----|------|
| C2192. 24 | \$788 | 810 | 830 | 868 | 875 | 890 |
| 30 | \$868 | 924 | 966 | 983 | 993 | 1040 |

Step 4. Surface Finish


| | | | | | | |
|-----------|-------------------|--|--|--|--|------|
| HF | inner tone light | | | | | +\$0 |
| LT | light tone | | | | | +\$0 |
| LU | soft white | | | | | +\$0 |
| WN | warm grey neutral | | | | | +\$0 |

Component Adapter Kit

C2193.




| Product Information |
|---|
| Description |
| This kit attaches to a heavy-duty work surface support and allows C frames to hang below the work surface. Attachment hardware is included. |
| The kit holds the following quantities of C frames or storage units: |
| <ul style="list-style-type: none">• 30" wide: 1 C frame or storage unit• 48" and 60" wide: 2 C frames or storage units• 72" wide: 3 C frames or storage units• 96" wide: 4 C frames or storage units |
| Notes |
| The kit attaches to a work surface support (C2140.) with heavy duty, component adapter ready option (R). |
| For 51"wide work surface, order 48"wide kit. |
| 96"wide kit is shipped in 2 pieces. |
| Order storage components separately: |
| <ul style="list-style-type: none">• C frame (C0205)• Storage unit (C5010.) |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C2193. |
| Step 2. Width |
| 24 24" wide |
| 30 30" wide |
| 48 48" wide |
| 60 60" wide |
| 72 72" wide |
| 96 96" wide |
| Prices for Steps 1-2. |
| C2193. 24 \$227 |
| 30 \$272 |
| 48 \$321 |
| 60 \$389 |
| 72 \$480 |
| 96 \$611 |
| Step 3. Surface Finish |
| HF inner tone light +\$0 |
| LT light tone +\$0 |
| LU soft white +\$0 |
| WN warm grey neutral +\$0 |

Work Surface Backsplash


C2910.



Product Information

Description
This plastic barrier attaches to the back edge of a C-series rectangular or corner work surface or to a process table and creates a backsplash. Package contains 6.

Dimensions



Specification Information

Step 1.

C2910.

Step 2. Width

72 72" wide

Prices for Steps 1-2.


C2910. 72 \$594

Step 3. Surface Finish


For 72" wide (72)

| | | |
|-----------|-------------------|------|
| BK | black | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Backsplash FillerC2920.




| Product Information |
|--|
| Description |
| This component attaches to a Casework work surface. It fills the gap created when Casework base cabinets are placed against terminal panels or wall strips. Package contains 6. Attachment hardware is included. |
| Notes |
| Order work surface (CG211, or CG212,) or corner work surface (CG218, or CG219,) separately. |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C2920.96 |
| \$215 |
| Step 2. Surface Finish |
| LU soft white |
| +\$0 |

Co/Struc® Work Surfaces

Heavy-Duty Corner Work Surface C2215.



Product Information

Description

This 48"-wide work surface hangs from modules, C-series support panels, or wall strips and provides additional top-loading capacity. It includes 1 drawer bearer package. The work surface cannot attach to Action Office® Series 1 or Series 2 connectors. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top. The support arm finish matches the surface finish.

Notes


When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.


Dimensions



TOP



TOP



FRONT

Heavy-Duty Corner Work Surface

continued

Specification Information

Step 1.

C2215. ☐

Step 2. Depth

2448 24" deep ☐

3048 30" deep ☐

Prices for Steps 1-2.

C2215. 2448 \$1072

3048 \$1242

Step 3. Surface Finish

Laminate Top

For 24" deep (2448)

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

Chemsurf® Top

For 24" deep (2448)

JD warm grey neutral Chemsurf® ☐ +\$174

KH light tone Chemsurf® ☐ +\$174

KR inner tone light Chemsurf® ☐ +\$174

LE soft white Chemsurf® ☐ +\$174

Laminate Top

For 30" deep (3048)

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

Chemsurf® Top

For 30" deep (3048)


JD warm grey neutral Chemsurf® ☐ +\$199

KH light tone Chemsurf® ☐ +\$199

KR inner tone light Chemsurf® ☐ +\$199

LE soft white Chemsurf® ☐ +\$199

Heavy-Duty Corner Work Surface, C2216. Action Office® Series 1 or 2 90° Corner Connector



Product Information

Description

This 48"-wide work surface hangs from panels or wall strips connected by an Action Office® Series 1 or 2 90° corner connector. It provides additional top-loading capacity and includes 1 drawer bearer package. The support arm finish matches the surface finish. The work surface cannot attach to a C-series 90° corner connector. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top.

Notes


When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.


Dimensions



TOP



TOP



FRONT

Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector *continued*

Specification Information

Step 1.

C2216. ☐

Step 2. Depth

2448 24" deep ☐

3048 30" deep ☐

Prices for Steps 1-2.

| | |
|--------------------|--------|
| C2216. 2448 | \$1090 |
| 3048 | \$1262 |

Step 3. Surface Finish

Laminate Top

For 24" deep (2448)

| | | |
|-----------|--|------|
| HF | inner tone light <input type="checkbox"/> | +\$0 |
| LT | light tone <input type="checkbox"/> | +\$0 |
| LU | soft white <input type="checkbox"/> | +\$0 |
| WN | warm grey neutral <input type="checkbox"/> | +\$0 |

Chemsurf® Top

For 24" deep (2448)

| | | |
|-----------|--|--------|
| JD | warm grey neutral Chemsurf® <input type="checkbox"/> | +\$174 |
| KH | light tone Chemsurf® <input type="checkbox"/> | +\$174 |
| KR | inner tone light Chemsurf® <input type="checkbox"/> | +\$174 |
| LE | soft white Chemsurf® <input type="checkbox"/> | +\$174 |

Laminate Top

For 30" deep (3048)

| | | |
|-----------|--|------|
| HF | inner tone light <input type="checkbox"/> | +\$0 |
| LT | light tone <input type="checkbox"/> | +\$0 |
| LU | soft white <input type="checkbox"/> | +\$0 |
| WN | warm grey neutral <input type="checkbox"/> | +\$0 |


Chemsurf® Top

For 30" deep (3048)

| | | |
|-----------|--|--------|
| JD | warm grey neutral Chemsurf® <input type="checkbox"/> | +\$199 |
| KH | light tone Chemsurf® <input type="checkbox"/> | +\$199 |
| KR | inner tone light Chemsurf® <input type="checkbox"/> | +\$199 |
| LE | soft white Chemsurf® <input type="checkbox"/> | +\$199 |

Workstation, Electric Height Adjustment

C4310.



Co/Struc® Work Surfaces

Product Information

Description

This 30"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada.

Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (C0205)
- Drawer (C0207, C0208, or C0209)
- Storage unit (C5010.)

Order workstation storage components separately:


- Reagent shelf (C4327.)
- B-style shelf (C3011.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)
- Shelf unit (C5020. or C5021.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Electric Height Adjustment *continued*

Specification Information

Step 1.

C4310.30

Step 2. Width

48 48" wide
60 60" wide
72 72" wide

Step 3. Surface Material

L high-pressure laminate
C Chemsurf®

Prices for Steps 1-3.

| | L | C |
|--------------------|----------|----------|
| C4310.30 48 | \$8772 | 9181 |
| 60 | \$8888 | 9300 |
| 72 | \$9293 | 9704 |

Step 4. Casters/Glides

GA glides +\$0
CA casters +\$380

Step 5. Top/Frame Finish

For high-pressure laminate (L)


| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

For Chemsurf® (C)

| | | |
|-----------|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Workstation, Manual Height Adjustment

C4311.



Product Information

Description

This 30"-deep height-adjustable work station has a laminate or Chemsurf® top. It is pin adjustable in 1" increments and has a 15" travel range from 26½" to 41½". The table has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down. A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (C0205)
- Drawer (C0207, C0208, or C0209)
- Storage unit (C5010.)

Order workstation storage components separately:


- Reagent shelf (C4327.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Manual Height Adjustment *continued*

Specification Information

Step 1.

C4311.30

Step 2. Width

48 48" wide
60 60" wide
72 72" wide

Step 3. Surface Material

L high-pressure laminate
C Chemsurf®

Prices for Steps 1-3.

| | L | C |
|--------------------|----------|----------|
| C4311.30 48 | \$6517 | 6951 |
| 60 | \$6666 | 7098 |
| 72 | \$6975 | 7539 |

Step 4. Casters/Glides

GA glides +\$0
CA casters +\$380

Step 5. Top/Frame Finish

For high-pressure laminate (L)


| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

For Chemsurf® (C)

| | | |
|-----------|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

Work Table, Electric Height Adjustment

C4312.



Product Information

Description

This 2-sided, 42"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 2 stretchers (one on each side) to support C frames and/or storage units. 48"- and 60"-wide tables have 4 sets of drawer bearers.

Notes




Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions




Work Table, Electric Height Adjustment *continued*

| Specification Information | | | |
|---------------------------------------|-----------------------------|----------|----------|
| Step 1. | | | |
| C4312.42 | | | |
| Step 2. Width | | | |
| 48 | 48" wide | | |
| 60 | 60" wide | | |
| Step 3. Surface Material | | | |
| L | high-pressure laminate | | |
| C | Chemsurf® | | |
| Prices for Steps 1-3. | | | |
| | | L | C |
| C4312.42 | 48 | \$9058 | 9535 |
| | 60 | \$9344 | 9819 |
| Step 4. Casters/Glides | | | |
| GA | glides | | +\$0 |
| CA | casters | | +\$380 |
| Step 5. Top/Frame Finish | | | |
| <i>For high-pressure laminate (L)</i> | | | |
| HF | inner tone light | | +\$0 |
| LT | light tone | | +\$0 |
| LU | soft white | | +\$0 |
| WN | warm grey neutral | | +\$0 |
| <i>For Chemsurf® (C)</i> | | | |
| JD | warm grey neutral Chemsurf® | | +\$0 |
| KH | light tone Chemsurf® | | +\$0 |
| KR | inner tone light Chemsurf® | | +\$0 |
| LE | soft white Chemsurf® | | +\$0 |

Process Table, Electric Height Adjustment

C4313.



Product Information

Description

This height-adjustable process table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 3" locking casters. It is UL listed for the U.S. and Canada.

Attachment hardware is included. Shipped knocked down.

The table includes 1 stretcher to support a C frame or storage unit.

Notes


Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Reagent shelf (C4326.)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Specification Information

Step 1.

C4313.

Step 2. Depth

| | |
|-----------|----------|
| 24 | 24" deep |
| 30 | 30" deep |

Step 3. Width

| | |
|-----------|----------|
| 48 | 48" wide |
| 60 | 60" wide |
| 72 | 72" wide |

Step 4. Surface Material

| | |
|----------|---|
| L | high-pressure laminate |
| C | Chemsurf® A |

Prices for Steps 1-4.

| | L | C |
|---------------------|----------|----------|
| C4313. 24 48 | \$7821 | 8248 |
| 60 | \$8078 | 8502 |
| 72 | \$8418 | 8844 |
| 30 48 | \$7969 | 8392 |
| 60 | \$8135 | 8560 |
| 72 | \$8470 | 8895 |

Step 5. Casters/Glides

| | | |
|-----------|---------|--------|
| GA | glides | +\$0 |
| CA | casters | +\$318 |

Step 6. Top/Frame Finish

For high-pressure laminate (L)


| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

For Chemsurf® (C)

| | | |
|-----------|-----------------------------|------|
| JD | warm grey neutral Chemsurf® | +\$0 |
| KH | light tone Chemsurf® | +\$0 |
| KR | inner tone light Chemsurf® | +\$0 |
| LE | soft white Chemsurf® | +\$0 |

10. *Journal of the American Medical Association*, 2000; 284: 1039-1044.

C4327.




| Product Information | |
|---------------------|--|
| Description | |


This metal shelf attaches to a workstation or process table to provide storage for reagents below the surface.

Order workstation (C4310. or 4311.) separately.

Order process table (C4313.) separately.



For Electric Process Table



For Workstation

Specification Information

C432

6. for electric process table
7. for workstation

For electric process table (6.)


16 16" deep

18 18" deep

| | |
|-----------|----------|
| 48 | 48" wide |
| 60 | 60" wide |
| 72 | 72" wide |

| | 48 | 60 | 72 |
|-----------|--------|------|------|
| C4326. 16 | \$1148 | 1194 | 1274 |
| C4327. 18 | \$1118 | 1241 | 1252 |

| | | |
|-----------|-------------------|---------|
| HF | inner tone light | +\$0.05 |
| LT | light tone | +\$0.05 |
| LU | soft white | +\$0.05 |
| WN | warm grey neutral | +\$0.05 |



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high), has 2 C-legs, a steel modesty panel, and 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is $28\frac{3}{4}$ " for a 29" seated-height table base and $35\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base. Order casters as a service part. Clearance from front of table to modesty panel is $24\frac{1}{4}$ " for a 30"-deep work surface and $18\frac{1}{4}$ " for a 24"-deep work surface.

Order work table surface (C4700.) separately:

- 24" and 30" depths, and 48", 51" (left and right), and 60" widths are compatible with table bases 24" deep × 48" wide.
- 60" wide work table surface overhangs on center of a 48"-wide table base.
- 51" wide (left and right) work table surfaces overhang left or right of a 48"-wide table base.
- Order drawer bearers separately, with work table surface.


Order separately:

- Work table reagent shelf (C4900.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).


To accommodate a refrigerator, a 36"-high table base is recommended. Refrigerators 21.34" wide or less can be used with 1 set of adjacent drawer bearers for a 3" or 6" drawer (CO207, CO208) only.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Dimensions



| Specification Information | | |
|-----------------------------------|---|-------------------|
| Step 1. | | |
| C460 | <input type="checkbox"/> A | |
| Step 2. Glides | | |
| G. | glides <input type="checkbox"/> A | |
| Step 3. Depth | | |
| 24 | 24" deep <input type="checkbox"/> A | |
| Step 4. Width | | |
| 48 | 48" wide <input type="checkbox"/> A | |
| Step 5. Height | | |
| 29 | 29" high <input type="checkbox"/> A | |
| 36 | 36" high <input type="checkbox"/> A | |
| Prices for Steps 1-5. | | |
| | | 29 36 |
| C460G. 24 48 | \$1470 | 1552 |
| Step 6. Base/Modesty Panel Finish | | |
| HF | inner tone light <input type="checkbox"/> A | +\$0 |
| LT | light tone <input type="checkbox"/> A | +\$0 |
| LU | soft white <input type="checkbox"/> A | +\$0 |
| WN | warm grey neutral <input type="checkbox"/> A | +\$0 |
| CN | metallic champagne <input type="checkbox"/> A | +\$0 |
| MS | metallic silver <input type="checkbox"/> A | +\$0 |



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high) and has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28³/₄" for a 29" seated-height table base and 35³/₄" for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base.

Order work table surface (C4700.) separately:

- 24" deep × 36" wide base is only compatible with a 24" deep × 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep × 48" wide base is compatible with a 30" deep × 48", 51" (left and right), 60" wide work table surface.
- 30" deep × 48S" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep × 72" wide base is only compatible with a 30" deep × 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48" wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48" wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order storage components separately:

- Drawer (C0207, C0208, C0209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (C0205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:


- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (A0382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C461G.3036; order Y1200.42 for a C461G.3048.

Dimensions



Specification Information

Step 1.

C461 ☐

Step 2. Glides

G. glides ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

48S 48" wide, symmetrical support ☐

Step 5. Height

29 29" high ☐

36 36" high ☐

Step 6. Number of Stretchers

For 29" high (29)

A upper placement only ☐

For 36" high (36)

A upper placement only ☐

B upper and lower placement ☐

Prices for Steps 1-6.


| | 29A | 36A | 36B |
|---------------------|--------|------|------|
| C461G. 24 36 | \$1687 | 1789 | 2079 |
| 48 | \$1705 | 1806 | 2094 |
| 72 | \$1847 | 1949 | 2366 |
| 30 36 | \$1728 | 1824 | 2116 |
| 48 | \$1748 | 1842 | 2135 |
| 72 | \$1890 | 1989 | 2406 |
| 48S | \$2117 | 2291 | 2650 |

Co/Struc® Work Surfaces

| Step 7. Base/Stretcher Finish | | |
|-------------------------------|---|------|
| HF | inner tone light <input type="checkbox"/> A | +\$0 |
| LT | light tone <input type="checkbox"/> A | +\$0 |
| LU | soft white <input type="checkbox"/> A | +\$0 |
| WN | warm grey neutral <input type="checkbox"/> A | +\$0 |
| CN | metallic champagne <input type="checkbox"/> A | +\$0 |
| MS | metallic silver <input type="checkbox"/> A | +\$0 |

Adjustable Work Table Base

C462C.
C462G.



Product Information

Description

This freestanding 1" pin-adjustable table base has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides or 4" locking casters. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

Table with glides and work surface adjusts from 27" high to 36" high.

Table with casters adjusts from 30" high to 38" high.

Order work table surface (C4700.) separately:

- 24" deep x 36" wide base is only compatible with a 24" deep x 36" wide work table surface.
- 24" deep x 48" wide base is compatible with a 24" deep x 48", 51" (left and right), 60" wide work table surface.
- 24" deep x 72" wide base is only compatible with a 24" deep x 72" wide work table surface.
- 30" deep x 36" wide base is only compatible with a 30" deep x 36" wide work table surface.
- 30" deep x 48" wide base is compatible with a 30" deep x 48", 51" (left and right), 60" wide work table surface.
- 30" deep x 48S" wide base is only compatible with a 36" deep x 72" wide work table surface.
- 30" deep x 72" wide base is only compatible with a 30" deep x 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Order storage components separately:

- Drawer (C0207, C0208, C0209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (C0205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide x 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

For tables adjusted below 32" high, C frames hang from top stretcher only, and storage units cannot mount.


Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (A0382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C462x.3036; order Y1200.42 for a C462x.3048.

Dimensions



Adjustable Work Table Base

continued

Co/Struc® Work Surfaces

Specification Information

Step 1.

C462 ☐

Step 2. Casters/Glides

G. glides ☐

C. casters ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

48S 48" wide, symmetrical support ☐

Step 5. Number of Stretchers

A upper placement only ☐

B upper and lower placement ☐

Prices for Steps 1-5.

| | A | B |
|---------------------|--------|------|
| C462G. 24 36 | \$2624 | 2917 |
| 48 | \$2638 | 2937 |
| 72 | \$2789 | 3215 |
| 30 36 | \$2649 | 2939 |
| 48 | \$2666 | 2961 |
| 72 | \$2813 | 3239 |
| 48S | \$3048 | 3424 |

| | A | B |
|---------------------|--------|------|
| C462C. 24 36 | \$2727 | 3023 |
| 48 | \$2742 | 3040 |
| 72 | \$2894 | 3320 |
| 30 36 | \$2749 | 3041 |
| 48 | \$2768 | 3063 |
| 72 | \$2916 | 3342 |
| 48S | \$3149 | 3527 |

Step 6. Base Finish

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0


LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

CN metallic champagne ☐ +\$0

MS metallic silver ☐ +\$0

Work Table Surface, Rectangular C4700.



Product Information

Description

This work table surface attaches to work table bases (C460G., C461G., C462G., C462C.). Predrilled holes accept drawer bearers ordered with the work surface. Surface material is available in laminate, Chemsurf®, Corian®, or phenolic resin.

Notes

Drawer bearers must be field installed.

Only used on work table bases C460G., C461G., C462G., C462C., ordered separately. See table base information for work surface compatibilities and top load weight capacities.


Work table surface supports the following maximum pairs of drawer bearers (each pair has 1 left and 1 right bearer):

- For 36"-wide table: 1 pair.
- For 48"-wide table: 2 pair.
- For 48S"-wide table: 4 pair (2 pair on either side).
- For 60"-wide table: 2 pair.
- For 72"-wide table: 3 pair.

Phenolic resin is 1" thick. When ordering adjustable work table base (C462C.) with phenolic resin top (C4700.xxxxP) that needs to be level with tables (C462C.) using laminate, Chemsurf, or Corian tops (C4700.L, C4700.K, C4700.C), order phenolic shim service part.

See Co/Struc® System planning guide for capacity information.

Dimensions



Work Table Surface, Rectangular

continued

| Specification Information | | | | | |
|---------------------------------|--------------------------|--------------------------|-----|------|------|
| Step 1. | | | | | |
| C4700. <input type="checkbox"/> | | | | | |
| Step 2. Depth | | | | | |
| 24 | 24" deep | <input type="checkbox"/> | | | |
| 30 | 30" deep | <input type="checkbox"/> | | | |
| 36 | 36" deep | <input type="checkbox"/> | | | |
| Step 3. Width | | | | | |
| For 24" deep (24) | | | | | |
| 36 | 36" wide | <input type="checkbox"/> | | | |
| 48 | 48" wide | <input type="checkbox"/> | | | |
| 51L | 51" wide, left overhang | <input type="checkbox"/> | | | |
| 51R | 51" wide, right overhang | <input type="checkbox"/> | | | |
| 60 | 60" wide | <input type="checkbox"/> | | | |
| 72 | 72" wide | <input type="checkbox"/> | | | |
| For 30" deep (30) | | | | | |
| 36 | 36" wide | <input type="checkbox"/> | | | |
| 48 | 48" wide | <input type="checkbox"/> | | | |
| 51L | 51" wide, left overhang | <input type="checkbox"/> | | | |
| 51R | 51" wide, right overhang | <input type="checkbox"/> | | | |
| 60 | 60" wide | <input type="checkbox"/> | | | |
| 72 | 72" wide | <input type="checkbox"/> | | | |
| For 36" deep (36) | | | | | |
| 72 | 72" wide | <input type="checkbox"/> | | | |
| Step 4. Surface Material | | | | | |
| L | high-pressure laminate | <input type="checkbox"/> | | | |
| C | Chemsurf® | <input type="checkbox"/> | | | |
| K | corian | <input type="checkbox"/> | | | |
| P | phenolic resin | <input type="checkbox"/> | | | |
| Prices for Steps 1-4. | | | | | |
| | | L | C | K | P |
| C4700. 24 36 | | \$333 | 445 | 1123 | 1397 |
| 48 | | \$362 | 485 | 1401 | 1854 |
| 51L | | \$457 | 571 | 1684 | 2248 |
| 51R | | \$457 | 598 | 1684 | 2248 |
| 60 | | \$468 | 582 | 1685 | 2250 |
| 72 | | \$509 | 715 | 1972 | 2712 |

| | | | | |
|--------------|-------|------|------|------|
| 30 36 | \$372 | 478 | 1322 | 1720 |
| 48 | \$420 | 520 | 1647 | 2282 |
| 51L | \$514 | 650 | 1982 | 2770 |
| 51R | \$514 | 650 | 1982 | 2770 |
| 60 | \$509 | 713 | 1973 | 2761 |
| 72 | \$574 | 800 | 2303 | 3327 |
| 36 72 | \$759 | 1181 | 2689 | 5080 |

Step 5. Top/Edge Finish

For high-pressure laminate (L)

| | | | |
|-----------|-------------------|--------------------------|------|
| HF | inner tone light | <input type="checkbox"/> | +\$0 |
| LT | light tone | <input type="checkbox"/> | +\$0 |
| LU | soft white | <input type="checkbox"/> | +\$0 |
| WN | warm grey neutral | <input type="checkbox"/> | +\$0 |

For high-pressure laminate (L)

| | | | |
|-----------|--------|--------------------------|------|
| 28 | canyon | <input type="checkbox"/> | +\$0 |
| 29 | misted | <input type="checkbox"/> | +\$0 |

For Chemsurf® (C)

| | | | |
|-----------|-----------------------------|--------------------------|------|
| JD | warm grey neutral Chemsurf® | <input type="checkbox"/> | +\$0 |
| KH | light tone Chemsurf® | <input type="checkbox"/> | +\$0 |
| KR | inner tone light Chemsurf® | <input type="checkbox"/> | +\$0 |
| LE | soft white Chemsurf® | <input type="checkbox"/> | +\$0 |

For corian (K)

| | | | |
|------------|---------------|--------------------------|--------|
| CQ | glacier white | <input type="checkbox"/> | +\$0 |
| QB | bisque | <input type="checkbox"/> | +\$0 |
| 1S | savannah | <input type="checkbox"/> | +\$410 |
| 1U | sahara | <input type="checkbox"/> | +\$410 |
| 4I | sandstone | <input type="checkbox"/> | +\$410 |
| 58 | cameo white | <input type="checkbox"/> | +\$400 |
| ANC | antarctica | <input type="checkbox"/> | +\$400 |
| IQ | aurora | <input type="checkbox"/> | +\$410 |
| OQ | silt | <input type="checkbox"/> | +\$410 |
| SVG | silver gray | <input type="checkbox"/> | +\$100 |
| CRT | concrete | <input type="checkbox"/> | +\$525 |
| DVC | dove | <input type="checkbox"/> | +\$525 |

For phenolic resin (P)

| | | | |
|-----------|-------|--------------------------|------|
| BK | black | <input type="checkbox"/> | +\$0 |
|-----------|-------|--------------------------|------|

Work Table Surface, Rectangular

continued

Step 6. Pairs of Drawer Bearers

For 36" wide (36)

| | | |
|-----------|---|-------|
| NB | without drawer bearers <input type="text" value="A"/> | +\$0 |
| 1D | 1 pair drawer bearers <input type="text" value="A"/> | +\$16 |

For 48" wide (48), 51" wide, left overhang (51L), 51" wide, right overhang (51R), or 60" wide (60)

| | | |
|-----------|---|-------|
| NB | without drawer bearers <input type="text" value="A"/> | +\$0 |
| 1D | 1 pair drawer bearers <input type="text" value="A"/> | +\$16 |
| 2D | 2 pair drawer bearers <input type="text" value="A"/> | +\$31 |

For 24" deep (24) or 30" deep (30) with 72" wide (72)


| | | |
|-----------|---|-------|
| NB | without drawer bearers <input type="text" value="A"/> | +\$0 |
| 1D | 1 pair drawer bearers <input type="text" value="A"/> | +\$16 |
| 2D | 2 pair drawer bearers <input type="text" value="A"/> | +\$31 |
| 3D | 3 pair drawer bearers <input type="text" value="A"/> | +\$47 |

For 36" deep (36) with 72" wide (72)

| | | |
|-----------|---|-------|
| NB | without drawer bearers <input type="text" value="A"/> | +\$0 |
| 1D | 1 pair drawer bearers <input type="text" value="A"/> | +\$16 |
| 2D | 2 pair drawer bearers <input type="text" value="A"/> | +\$31 |
| 3D | 3 pair drawer bearers <input type="text" value="A"/> | +\$47 |
| 4D | 4 pair drawer bearers <input type="text" value="A"/> | +\$62 |

Work Table Reagent Shelf

C4900.




Product Information

Description
This high-pressure laminate shelf attaches to work table bases to provide storage below the surface.

Notes
Compatible with basic work table base (C460G.), standard work table base (C461G.xxxxxxxA), and adjustable work table base with upper stretcher placement only (C462x.xxxxxxA).
Compatible only with 36"-high table bases, due to installation clearance needed.
16" deep shelf (C4900.16) is compatible with 24"- and 30"-deep table bases. 18" deep shelf (C4900.18) is compatible with only 30"-deep table bases.
Order warm grey neutral (WN) reagent shelf finish to complement a metallic champagne (CN) table base. Order cool grey neutral (CL) reagent shelf finish to complement a metallic silver (MS) table base.
Reagent shelf (C4900.) rests on table base legs and is not height adjustable.

Dimensions



Specification Information

Step 1.
C4900.

Step 2. Depth
16 16" deep
18 18" deep

Step 3. Width
36 36" wide
48 48" wide
72 72" wide


Step 4. Surface Material
L high-pressure laminate

| Prices for Steps 1-4. | | L |
|-----------------------|--|-------|
| C4900. 16 36 | | \$565 |
| 48 | | \$637 |
| 72 | | \$920 |
| 18 36 | | \$593 |
| 48 | | \$662 |
| 72 | | \$951 |

Step 5. Top/Edge Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0
CL cool grey neutral +\$0

Riser Frame Divider


C4320.




| Product Information |
|---|
| Description |
| This piece divides a workstation riser frame into smaller sections and provides upright riser support for hanging components. The dividers bolt to the riser frame at predrilled attachment locations. Finish is black. |
| Notes |
| Order workstation (C4310. or C4311.) separately. |
| Dimensions |

| Specification Information |
|---------------------------|
| Step 1. |
| C4320. \$485 |

Co/Struc® Work Surfaces



Riser Frame End CoverC4321.



Product Information

Description

This metal cover finishes the exposed hardware on the end of a riser frame.

Notes

Specify 2 end covers per riser frame.

Specify end cover finish to match the corresponding finish of workstation (C4310. or C4311.) to which cover will be attached.

Order workstation (C4310. or C4311.) separately.

Dimensions

Specification Information


Step 1.

| | |
|--------|-------|
| C4321. | \$128 |
|--------|-------|

Step 2. Finish


| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Work Surfaces




Power Strip

C4322.




| Product Information |
|--|
| Description |
| This power strip mounts horizontally on hanger clips and provides single-circuit, 15-amp, 100-volt outlets on a riser frame. It has a lighted on/off switch with circuit breaker and an 8' cord. It is UL listed. Mounting hardware is included. |
| Power strips have the following number of outlets: |
| Width—Outlets |
| 24"—4 outlets |
| 30"—5 outlets |
| 36"—6 outlets |
| 48"—8 outlets |
| 60"—10 outlets |
| 72"—12 outlets |
| Notes |
| To mount power strip inside riser frame (vertically), specify 36" width. |
| Specify power strip finish to match the corresponding finish of workstation (C4310. or C4311.) to which it will be attached. |
| Order workstation (C4310. or C4311.) separately. |
| For lab modules (C1112., C1114.) and support panels (C1150., C1151.), power strip can be specified as part of the product. |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C4322. |
| Step 2. Width |
| 24 24" wide |
| 30 30" wide |
| 36 36" wide |
| 48 48" wide |
| 60 60" wide |
| 72 72" wide |
| Prices for Steps 1-2. |
| C4322. 24 \$560 |
| 30 \$601 |
| 36 \$644 |
| 48 \$665 |
| 60 \$750 |
| 72 \$792 |
| Step 3. Finish |
| HF inner tone light +\$0 |
| LT light tone +\$0 |
| LU soft white +\$0 |
| WN warm grey neutral +\$0 |


Marker Board

C4323.



| Product Information |
|--|
| Description |
| This 2-sided white board mounts between 2 riser frame dividers or a riser frame and a riser frame divider. Both sides are magnetic with white erasable writing surfaces. Includes a black-texture marker tray on one side only. Mounting hardware is included. |
| Notes |
| Order workstation (C4310. or C4311.) separately. |
| Dimensions |


| Specification Information |
|---------------------------|
| Step 1. |
| C4323. |
| Step 2. Width |
| 2424" wide |
| 3030" wide |
| 3636" wide |
| Prices for Steps 1-2. |
| C4323. 24\$533 |
| 30\$590 |
| 36\$628 |



Co/Struc® Work Surfaces

Flat Panel Mount

C4324.





Product Information

Description
This arm mounts to a workstation riser frame and holds a flat panel display monitor. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards) with a 100 mm or 75 mm mounting pattern. It provides 360° monitor rotation and 60° horizontal and vertical tilt range. Finish is black. Mounting hardware is included. Finish is black.

Notes
Order workstation (C4310. or C4311.) separately.


Dimensions



Specification Information

Step 1.
C4324. \$804

Sink ModuleC2512.



Product Information

Description

This component hangs from a module, a support panel, or wall strips and holds a 12"-high sink. It includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down. The module accepts the following cutout dimensions:

Depth:

- 24": 18¹/₄"-deep maximum cutout
- 30": 24¹/₄"-deep maximum cutout



Width:

- 24": 19⁵/₈"-wide maximum cutout
- 30": 25⁵/₈"-wide maximum cutout
- 48": 43⁵/₈"-wide maximum cutout
- 60": 55⁵/₈"-wide maximum cutout

Notes

Sink must be customer supplied and field installed.
Order standard duty work surface (C2142.) with solid surface option (K) separately.

Dimensions



Specification Information

Step 1.

C2512.

Step 2. Depth

| | |
|----|----------|
| 24 | 24" deep |
| 30 | 30" deep |

Step 3. Width

| | |
|----|----------|
| 24 | 24" wide |
| 30 | 30" wide |
| 36 | 36" wide |
| 48 | 48" wide |
| 60 | 60" wide |

Prices for Steps 1-3.


| | 24 | 30 | 36 | 48 | 60 |
|-----------|-------|------|------|------|------|
| C2512. 24 | \$796 | 926 | 973 | 1019 | 1108 |
| 30 | \$946 | 1108 | 1167 | 1220 | 1366 |

Step 4. Surface Finish

| | | |
|----|--------------------|------|
| 91 | white | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| HM | natural maple | +\$0 |
| 76 | light brown walnut | +\$0 |
| HX | aged cherry | +\$0 |

Sink Unit for Storage

C2513.



Product Information


Description
This 24" deep, 48"-wide structure hangs from 2 24"-wide panels or freestanding modules or from 3 wall strips. It supports drawer storage on the left or right side and a sink unit on the other side. The maximum cutout for the sink is 18 1/4" deep x 19 5/8" wide. The surface includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

Notes
Order storage components for open space opposite sink unit separately:

- Drawer bearers (C0228 or C0396)
- Drawer caddy with casters (C0692. or C0693.)
- Gripper package (C0266) and C frame (C0205) for Co/Struc® drawers
- L cart (C0212) and single counter top (C0555) for C frames and drawers when surface is mounted 38" above floor
- Storage case (C5040.2422) and 24"-wide Co/Struc adapter rail (C1610.24)

Sink must be customer supplied and field installed.
Storage unit (C5010.) cannot mount under sink unit.
Order standard duty work surface (C2142.) with solid surface option (K) separately.

Dimensions




Specification Information

| | | |
|------------------------|-------------------|--------|
| Step 1. | | |
| C2513.24 | | \$1027 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$77 |

Co/Struc® Work Surfaces

ADA Sink Support, Systems Mounted

C2520.



Product Information


Description

This sink support hangs from a module or wall strips. It supports a 5½"-deep sink and a solid surface or alternative material top. The sink support has a 4"-high laminate front trim and a removable front panel to allow access to plumbing. Attachment hardware is included. Shipped knocked down.

Notes

Order standard duty work surface (C2142.) with solid surface option (K) separately.
Sink must be customer supplied and field installed. A Just SL-ADA-1921-A-GR sink, with drain located in rear center, fits in a 24" × 24" sink support.

Dimensions



Specification Information

Step 1.

C2520.

Step 2. Depth

| | |
|----|----------|
| 24 | 24" deep |
| 30 | 30" deep |

Step 3. Width

| | |
|----|----------|
| 24 | 24" wide |
| 30 | 30" wide |
| 48 | 48" wide |
| 60 | 60" wide |

Prices for Steps 1-3.


| | 24 | 30 | 48 | 60 |
|-----------|--------|------|------|------|
| C2520. 24 | \$1349 | 1519 | 1685 | 1852 |
| 30 | \$1433 | 1600 | 1852 | 2021 |

Step 4. Surface Finish


| | | |
|----|-------------------|--------|
| 91 | white | +\$123 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| HM | natural maple | +\$123 |
| HX | aged cherry | +\$123 |

Storage Unit

C5010.




| Product Information |
|--|
| Description |
| This cabinet hangs below a heavy-duty work surface or process table. It has 2 side panels, a back panel, and a top and bottom panel. |
| Notes |
| Order heavy-duty work surface (C2141.), process table (C4313.), standard work table base (C461G.), adjustable lab work table base (C462G., C462C.), work table (C4312.), or workstation (C4310. or C4311.) separately. |
| Order shelves (C5015.1622) separately; shelves adjust in 1 1/4" increments. |
| Order A-size drawers (CO207) or B-size drawers (CO208) and lockable drawer bearer (C5048.) separately. |
| Order storage unit door (C5016. or C5017.) separately. |
| Dimensions |



| Specification Information | | |
|---------------------------|-------------------|-------|
| Step 1. | | |
| C5010.1622 | | \$952 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$62 |
| HM | natural maple | +\$62 |
| HX | aged cherry | +\$62 |

Co/Struc® Storage

Storage Unit ShelfC5015.



Product Information

Description

This shelf mounts inside a storage unit and adjusts in 1¼" increments.

Notes

Order storage unit (C5010.) separately.

Dimensions


Specification Information

Step 1.

C5015.1622\$266

Step 2. Surface Finish


| | | |
|----|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$16 |
| HM | natural maple | +\$16 |
| HX | aged cherry | +\$16 |



Co/Struc® Storage

Storage Unit Door

C5016.
C5017.



Product Information

Description

This door attaches to the front of a storage unit. Attachment hardware is included.


Notes

Co/Struc® drawers cannot be specified behind doors.

When specifying 19"- or 22"-high lockable door that has drawers above it, specify interior filler (C5009.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C501

Step 2. Hinge Location

- 6.** left-hand hinges
- 7.** right-hand hinges

Step 3. Height

- 1922** 19" high
- 2222** 22" high
- 2522** 25" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.

| | N | L | K |
|--------------------|----------|----------|----------|
| C5016. 1922 | \$343 | 429 | 429 |
| 2222 | \$394 | 479 | 479 |
| 2522 | \$459 | 541 | 541 |
| C5017. 1922 | \$343 | 429 | 429 |
| 2222 | \$394 | 479 | 479 |
| 2522 | \$459 | 541 | 541 |

Step 5. Surface Finish


| | | |
|-----------|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$31 |
| HM | natural maple | +\$31 |
| HX | aged cherry | +\$31 |

Step 6. Pull Option/Finish

| | | |
|-----------|----------------|------|
| NN | none | +\$0 |
| BK | black | +\$0 |
| NH | brushed nickel | +\$0 |

Interior Filler

C5009.



Product Information

Description
This filler mounts inside a storage unit and provides closure to the cabinet below when Co/Struc drawers are installed. It mounts at either 19" or 22" high.

Notes

Order storage unit (C5010.) separately.
Filler is used with A-size drawers (CO207) or B-size drawers (CO208).

Dimensions

Specification Information


Step 1.

C5009.1622 \$266

Step 2. Surface Finish


| | | |
|-----------|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$16 |
| HM | natural maple | +\$16 |
| HX | aged cherry | +\$16 |

Co/Struc® Storage



Lockable Drawer Bearer


C5048.



| Product Information |
|---|
| Description |
| These drawer bearers attach Co/Struc® A-, B-, or C-size drawers in a storage unit. They have integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. Finish is black. Package contains 1 pair. |
| Notes |
| Order A-size drawers (CO207), B-size drawers (CO208), or C-size drawers (CO209) separately. Can be used with locking or non-locking drawers. |
| Dimensions |


| Specification Information |
|---------------------------|
| Step 1. |
| C5048. \$116 |

Co/Struc® Storage



Storage Case

C5040.




Product Information

Description
This case mounts under a heavy-duty rectangular or corner work surface. It has 2 side panels, a back panel, and a top and bottom panel. Interior components can be height adjusted in 1 1/4" increments.

Notes
Order heavy-duty work surface (C2141.) or heavy-duty corner work surface (C2215. or C2216.) separately.
To support case mounted under rectangular work surface, order adapter rail (C1610).
Order optional products separately:
• Storage case bottle drawer (C5045.)
• Storage case door (C5052. or C5053.)
• Storage case drawer (C5043. or C5044.)
• Storage case pullout shelf (C5042.)
• Storage case shelf (C5041.)
For top slot of case, specify 16"-deep drawer or shelf to clear support beam under heavy-duty work surface.

Dimensions




Specification Information


| | | |
|------------------------|-------------------|--------|
| Step 1. | | |
| C5040. | | |
| Step 2. Depth | | |
| 2422 | 23" deep | |
| 3022 | 29" deep | |
| Prices for Steps 1-2. | | |
| C5040. 2422 | | \$1044 |
| 3022 | | \$1147 |
| Step 3. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$72 |
| HM | natural maple | +\$72 |
| HX | aged cherry | +\$72 |

Storage Case Shelf

C5041.




| Product Information |
|--|
| Description |
| This shelf mounts inside a storage case and adjusts in 1 ¹ / ₄ " increments. |
| Notes |
| To clear support beam on heavy-duty work surface, shelf must be positioned at least 2 ¹ / ₂ " below the surface. |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C5041. |
| Step 2. Depth |
| 2422 23" deep |
| 3022 29" deep |
| Prices for Steps 1-2. |
| C5041. 2422 \$329 |
| 3022 \$346 |
| Step 3. Surface Finish |
| HF inner tone light +\$0 |
| LT light tone +\$0 |
| LU soft white +\$0 |
| WN warm grey neutral +\$0 |
| 91 white +\$21 |
| HM natural maple +\$21 |
| HX aged cherry +\$21 |

Co/Struc® Storage

Storage Case Pullout ShelfC5042.




Product Information

Description
This pullout shelf is 21 1/4" deep and mounts inside a storage case. It adjusts in 1 1/4" increments.

Notes
To clear support beam on heavy-duty work surface, shelf must be positioned at least 2 1/2" below the surface.

Dimensions



Specification Information


Step 1.
C5042.2422 \$461

| Step 2. Surface Finish | | |
|------------------------|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$33 |
| HM | natural maple | +\$33 |
| HX | aged cherry | +\$33 |

Co/Struc® Storage

10. *Journal of the American Medical Association*, 2000; 284: 1039-1044.

C5043.



| Product Information | |
|--|--|
| Description | |
| Product Name | Product Name |
| Product ID | Product ID |
| Product Category | Product Category |
| Product Price | Product Price |
| Product Stock | Product Stock |
| Product Weight | Product Weight |
| Product Dimensions | Product Dimensions |
| Product Images | Product Images |
| Product Description | Product Description |
| Product Reviews | Product Reviews |
| Product Ratings | Product Ratings |
| Product Tags | Product Tags |
| Product Attributes | Product Attributes |
| Product Specifications | Product Specifications |
| Product Features | Product Features |
| Product Benefits | Product Benefits |
| Product Usage | Product Usage |
| Product Care | Product Care |
| Product Warranty | Product Warranty |
| Product Returns | Product Returns |
| Product Shipping | Product Shipping |
| Product Delivery | Product Delivery |
| Product Support | Product Support |
| Product Training | Product Training |
| Product Documentation | Product Documentation |
| Product Manuals | Product Manuals |
| Product Guides | Product Guides |
| Product FAQs | Product FAQs |
| Product News | Product News |
| Product Updates | Product Updates |
| Product Announcements | Product Announcements |
| Product Press Releases | Product Press Releases |
| Product Interviews | Product Interviews |
| Product Webinars | Product Webinars |
| Product Podcasts | Product Podcasts |
| Product Videos | Product Videos |
| Product Blogs | Product Blogs |
| Product Social Media | Product Social Media |
| Product Email Marketing | Product Email Marketing |
| Product SEO | Product SEO |
| Product Analytics | Product Analytics |
| Product Performance | Product Performance |
| Product Competitors | Product Competitors |
| Product Market | Product Market |
| Product Industry | Product Industry |
| Product Trends | Product Trends |
| Product Forecast | Product Forecast |
| Product Outlook | Product Outlook |
| Product Future | Product Future |
| Product Innovation | Product Innovation |
| Product Research | Product Research |
| Product Development | Product Development |
| Product Design | Product Design |
| Product Engineering | Product Engineering |
| Product Manufacturing | Product Manufacturing |
| Product Distribution | Product Distribution |
| Product Sales | Product Sales |
| Product Marketing | Product Marketing |
| Product Advertising | Product Advertising |
| Product Promotion | Product Promotion |
| Product Campaign | Product Campaign |
| Product Strategy | Product Strategy |
| Product Plan | Product Plan |
| Product Roadmap | Product Roadmap |
| Product Vision | Product Vision |
| Product Mission | Product Mission |
| Product Values | Product Values |
| Product Principles | Product Principles |
| Product Ethics | Product Ethics |
| Product Governance | Product Governance |
| Product Compliance | Product Compliance |
| Product Security | Product Security |
| Product Privacy | Product Privacy |
| Product Accessibility | Product Accessibility |
| Product Sustainability | Product Sustainability |
| Product Social Responsibility | Product Social Responsibility |
| Product Environmental Impact | Product Environmental Impact |
| Product Carbon Footprint | Product Carbon Footprint |
| Product Water Footprint | Product Water Footprint |
| Product Energy Footprint | Product Energy Footprint |
| Product Waste Footprint | Product Waste Footprint |
| Product Lifecycle | Product Lifecycle |
| Product Lifecycle Management | Product Lifecycle Management |
| Product Lifecycle Planning | Product Lifecycle Planning |
| Product Lifecycle Analysis | Product Lifecycle Analysis |
| Product Lifecycle Optimization | Product Lifecycle Optimization |
| Product Lifecycle Extension | Product Lifecycle Extension |
| Product Lifecycle Renewal | Product Lifecycle Renewal |
| Product Lifecycle Replacement | Product Lifecycle Replacement |
| Product Lifecycle Disposal | Product Lifecycle Disposal |
| Product Lifecycle Recycling | Product Lifecycle Recycling |
| Product Lifecycle Reuse | Product Lifecycle Reuse |
| Product Lifecycle Repair | Product Lifecycle Repair |
| Product Lifecycle Maintenance | Product Lifecycle Maintenance |
| Product Lifecycle Upgrades | Product Lifecycle Upgrades |
| Product Lifecycle Modifications | Product Lifecycle Modifications |
| Product Lifecycle Customization | Product Lifecycle Customization |
| Product Lifecycle Personalization | Product Lifecycle Personalization |
| Product Lifecycle Segmentation | Product Lifecycle Segmentation |
| Product Lifecycle Targeting | Product Lifecycle Targeting |
| Product Lifecycle Positioning | Product Lifecycle Positioning |
| Product Lifecycle Differentiation | Product Lifecycle Differentiation |
| Product Lifecycle Competitive Advantage | Product Lifecycle Competitive Advantage |
| Product Lifecycle Unique Selling Proposition | Product Lifecycle Unique Selling Proposition |
| Product Lifecycle Value Proposition | Product Lifecycle Value Proposition |
| Product Lifecycle Business Model | Product Lifecycle Business Model |
| Product Lifecycle Revenue Model | Product Lifecycle Revenue Model |
| Product Lifecycle Profit Model | Product Lifecycle Profit Model |
| Product Lifecycle Cost Model | Product Lifecycle Cost Model |
| Product Lifecycle Risk Model | Product Lifecycle Risk Model |
| Product Lifecycle Opportunity Model | Product Lifecycle Opportunity Model |
| Product Lifecycle Challenge Model | Product Lifecycle Challenge Model |
| Product Lifecycle Solution Model | Product Lifecycle Solution Model |
| Product Lifecycle Innovation Model | Product Lifecycle Innovation Model |
| Product Lifecycle Disruption Model | Product Lifecycle Disruption Model |
| Product Lifecycle Transformation Model | Product Lifecycle Transformation Model |
| Product Lifecycle Evolution Model | Product Lifecycle Evolution Model |
| Product Lifecycle Revolution Model | Product Lifecycle Revolution Model |
| Product Lifecycle Paradigm Model | Product Lifecycle Paradigm Model |
| Product Lifecycle Framework Model | Product Lifecycle Framework Model |
| Product Lifecycle Methodology Model | Product Lifecycle Methodology Model |
| Product Lifecycle Approach Model | Product Lifecycle Approach Model |
| Product Lifecycle Strategy Model | Product Lifecycle Strategy Model |
| Product Lifecycle Policy Model | Product Lifecycle Policy Model |
| Product Lifecycle Procedure Model | Product Lifecycle Procedure Model |
| Product Lifecycle Process Model | Product Lifecycle Process Model |
| Product Lifecycle System Model | Product Lifecycle System Model |
| Product Lifecycle Architecture Model | Product Lifecycle Architecture Model |
| Product Lifecycle Design Model | Product Lifecycle Design Model |
| Product Lifecycle Development Model | Product Lifecycle Development Model |
| Product Lifecycle Production Model | Product Lifecycle Production Model |
| Product Lifecycle Distribution Model | Product Lifecycle Distribution Model |
| Product Lifecycle Sales Model | Product Lifecycle Sales Model |
| Product Lifecycle Marketing Model | Product Lifecycle Marketing Model |
| Product Lifecycle Advertising Model | Product Lifecycle Advertising Model |
| Product Lifecycle Promotion Model | Product Lifecycle Promotion Model |
| Product Lifecycle Campaign Model | Product Lifecycle Campaign Model |
| Product Lifecycle Strategy Model | Product Lifecycle Strategy Model |
| Product Lifecycle Policy Model | Product Lifecycle Policy Model |
| Product Lifecycle Procedure Model | Product Lifecycle Procedure Model |
| Product Lifecycle Process Model | Product Lifecycle Process Model |
| Product Lifecycle System Model | Product Lifecycle System Model |
| Product Lifecycle Architecture Model | Product Lifecycle Architecture Model |
| Product Lifecycle Design Model | Product Lifecycle Design Model |
| Product Lifecycle Development Model | Product Lifecycle Development Model |
| Product Lifecycle Production Model | Product Lifecycle Production Model |
| Product Lifecycle Distribution Model | Product Lifecycle Distribution Model |
| Product Lifecycle Sales Model | Product Lifecycle Sales Model |
| Product Lifecycle Marketing Model | Product Lifecycle Marketing Model |
| Product Lifecycle Advertising Model | Product Lifecycle Advertising Model |
| Product Lifecycle Promotion Model | Product Lifecycle Promotion Model |
| Product Lifecycle Campaign Model | Product Lifecycle Campaign Model |
| Product Lifecycle Strategy Model | Product Lifecycle Strategy Model |
| Product Lifecycle Policy Model | Product Lifecycle Policy Model |
| Product Lifecycle Procedure Model | Product Lifecycle Procedure Model |
| Product Lifecycle Process Model | Product Lifecycle Process Model |
| Product Lifecycle System Model | Product Lifecycle System Model |
| Product Lifecycle Architecture Model | Product Lifecycle Architecture Model |
| Product Lifecycle Design Model | Product Lifecycle Design Model |
| Product Lifecycle Development Model | Product Lifecycle Development Model |
| Product Lifecycle Production Model | Product Lifecycle Production Model |


Description

This drawer mounts inside a storage case and is available with or without a lock. The 22"-deep drawer cannot be used in the top position of a storage case.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C504

Step 2. Depth

3. 16" deep
4. 22" deep

Step 3. Height

For 16" deep (3.)

- 0422** small, 5" high
0822 medium, 7½" high

For 22" deep (4.)

- | | |
|-------------|------------------|
| 0422 | small, 5" high |
| 0822 | medium, 7½" high |
| 1222 | large, 10" high |

Step 4. Lock

- | | |
|----------|-------------------|
| N | no lock |
| L | keyed differently |
| K | keyed alike |

Prices for Steps 1-4.

| | N | L | K |
|--------------------|-------|-----|-----|
| C5043. 0422 | \$437 | 721 | 721 |
| 0822 | \$548 | 822 | 822 |
| C5044. 0422 | \$483 | 637 | 637 |
| 0822 | \$578 | 856 | 856 |
| 1222 | \$608 | 888 | 888 |

Step 5. Surface Finish


- | | | |
|-----------|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$41 |
| HM | natural maple | +\$41 |
| HX | aged cherry | +\$41 |

Step 6. Pull Option/Finish

- | | | |
|-----------|----------------|------|
| NN | none | +\$0 |
| BK | black | +\$0 |
| NH | brushed nickel | +\$0 |

Storage Case Bottle Drawer


C5045.



Product Information

Description
This pullout drawer mounts in a storage case and has a partial-height front for easy access to contents. It includes 3 dividers.

Dimensions



Specification Information

Step 1.

C5045.

Step 2. Height

- 0822** 5" high
- 1222** 7 1/2" high

Prices for Steps 1-2.

| | |
|--------------------|--------|
| C5045. 0822 | \$965 |
| 1222 | \$1028 |

Step 3. Surface Finish


| | | |
|-----------|--------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 76 | light brown walnut | +\$62 |
| 91 | white | +\$62 |
| HM | natural maple | +\$62 |
| HX | aged cherry | +\$62 |

Step 4. Pull Option/Finish

| | | |
|-----------|----------------|------|
| NN | none | +\$0 |
| BK | black | +\$0 |
| NH | brushed nickel | +\$0 |

Storage Case Door

C5052.
C5053.



Product Information

Description

This door attaches to the front of a storage case. Attachment hardware is included.


Notes

Co/Struc® storage case drawers and storage case bottle drawers cannot be specified behind doors.

When specifying 17"- or 20"-high lockable door that has drawers above it, specify storage case shelf (C5041.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C505

Step 2. Hinge Location

2. left-hand hinges
3. right-hand hinges

Step 3. Height

- 1722** 17" high
2022 20" high
2522 25" high

Step 4. Lock

- N** no lock
L keyed differently
K keyed alike

Prices for Steps 1-4.

| | N | L | K |
|--------------------|----------|----------|----------|
| C5052. 1722 | \$335 | 418 | 418 |
| 2022 | \$362 | 446 | 446 |
| 2522 | \$454 | 540 | 540 |
| C5053. 1722 | \$345 | 433 | 433 |
| 2022 | \$372 | 461 | 461 |
| 2522 | \$470 | 558 | 558 |

Step 5. Surface Finish


| | | |
|-----------|-------------------|-------|
| 91 | white | +\$31 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| HM | natural maple | +\$31 |
| HX | aged cherry | +\$31 |

Step 6. Pull Option/Finish

| | | |
|-----------|----------------|------|
| NN | none | +\$0 |
| BK | black | +\$0 |
| NH | brushed nickel | +\$0 |

Storage Case Leg

C5050.



Product Information

Description
This leg supports a storage case mounted under a heavy-duty work surface. It provides support when the work surface holds heavy loads. The legs adjust in 1/2" increments to allow a work surface height of 34" to 38". Leg finish is medium tone.

Notes



Order storage case (C5040.) separately.

Dimensions


Specification Information

Step 1.
C5050. \$264


Co/Struc® Storage



Storage Unit with Sliding DoorsC5014.




| Product Information |
|--|
| Description |
| This unit hangs on a module, support panel, or wall strips above a work surface. It has sliding glass doors. Shipped knocked down. |
| Notes |
| Order optional task light separately: <ul style="list-style-type: none">• Under shelf LED task light (G6170.) |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C5014.16 |
| Step 2. Width |
| 3030" wide |
| 4848" wide |
| Prices for Steps 1-2. |
| C5014.16 30\$1914 |
| 48\$2238 |
| Step 3. Surface Finish |
| HFinner tone light+\$0 |
| LTlight tone+\$0 |
| LUsoft white+\$0 |
| WNwarm grey neutral+\$0 |
| 91white+\$113 |
| HMnatural maple+\$113 |
| HXaged cherry+\$113 |

Shelf Unit

C5020.
C5021.



Product Information



Description

This 3- or 5-shelf unit hangs from a module, panel, or wall strips. It has 9"- or 16"-deep shelves that adjust in 2½" increments. Shelves are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.


Notes

- For additional shelf, order add-on shelf (C5025.) separately.
- To cover shelf unit with dust cover, order add-on shelf (C5025.) and place in top position of unit.
- To enclose back of unit, order back panel (C5026.) separately.
- To hang unit on architectural wall and enclose back of unit, order shelf unit wall attachment panel (C5036.) separately.
- To enclose front of unit, order shelf unit door (C5027., C5028., C5032., C5037., or C5038.) separately.
- To ease cleaning and prevent the stacking of materials on top of shelf unit, order sloped shelf unit top (C0397.) separately.
- Order optional task light for 16"-deep unit separately:
- Under shelf LED task light (G6170.)
- To attach task light to slanted shelf, order light bracket (C5051.) separately.

Dimensions



3 Shelves



5 Shelves

Specification Information**Step 1.****C502****Step 2. Shelves/Height****0.** 3 shelves and 24" high**1.** 5 shelves and 34" high**Step 3. Depth****09** 9" deep**16** 16" deep**Step 4. Width****24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide**Prices for Steps 1-4.**


| | 24 | 30 | 36 | 48 |
|------------------|-----------|-----------|-----------|-----------|
| C5020. 09 | \$664 | 702 | 717 | 755 |
| 16 | \$832 | 876 | 924 | 1035 |
| C5021. 09 | \$933 | 964 | 1004 | 1070 |
| 16 | \$1120 | 1193 | 1265 | 1400 |

Step 5. Side Panel/Shelf Finish

| | | |
|-----------|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$62 |

Shelf Unit, Diagonal Corner

C5022.




Product Information

Description
This unit hangs from 24"-wide panels connected by an Action Office® 2-way 90° connector or wall strips used in a corner position. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes
For additional shelf in center section, order 24"-wide add-on shelf (C5025.1624). For additional shelf in side section, order 14"-wide add-on shelf (C5025.1614).
To cover back of center unit, order back panel (C5026.) separately.
To attach task light to slanted center shelf, order light bracket (C5051.) separately.

Dimensions




Specification Information

| | | |
|---------------------------------|-------------------|--------|
| Step 1. | | |
| C502 | | |
| Step 2. Shelves/Height | | |
| 2.1648 3 shelves and 24" high | | |
| Prices for Steps 1-2. | | |
| C5022.1648 | | \$2597 |
| Step 3. Side Panel/Shelf Finish | | |
| 91 | white | +\$164 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Shelf Unit, 90° Corner

C5024.



Product Information

Description



This 72"-high shelf unit hangs from 24"- or 48"-wide panels connected by 1 or 2 Action Office® 2-way 90° connectors or hangs from wall strips used in 1 or 2 90° corners. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes

For additional shelf, order add-on shelf (C5025.1631) separately.

To cover shelf unit with dust cover, order add-on shelf (C5025.1631) and place in top position of unit.

Dimensions



Specification Information

Step 1.

C5024.1648

\$4747

Step 2. Side Panel/Shelf Finish

HF

inner tone light

+\$0

LT

light tone

+\$0

LU

soft white

+\$0

WN

warm grey neutral

+\$0


91

white

+\$308

Co/Struc® Storage

Add-On Shelf, Shelf UnitC5025.




Product Information

Description
This shelf fits inside a shelf unit, diagonal corner shelf unit, or 90° corner shelf unit. It is used as an additional shelf or dust cover.

Dimensions

Co/Struc® Storage



Specification Information

Step 1.
C5025.

| Step 2. Depth | |
|---------------|----------|
| 09 | 9" deep |
| 16 | 16" deep |

Step 3. Width

| For 9" deep (09) | |
|------------------|--------------|
| 24 | 22 3/4" wide |
| 30 | 28 3/4" wide |
| 36 | 34 3/4" wide |
| 48 | 46 3/4" wide |


| For 16" deep (16) | |
|-------------------|--------------|
| 14 | 13 1/2" wide |
| 24 | 22 3/4" wide |
| 30 | 28 3/4" wide |
| 31 | 30 1/2" wide |
| 36 | 34 3/4" wide |
| 48 | 46 3/4" wide |

| Prices for Steps 1-3. | | | | | | |
|-----------------------|-------|-------|-----|-----|-----|-----|
| | 14 | 24 | 30 | 31 | 36 | 48 |
| C5025. 09 | — | \$136 | 148 | — | 155 | 178 |
| 16 | \$143 | 176 | 180 | 186 | 188 | 203 |

| Step 4. Shelf Finish | | |
|----------------------|-------------------|-------|
| 91 | white | +\$11 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Shelf Label Clip


C0398




| Product Information |
|---|
| Description |
| This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips. |
| Dimensions |

| Specification Information |
|---------------------------|
| Step 1. |
| C039827 |
| \$195 |

Co/Struc® Storage



Shelf Unit Back PanelC5026.




Product Information

Description
This panel attaches to a 3- or 5-shelf unit or diagonal corner shelf unit and closes the back. The shelf unit's top and bottom shelves must be flat.

Notes
Order shelf unit (C5020. or C5021.) or diagonal corner shelf unit (C5022.) separately.

Dimensions



Specification Information

Step 1.

C5026.

Step 2. Height

- 24 24" high
- 34 34" high

Step 3. Width

- 24 22³/₄" wide
- 30 28³/₄" wide
- 36 34³/₄" wide
- 48 46³/₄" wide

Prices for Steps 1-3.


| | 24 | 30 | 36 | 48 |
|-----------|-------|-----|-----|-----|
| C5026. 24 | \$265 | 287 | 308 | 367 |
| 34 | \$318 | 347 | 374 | 435 |

Step 4. Surface Finish

| | | | | |
|----|-------------------|--|--|------|
| HF | inner tone light | | | +\$0 |
| LT | light tone | | | +\$0 |
| LU | soft white | | | +\$0 |
| WN | warm grey neutral | | | +\$0 |

Light Bracket


C5051.



| Product Information |
|--|
| Description |
| These brackets fasten a task light to the bottom of an overhead cabinet, a flat or slanted shelf in a 3- or 5-shelf unit, or a center shelf in a diagonal corner shelf unit. Package contains 1 pair. Finish is black. |
| Notes |
| For 16"-deep shelf, order under shelf LED task light (G6170.) separately. |
| Dimensions |


| Specification Information |
|---------------------------|
| Step 1. |
| C5051. |
| Step 2. Usage |
| 16 for 16"-deep shelf |
| Prices for Steps 1-2. |
| C5051. 16 \$168 |

Co/Struc® Storage



Shelf Unit Door

C5027.
C5028.



Product Information

Description

This 24"-wide door encloses a shelf unit. Attachment hardware is included.

Notes

For 24"-high door, order 3-shelf unit (C5020.) separately.
For 34"-high door, order 5-shelf unit (C5021.) separately.
For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions

Specification Information

Step 1.

C502

Step 2. Hinge Location

- 7. left-hand hinges
- 8. right-hand hinges

Step 3. Height

- 2424 24" high
- 3424 34" high

Step 4. Lock

- N no lock
- L keyed differently
- K keyed alike

Prices for Steps 1-4.

| | N | L | K |
|-------------|-------|-----|-----|
| C5027. 2424 | \$527 | 677 | 677 |
| 3424 | \$691 | 842 | 842 |
| C5028. 2424 | \$515 | 667 | 667 |
| 3424 | \$684 | 831 | 831 |


Step 5. Surface Finish

| | | |
|----|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$41 |
| HM | natural maple | +\$41 |
| HX | aged cherry | +\$41 |

Step 6. Pull Option/Finish


| | | |
|----|----------------|------|
| NN | none | +\$0 |
| BK | black | +\$0 |
| NH | brushed nickel | +\$0 |

Co/Struc® Storage




Shelf Unit Double Doors

C5032.




| Product Information |
|--|
| Description |
| These doors enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included. |
| Notes |
| For 24"high doors, order 3-shelf unit (C5020.) separately. |
| For 34"high doors, order 5-shelf unit (C5021.) separately. |
| For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices. |
| Dimensions |



| Specification Information | | | | |
|----------------------------|-------------------|--------|------|-------|
| Step 1. | | | | |
| C5032. | | | | |
| Step 2. Height | | | | |
| 24 | 24" high | | | |
| 34 | 34" high | | | |
| Step 3. Width | | | | |
| 30 | 30" wide | | | |
| 36 | 36" wide | | | |
| 48 | 48" wide | | | |
| Step 4. Lock | | | | |
| N | no lock | | | |
| L | keyed differently | | | |
| K | keyed alike | | | |
| Prices for Steps 1-4. | | | | |
| | | N | L | K |
| C5032. 24 | 30 | \$569 | 730 | 730 |
| | 36 | \$667 | 826 | 826 |
| | 48 | \$818 | 973 | 973 |
| 34 | 30 | \$740 | 895 | 895 |
| | 36 | \$868 | 1026 | 1026 |
| | 48 | \$1136 | 1294 | 1294 |
| Step 5. Surface Finish | | | | |
| HF | inner tone light | | | +\$0 |
| LT | light tone | | | +\$0 |
| LU | soft white | | | +\$0 |
| WN | warm grey neutral | | | +\$0 |
| 91 | white | | | +\$52 |
| HM | natural maple | | | +\$52 |
| HX | aged cherry | | | +\$52 |
| Step 6. Pull Option/Finish | | | | |
| NN | none | | | +\$0 |
| BK | black | | | +\$0 |
| NH | brushed nickel | | | +\$0 |

Sloped Shelf Unit TopC0397.



Product Information


Description

This top attaches to a shelf unit. It is sloped to ease cleaning and prevent the stacking of materials on top of the cabinet.

Notes

Order shelf unit (C5020. or C5021.) separately.

Dimensions



Specification Information

Step 1.

C0397.

Step 2. Depth

- 09 10 1/2" deep
- 16 17" deep

Step 3. Width

- 24 24" wide
- 30 30" wide
- 36 36" wide
- 48 48" wide



Prices for Steps 1-3.

| | 24 | 30 | 36 | 48 |
|----------|-------|-----|-----|-----|
| C0397.09 | \$399 | 446 | 484 | 528 |
| 16 | \$446 | 478 | 528 | 629 |

Step 4. Surface Finish


- HF inner tone light+\$0
- LT light tone+\$0
- LU soft white+\$0
- WN warm grey neutral+\$0

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26



| | | |
|-----------|-------------------|-------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| 91 | white | +\$26 |
| HM | natural maple | +\$26 |
| HX | aged cherry | +\$26 |

B-Style Rail-Hanging ShelfC0521.



Product Information

Description

This 15½"-high shelf with a lip hangs from a standard rail or adapter rail. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.

Order optional add-on shelves of equal depth and width separately:




- Add-on shelf (A0521.1524 or A0521.1548)

- Add-on shelf with lip (C3019.)

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

C0521.

Step 2. Depth

13 13" deep

16 16" deep

Step 3. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

Prices for Steps 1-3.


| | 24 | 30 | 36 | 42 | 48 |
|----------|-------|-----|-----|-----|-----|
| C0521.13 | \$591 | 606 | 630 | 647 | 682 |
| 16 | \$816 | 834 | 876 | 897 | 973 |

Step 4. Surface Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

B-Style Shelf

C3011.



Product Information

Description

This 15½"-high shelf with a lip hangs from a panel, a freestanding module, or wall strips. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage of 24"- to 48"-wide shelf, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.

Order optional add-on shelves of equal depth and width separately:


- Add-on shelf (A0521.1524 or A0521.1548)
- Add-on shelf with lip (C3019.)

For 60"-wide shelf, order 60"-wide task light.

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

C3011.

Step 2. Depth

13 13" deep

16 16" deep

Step 3. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

60 60" wide

Prices for Steps 1-3.

| | 24 | 30 | 36 | 42 | 48 | 60 |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| C3011. 13 | \$323 | 339 | 360 | 372 | 395 | 435 |
| 16 | \$462 | 480 | 504 | 524 | 574 | 689 |

Step 4. Surface Finish


HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

B-Style Shelf with Sloped TopC3091.



Product Information

Description

This 16" deep shelf hangs from a panel, a freestanding module, or wall strips and has a sloped metal top. A filler piece is included for enclosed storage applications. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes


For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

To enclose back of shelf, order A-/B-style flipper door back panel (A3390.) separately.

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

C3091.16

Step 2. Width

| | |
|----|----------|
| 24 | 24" wide |
| 30 | 30" wide |
| 42 | 42" wide |
| 48 | 48" wide |

Prices for Steps 1-2.


| | | |
|----------|----|-------|
| C3091.16 | 24 | \$641 |
| | 30 | \$672 |
| | 42 | \$781 |
| | 48 | \$816 |

Step 3. Surface Finish

| | | |
|----|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Storage

Add-On Shelf with LipC3019.



Product Information

Description

This shelf fits into a B-style shelf or B-style rail-hanging shelf to add a second shelf. Attachment hardware is included.

Notes

Order support components separately:

- B-style (C3011.) shelf
- B-style (C0521.) rail-hanging shelf

Dimensions

Specification Information

Step 1.

C3019.

Step 2. Depth

1313" deep

1616" deep

Step 3. Width

2424" wide

3030" wide

3636" wide

4242" wide

4848" wide

6060" wide

Prices for Steps 1-3.

| | 24 | 30 | 36 | 42 | 48 | 60 |
|-----------|-------|-----|-----|-----|-----|-----|
| C3019. 13 | \$188 | 198 | 220 | 233 | 253 | 283 |
| 16 | \$277 | 292 | 316 | 334 | 388 | 485 |

Step 4. Surface Finish


HFinner tone light+\$0

LTlight tone+\$0

LUssoft white+\$0


WNwarm grey neutral+\$0

Co/Struc® Storage



Shelf Label Clip


C0398




| Product Information |
|---|
| Description |
| This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips. |
| Dimensions |

| Specification Information |
|---------------------------|
| Step 1. |
| C039827 |
| \$195 |

Co/Struc® Storage





Product Information

Description

This enclosed storage unit hangs on rails for stationary storage.

The locker has 20 drawer slots in 3" increments and holds

interchangeable components.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

Notes

Order rail components separately:


- Standard rail assembly (C0282)

Order transport/storage components separately:

- C tray/shelf (C0203)
- C wire shelf (C0252)
- Cassette assembly (C0565)
- Drawer (C0207, C0208, or C0209)
- Pullout catheter rack (C0469)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C0561

Step 2. Lock

| | |
|-----------|---------------------------------|
| FF | no lock |
| FL | keyed lock, keyed differently |
| KA | keyed lock, keyed alike |
| EL | keyless lock, keyed differently |
| EK | keyless lock, keyed alike |

Prices for Steps 1-2.

| | |
|-----------------|--------|
| C0561 FF | \$2353 |
| FL | \$2564 |
| KA | \$2564 |
| EL | \$3791 |
| EK | \$3791 |

Step 3. Locker Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Step 4. Door Finish

| | | |
|-----------|-------------------|------|
| 3B | beachglass | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| TR | clear | +\$0 |
| WN | warm grey neutral | +\$0 |

Step 5. Key Number

For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)

| | | |
|-----------|---------------|------|
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |
| 09 | key number 09 | +\$0 |
| 10 | key number 10 | +\$0 |
| 11 | key number 11 | +\$0 |
| 12 | key number 12 | +\$0 |
| 13 | key number 13 | +\$0 |


Locker, with Tambour Door

continued

| | | | | | |
|-----------|---------------|------|-----------|---------------|------|
| 14 | key number 14 | +\$0 | 61 | key number 61 | +\$0 |
| 15 | key number 15 | +\$0 | 62 | key number 62 | +\$0 |
| 16 | key number 16 | +\$0 | 63 | key number 63 | +\$0 |
| 17 | key number 17 | +\$0 | 64 | key number 64 | +\$0 |
| 18 | key number 18 | +\$0 | 65 | key number 65 | +\$0 |
| 19 | key number 19 | +\$0 | 66 | key number 66 | +\$0 |
| 20 | key number 20 | +\$0 | 67 | key number 67 | +\$0 |
| 21 | key number 21 | +\$0 | 68 | key number 68 | +\$0 |
| 22 | key number 22 | +\$0 | 69 | key number 69 | +\$0 |
| 23 | key number 23 | +\$0 | 70 | key number 70 | +\$0 |
| 24 | key number 24 | +\$0 | 71 | key number 71 | +\$0 |
| 25 | key number 25 | +\$0 | 72 | key number 72 | +\$0 |
| 26 | key number 26 | +\$0 | 73 | key number 73 | +\$0 |
| 27 | key number 27 | +\$0 | 74 | key number 74 | +\$0 |
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |

Co/Struc® Storage

Locker, with Hinged DoorC0570




Product Information

Description
This enclosed storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components. Door is hinged at the right. Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes

Door frame color matches locker color.
Order rail components separately:
• Standard rail assembly (C0282)
Order transport/storage components separately:
• C tray/shelf (C0203)
• C wire shelf (C0252)
• Cassette assembly (C0565)
• Drawer (C0207, C0208, or C0209)
• Pullout catheter rack (C0469.)
For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions




Specification Information

| | | |
|----------------------------------|-------------------------------|--------|
| Step 1. | | |
| C0570 | | |
| Step 2. Lock | | |
| FF | no lock | |
| FL | keyed lock, keyed differently | |
| KA | keyed lock, keyed alike | |
| KP | keyless lock | |
| RF | RFID lock | |
| Prices for Steps 1-2. | | |
| C0570 | FF | \$3038 |
| | FL | \$3277 |
| | KA | \$3277 |
| | KP | \$3787 |
| | RF | \$4711 |
| Step 3. Locker Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| Step 4. Door Insert Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| TR | clear | +\$0 |
| WN | warm grey neutral | +\$0 |
| Step 5. Key Number | | |
| For keyed lock, keyed alike (KA) | | |
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |
| 09 | key number 09 | +\$0 |
| 10 | key number 10 | +\$0 |
| 11 | key number 11 | +\$0 |
| 12 | key number 12 | +\$0 |
| 13 | key number 13 | +\$0 |
| 14 | key number 14 | +\$0 |

Locker, with Hinged Door *continued*

| | | | | | |
|-----------|---------------|------|-----------|---------------|------|
| 15 | key number 15 | +\$0 | 62 | key number 62 | +\$0 |
| 16 | key number 16 | +\$0 | 63 | key number 63 | +\$0 |
| 17 | key number 17 | +\$0 | 64 | key number 64 | +\$0 |
| 18 | key number 18 | +\$0 | 65 | key number 65 | +\$0 |
| 19 | key number 19 | +\$0 | 66 | key number 66 | +\$0 |
| 20 | key number 20 | +\$0 | 67 | key number 67 | +\$0 |
| 21 | key number 21 | +\$0 | 68 | key number 68 | +\$0 |
| 22 | key number 22 | +\$0 | 69 | key number 69 | +\$0 |
| 23 | key number 23 | +\$0 | 70 | key number 70 | +\$0 |
| 24 | key number 24 | +\$0 | 71 | key number 71 | +\$0 |
| 25 | key number 25 | +\$0 | 72 | key number 72 | +\$0 |
| 26 | key number 26 | +\$0 | 73 | key number 73 | +\$0 |
| 27 | key number 27 | +\$0 | 74 | key number 74 | +\$0 |
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |
| 61 | key number 61 | +\$0 | | | |





Product Information

Description
This storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.

Notes
Order rail components separately:
• Standard rail assembly (C0282)
Order transport/storage components separately:
• C tray/shelf (C0203)
• C wire shelf (C0252)
• Cassette assembly (C0565)
• Drawer (C0207, C0208, or C0209)
• Pullout catheter rack (C0469.)
Order optional locker tambour door (C0219) separately.

Dimensions




Specification Information

| | | |
|------------------------|-------------------|--------|
| Step 1. | | |
| C0562FF | | \$2077 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Locker on Wheel Base, with Tambour Door

C0564



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5" diameter casters (2 swivel and 2 swivel with brake). The tambour door slides vertically for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.


Notes

Order internal storage components separately:

- A-, B-, or C-size drawers (C0207, C0208, or C0209)
- C tray/shelf (C0203)
- C wire shelf (C0252)
- Cassette assembly (C0565)
- Pullout catheter rack (C0469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Locker on Wheel Base, with Tambour Door *continued*

Co/Struc® Storage

| Specification Information | | |
|---|---------------------------------|--------|
| Step 1. | | |
| CO564 | | |
| Step 2. Lock | | |
| FF | no lock | |
| FL | keyed lock, keyed differently | |
| KA | keyed lock, keyed alike | |
| EL | keyless lock, keyed differently | |
| EK | keyless lock, keyed alike | |
| Prices for Steps 1-2. | | |
| CO564 FF | | \$3285 |
| FL | | \$3548 |
| KA | | \$3447 |
| EL | | \$4722 |
| EK | | \$4722 |
| Step 3. Locker Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |
| Step 4. Door Finish | | |
| 3B | beachglass | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| TR | clear | +\$0 |
| WN | warm grey neutral | +\$0 |
| Step 5. Key Number | | |
| <i>For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)</i> | | |
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |
| 09 | key number 09 | +\$0 |
| 10 | key number 10 | +\$0 |
| 11 | key number 11 | +\$0 |
| 12 | key number 12 | +\$0 |
| 13 | key number 13 | +\$0 |


| | | |
|-----------|---------------|------|
| 14 | key number 14 | +\$0 |
| 15 | key number 15 | +\$0 |
| 16 | key number 16 | +\$0 |
| 17 | key number 17 | +\$0 |
| 18 | key number 18 | +\$0 |
| 19 | key number 19 | +\$0 |
| 20 | key number 20 | +\$0 |
| 21 | key number 21 | +\$0 |
| 22 | key number 22 | +\$0 |
| 23 | key number 23 | +\$0 |
| 24 | key number 24 | +\$0 |
| 25 | key number 25 | +\$0 |
| 26 | key number 26 | +\$0 |
| 27 | key number 27 | +\$0 |
| 28 | key number 28 | +\$0 |
| 29 | key number 29 | +\$0 |
| 30 | key number 30 | +\$0 |
| 31 | key number 31 | +\$0 |
| 32 | key number 32 | +\$0 |
| 33 | key number 33 | +\$0 |
| 34 | key number 34 | +\$0 |
| 35 | key number 35 | +\$0 |
| 36 | key number 36 | +\$0 |
| 37 | key number 37 | +\$0 |
| 38 | key number 38 | +\$0 |
| 39 | key number 39 | +\$0 |
| 40 | key number 40 | +\$0 |
| 41 | key number 41 | +\$0 |
| 42 | key number 42 | +\$0 |
| 43 | key number 43 | +\$0 |
| 44 | key number 44 | +\$0 |
| 45 | key number 45 | +\$0 |
| 46 | key number 46 | +\$0 |
| 47 | key number 47 | +\$0 |
| 48 | key number 48 | +\$0 |
| 49 | key number 49 | +\$0 |
| 50 | key number 50 | +\$0 |
| 51 | key number 51 | +\$0 |
| 52 | key number 52 | +\$0 |
| 53 | key number 53 | +\$0 |
| 54 | key number 54 | +\$0 |
| 55 | key number 55 | +\$0 |
| 56 | key number 56 | +\$0 |
| 57 | key number 57 | +\$0 |
| 58 | key number 58 | +\$0 |
| 59 | key number 59 | +\$0 |
| 60 | key number 60 | +\$0 |

Locker on Wheel Base, with Tambour Door *continued*

| | | |
|-----------|---------------|------|
| 61 | key number 61 | +\$0 |
| 62 | key number 62 | +\$0 |
| 63 | key number 63 | +\$0 |
| 64 | key number 64 | +\$0 |
| 65 | key number 65 | +\$0 |
| 66 | key number 66 | +\$0 |
| 67 | key number 67 | +\$0 |
| 68 | key number 68 | +\$0 |
| 69 | key number 69 | +\$0 |
| 70 | key number 70 | +\$0 |
| 71 | key number 71 | +\$0 |
| 72 | key number 72 | +\$0 |
| 73 | key number 73 | +\$0 |
| 74 | key number 74 | +\$0 |
| 75 | key number 75 | +\$0 |
| 76 | key number 76 | +\$0 |
| 77 | key number 77 | +\$0 |
| 78 | key number 78 | +\$0 |
| 79 | key number 79 | +\$0 |
| 80 | key number 80 | +\$0 |
| 81 | key number 81 | +\$0 |
| 82 | key number 82 | +\$0 |
| 83 | key number 83 | +\$0 |
| 84 | key number 84 | +\$0 |
| 85 | key number 85 | +\$0 |
| 86 | key number 86 | +\$0 |
| 87 | key number 87 | +\$0 |
| 88 | key number 88 | +\$0 |
| 89 | key number 89 | +\$0 |
| 90 | key number 90 | +\$0 |
| 91 | key number 91 | +\$0 |
| 92 | key number 92 | +\$0 |
| 93 | key number 93 | +\$0 |
| 94 | key number 94 | +\$0 |
| 95 | key number 95 | +\$0 |
| 96 | key number 96 | +\$0 |
| 97 | key number 97 | +\$0 |
| 98 | key number 98 | +\$0 |
| 99 | key number 99 | +\$0 |

Locker on Wheel Base, with Hinged Door

C0574



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The door is hinged at the right and swings open for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.


Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes

- Door frame color matches locker color.
- Order internal storage components separately:
- A-, B-, or C-size drawers (C0207, C0208, or C0209)
 - C tray/shelf (C0203)
 - C wire shelf (C0252)
 - Cassette assembly (C0565)
 - Pullout catheter rack (C0469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Locker on Wheel Base, with Hinged Door *continued*

Specification Information

Step 1.

CO574

Step 2. Lock

| | |
|-----------|-------------------------------|
| FF | no lock |
| FL | keyed lock, keyed differently |
| KA | keyed lock, keyed alike |
| KP | keyless lock |
| RF | RFID lock |

Prices for Steps 1-2.

| | |
|-----------------|--------|
| CO574 FF | \$4159 |
| FL | \$4396 |
| KA | \$4396 |
| KP | \$4907 |
| RF | \$5788 |

Step 3. Locker Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Step 4. Door Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| TR | clear | +\$0 |
| WN | warm grey neutral | +\$0 |

Step 5. Key Number

For keyed lock, keyed alike (KA)

| | | |
|-----------|---------------|------|
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |
| 09 | key number 09 | +\$0 |
| 10 | key number 10 | +\$0 |
| 11 | key number 11 | +\$0 |
| 12 | key number 12 | +\$0 |
| 13 | key number 13 | +\$0 |
| 14 | key number 14 | +\$0 |

| | | |
|-----------|---------------|------|
| 15 | key number 15 | +\$0 |
| 16 | key number 16 | +\$0 |
| 17 | key number 17 | +\$0 |
| 18 | key number 18 | +\$0 |
| 19 | key number 19 | +\$0 |
| 20 | key number 20 | +\$0 |
| 21 | key number 21 | +\$0 |
| 22 | key number 22 | +\$0 |
| 23 | key number 23 | +\$0 |
| 24 | key number 24 | +\$0 |
| 25 | key number 25 | +\$0 |
| 26 | key number 26 | +\$0 |
| 27 | key number 27 | +\$0 |
| 28 | key number 28 | +\$0 |
| 29 | key number 29 | +\$0 |
| 30 | key number 30 | +\$0 |
| 31 | key number 31 | +\$0 |
| 32 | key number 32 | +\$0 |
| 33 | key number 33 | +\$0 |
| 34 | key number 34 | +\$0 |
| 35 | key number 35 | +\$0 |
| 36 | key number 36 | +\$0 |
| 37 | key number 37 | +\$0 |
| 38 | key number 38 | +\$0 |
| 39 | key number 39 | +\$0 |
| 40 | key number 40 | +\$0 |
| 41 | key number 41 | +\$0 |
| 42 | key number 42 | +\$0 |
| 43 | key number 43 | +\$0 |
| 44 | key number 44 | +\$0 |
| 45 | key number 45 | +\$0 |
| 46 | key number 46 | +\$0 |
| 47 | key number 47 | +\$0 |
| 48 | key number 48 | +\$0 |
| 49 | key number 49 | +\$0 |
| 50 | key number 50 | +\$0 |
| 51 | key number 51 | +\$0 |
| 52 | key number 52 | +\$0 |
| 53 | key number 53 | +\$0 |
| 54 | key number 54 | +\$0 |
| 55 | key number 55 | +\$0 |
| 56 | key number 56 | +\$0 |
| 57 | key number 57 | +\$0 |
| 58 | key number 58 | +\$0 |
| 59 | key number 59 | +\$0 |
| 60 | key number 60 | +\$0 |
| 61 | key number 61 | +\$0 |

Co/Struc® Storage


Locker on Wheel Base, with
Hinged Door *continued*

Co/Struc® Storage

| | | |
|----|---------------|------|
| 62 | key number 62 | +\$0 |
| 63 | key number 63 | +\$0 |
| 64 | key number 64 | +\$0 |
| 65 | key number 65 | +\$0 |
| 66 | key number 66 | +\$0 |
| 67 | key number 67 | +\$0 |
| 68 | key number 68 | +\$0 |
| 69 | key number 69 | +\$0 |
| 70 | key number 70 | +\$0 |
| 71 | key number 71 | +\$0 |
| 72 | key number 72 | +\$0 |
| 73 | key number 73 | +\$0 |
| 74 | key number 74 | +\$0 |
| 75 | key number 75 | +\$0 |
| 76 | key number 76 | +\$0 |
| 77 | key number 77 | +\$0 |
| 78 | key number 78 | +\$0 |
| 79 | key number 79 | +\$0 |
| 80 | key number 80 | +\$0 |
| 81 | key number 81 | +\$0 |
| 82 | key number 82 | +\$0 |
| 83 | key number 83 | +\$0 |
| 84 | key number 84 | +\$0 |
| 85 | key number 85 | +\$0 |
| 86 | key number 86 | +\$0 |
| 87 | key number 87 | +\$0 |
| 88 | key number 88 | +\$0 |
| 89 | key number 89 | +\$0 |
| 90 | key number 90 | +\$0 |
| 91 | key number 91 | +\$0 |
| 92 | key number 92 | +\$0 |
| 93 | key number 93 | +\$0 |
| 94 | key number 94 | +\$0 |
| 95 | key number 95 | +\$0 |
| 96 | key number 96 | +\$0 |
| 97 | key number 97 | +\$0 |
| 98 | key number 98 | +\$0 |
| 99 | key number 99 | +\$0 |

Locker on Wheel Base

C0563



Product Information

Description

This mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Notes

Order internal storage components separately:

- A-, B-, or C-size drawers (C0207, C0208, or C0209)
- C tray/shelf (C0203)
- C wire shelf (C0252)
- Cassette assembly (C0565)
- Pullout catheter rack (C0469.)


Order optional locker tambour door (C0219) and locker lock kit (C0277) separately.


Order optional locker hinged door (C0290) separately.

Dimensions

| Specification Information | | |
|---------------------------|-------------------|--------|
| Step 1. | | |
| C0563FF | | \$3248 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Storage






Product Information

Description


This vertical door provides closure on a locker. It opens by sliding into the locker bottom.

Dimensions

Co/Struc® Storage



SIDE



FRONT

Specification Information

Step 1.


C0219FF

\$357

| Step 2. Surface Finish | | |
|------------------------|-------------------|------|
| 3B | beachglass | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| TR | clear | +\$0 |
| WN | warm grey neutral | +\$0 |

Locker Hinged Door

C0290




Product Information

Description

This door provides closure on a locker. It is hinged at the right.

Attachment hardware included.

Available with no lock, keyed lock, keyless lock or RFID lock.



Specification Information

Step 1.

| | |
|---------------------|-------------------------------|
| C0290 | |
| Step 2. Lock | |
| FF | no lock |
| FL | keyed lock, keyed differently |
| KA | keyed lock, keyed alike |
| KP | keyless lock |
| RF | RFID lock |

| | |
|------------------------------|--------|
| Prices for Steps 1-2. | |
| C0290 FF | \$965 |
| FL | \$1209 |
| KA | \$1209 |
| KP | \$1723 |
| RF | \$2697 |

| | |
|----------------------------|------------------------|
| Step 3. Door Finish | |
| HF | inner tone light +\$0 |
| LT | light tone +\$0 |
| LU | soft white +\$0 |
| WN | warm grey neutral +\$0 |

| | |
|------------------------------|------------------------|
| Step 4. Insert Finish | |
| HF | inner tone light +\$0 |
| LT | light tone +\$0 |
| LU | soft white +\$0 |
| TR | clear +\$0 |
| WN | warm grey neutral +\$0 |

| | |
|---|--------------------|
| Step 5. Key Number | |
| <i>For keyed lock, keyed alike (KA)</i> | |
| 01 | key number 01 +\$0 |
| 02 | key number 02 +\$0 |
| 03 | key number 03 +\$0 |
| 04 | key number 04 +\$0 |
| 05 | key number 05 +\$0 |
| 06 | key number 06 +\$0 |
| 07 | key number 07 +\$0 |
| 08 | key number 08 +\$0 |
| 09 | key number 09 +\$0 |
| 10 | key number 10 +\$0 |
| 11 | key number 11 +\$0 |
| 12 | key number 12 +\$0 |
| 13 | key number 13 +\$0 |
| 14 | key number 14 +\$0 |

Co/Struc® Storage


Locker Hinged Door *continued*

Co/Struc® Storage


| | | | | | |
|----|---------------|------|----|---------------|------|
| 15 | key number 15 | +\$0 | 62 | key number 62 | +\$0 |
| 16 | key number 16 | +\$0 | 63 | key number 63 | +\$0 |
| 17 | key number 17 | +\$0 | 64 | key number 64 | +\$0 |
| 18 | key number 18 | +\$0 | 65 | key number 65 | +\$0 |
| 19 | key number 19 | +\$0 | 66 | key number 66 | +\$0 |
| 20 | key number 20 | +\$0 | 67 | key number 67 | +\$0 |
| 21 | key number 21 | +\$0 | 68 | key number 68 | +\$0 |
| 22 | key number 22 | +\$0 | 69 | key number 69 | +\$0 |
| 23 | key number 23 | +\$0 | 70 | key number 70 | +\$0 |
| 24 | key number 24 | +\$0 | 71 | key number 71 | +\$0 |
| 25 | key number 25 | +\$0 | 72 | key number 72 | +\$0 |
| 26 | key number 26 | +\$0 | 73 | key number 73 | +\$0 |
| 27 | key number 27 | +\$0 | 74 | key number 74 | +\$0 |
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |
| 61 | key number 61 | +\$0 | | | |

Locker Lock Kit

C0277



| Product Information |
|--|
| Description |
| This kit includes a lock and converts a locker with tambour door to a lockable storage unit. |
| Notes |
| For general information on locks, see Keyed-Alike Information in Appendices. |
| Kit must be field installed. |
| Dimensions |




| Specification Information |
|---------------------------|
| Step 1. |
| C0277 |
| Step 2. Lock |
| FF keyed differently |
| KA keyed alike |
| Prices for Steps 1-2. |
| C0277 FF \$234 |
| KA \$234 |
| Step 3. Surface Finish |
| HF inner tone light +\$0 |
| LT light tone +\$0 |
| LU soft white +\$0 |
| WN warm grey neutral +\$0 |
| Step 4. Key Number |
| For keyed alike (KA) |
| 01 key number 01 +\$0 |
| 02 key number 02 +\$0 |
| 03 key number 03 +\$0 |
| 04 key number 04 +\$0 |
| 05 key number 05 +\$0 |
| 06 key number 06 +\$0 |
| 07 key number 07 +\$0 |
| 08 key number 08 +\$0 |
| 09 key number 09 +\$0 |
| 10 key number 10 +\$0 |
| 11 key number 11 +\$0 |
| 12 key number 12 +\$0 |
| 13 key number 13 +\$0 |
| 14 key number 14 +\$0 |
| 15 key number 15 +\$0 |
| 16 key number 16 +\$0 |
| 17 key number 17 +\$0 |
| 18 key number 18 +\$0 |
| 19 key number 19 +\$0 |
| 20 key number 20 +\$0 |
| 21 key number 21 +\$0 |
| 22 key number 22 +\$0 |
| 23 key number 23 +\$0 |
| 24 key number 24 +\$0 |
| 25 key number 25 +\$0 |
| 26 key number 26 +\$0 |
| 27 key number 27 +\$0 |

Co/Struc® Storage

| | | | | | |
|----|---------------|------|----|---------------|------|
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |
| 61 | key number 61 | +\$0 | | | |
| 62 | key number 62 | +\$0 | | | |
| 63 | key number 63 | +\$0 | | | |
| 64 | key number 64 | +\$0 | | | |
| 65 | key number 65 | +\$0 | | | |
| 66 | key number 66 | +\$0 | | | |
| 67 | key number 67 | +\$0 | | | |
| 68 | key number 68 | +\$0 | | | |
| 69 | key number 69 | +\$0 | | | |
| 70 | key number 70 | +\$0 | | | |
| 71 | key number 71 | +\$0 | | | |
| 72 | key number 72 | +\$0 | | | |
| 73 | key number 73 | +\$0 | | | |
| 74 | key number 74 | +\$0 | | | |

Locker Lock Kit, Keyless

C0279



Product Information

Description


This keyless lock converts a locker with tambour door to a lockable storage unit. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Kit must be field installed.

Dimensions



Specification Information

Step 1.

C0279E

Step 2. Lock

K

keyless lock, keyed alike

L

keyless lock, keyed differently

Prices for Steps 1-2.

C0279E K

\$1539

L

\$1539

Step 3. Surface Finish

HF

inner tone light

+\$0

LT

light tone

+\$0

LU

soft white

+\$0

WN

warm grey neutral

+\$0

Step 4. Key Number

For keyless lock, keyed alike (K)

00

key number 00

+\$0

01

key number 01

+\$0

02

key number 02

+\$0

03

key number 03

+\$0

04

key number 04

+\$0

05

key number 05

+\$0

06

key number 06

+\$0

07

key number 07

+\$0

08

key number 08

+\$0

09

key number 09

+\$0

10

key number 10

+\$0

11

key number 11

+\$0

12

key number 12

+\$0

13

key number 13

+\$0

14

key number 14

+\$0

15

key number 15

+\$0

16

key number 16

+\$0

17

key number 17

+\$0

18

key number 18

+\$0

19

key number 19

+\$0

20

key number 20

+\$0

21

key number 21

+\$0

22

key number 22

+\$0

23

key number 23

+\$0

24

key number 24

+\$0

25

key number 25

+\$0

26

key number 26


+\$0

Co/Struc® Storage

Locker Lock Kit, Keyless *continued*

Co/Struc® Storage


| | | | | | |
|----|---------------|------|----|---------------|------|
| 27 | key number 27 | +\$0 | 74 | key number 74 | +\$0 |
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |
| 61 | key number 61 | +\$0 | | | |
| 62 | key number 62 | +\$0 | | | |
| 63 | key number 63 | +\$0 | | | |
| 64 | key number 64 | +\$0 | | | |
| 65 | key number 65 | +\$0 | | | |
| 66 | key number 66 | +\$0 | | | |
| 67 | key number 67 | +\$0 | | | |
| 68 | key number 68 | +\$0 | | | |
| 69 | key number 69 | +\$0 | | | |
| 70 | key number 70 | +\$0 | | | |
| 71 | key number 71 | +\$0 | | | |
| 72 | key number 72 | +\$0 | | | |
| 73 | key number 73 | +\$0 | | | |




| Product Information |
|--|
| Description |
| This component provides storage in an endoscopy/catheter cabinet. It has 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage. |
| Notes |
| Tray/shelf surface with raised edges can be configured with subcontainers; order subcontainers separately. |
| Dimensions |

| Specification Information | | |
|---------------------------|-------------------|-------|
| Step 1. | | |
| CO204FF | | \$116 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Storage






Product Information

Description
This frame hangs on a standard rail or adapter rail, or it is supported by an L cart, process table, counter top, or heavy-duty storage work surface. It has 4 slots at 3" intervals to enclose and support storage components and accessories. The C frame cannot mount under a 24"-wide work surface and it is not recommended for overhead storage.

- Notes**
- Order support components separately:
- Adapter rail (C1610.)
 - Counter top (C0555, or C0556)
 - L cart (C0212)
 - Process table (C4115., C4215., or C4313.)
 - Lab work table (C461G., C462G., or C462C.)
 - Standard rail (C0282)
 - Work table (C4312.)
 - Workstation (C4310. or C4311.)
- Order storage components separately:
- C tray/shelf (C0203)
 - Drawer (C0207, C0208, or C0209)

Dimensions




Specification Information


| | | |
|------------------------|-------------------|-------|
| Step 1. | | |
| C0205FF | | \$308 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Counter Top


C0555
C0556




| Product Information |
|--|
| Description |
| This surface mounts on a C frame to provide a work surface or storage surface. It includes a gripper package for attaching the top to a C frame. |
| The single or extended counter top fits on 1 C frame. The extended counter top extends 4" past each C frame side. |
| Notes |
| Order C frame (C0205) separately. |
| Dimensions |



TOP




SINGLE
FRONT



EXTENDED
FRONT

| Specification Information |
|-----------------------------|
| Step 1. |
| C0 |
| Step 2. Configuration/Width |
| 555FF single |
| 556FF extended |
| Prices for Steps 1-2. |
| C0555FF |
| C0556FF |
| Step 3. Surface Finish |
| HF inner tone light |
| LT light tone |
| LU soft white |
| WN warm grey neutral |

Co/Struc® Storage



Product Information

Description
This lid provides a top for a C frame. It has raised side edges to keep items from sliding off.

Notes
Use lid when storing L cart below 38"-high process table or cantilevered work surface; existing drawer bearers must be removed.

Dimensions


Specification Information


Step 1.
C0201FF \$216

Step 2. Surface Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Storage





Product Information

Description
This component provides storage within a C frame, locker, or interior cabinet adapter. It is designed with 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


Notes

Order support component separately:


- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (C0561, C0562, C0563, or C0564)

Tray/shelf surface with raised edges can be configured with subcontainers or subdivider vane. Order subdivider vane (CO242) or subcontainers separately.

Dimensions



TOP



FRONT


Specification Information

Step 1.
CO203FF \$146

Step 2. Surface Finish

| | | |
|-----------|-------------------|------|
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |


Co/Struc® Storage




| Product Information |
|---|
| Description |
| This component organizes IV bags, forms, tape rolls, and other small items within a drawer or C tray/shelf. |
| Dimensions |

| Specification Information | | |
|---------------------------|------------|------|
| Step 1. | | |
| C0242FF | | \$72 |
| Step 2. Surface Finish | | |
| LU | soft white | +\$0 |

Co/Struc® Storage







| Product Information |
|---|
| Description |
| This wire shelf fits into the slots of a C frame, locker, or interior cabinet adapter and stores items requiring air circulation. It cannot be used with a subdivider vane or subdivider. |
| Notes |
| Order support component separately: |
| <ul style="list-style-type: none">• C frame (C0205)• Interior cabinet adapter (CG591.)• Locker or locker on wheel base (C0561, C0562, C0563, or C0564) |
| Dimensions |

| Specification Information | | |
|---------------------------|------------|-------|
| Step 1. | | |
| C0252FF | | \$187 |
| Step 2. Surface Finish | | |
| LU | soft white | +\$0 |


Co/Struc® Storage



TOP




FRONT



| Product Information |
|---|
| Description |
| This hardware package mounts a C frame under a work surface. 1 gripper package is required to mount each C frame to a work surface. Attachment screws are included. |
| Notes |
| C frame cannot mount with grippers under heavy-duty work surface. |
| Dimensions |


| Specification Information | | |
|---------------------------|-------------------|------|
| Step 1. | | |
| C0266FF | | \$90 |
| Step 2. Surface Finish | | |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| WN | warm grey neutral | +\$0 |

Co/Struc® Storage



Drawer Caddy with Casters

C0692.
C0693.



Product Information


Description

This mobile caddy fits below a hanging or freestanding work surface. It has full-width pulls, casters, 2 3"-high drawers, 1 6"-high drawer, and 1 9"-high drawer. The drawers can be removed and reconfigured within the caddy or used in other products that accept 20"-wide plastic drawers. The 9"-high drawer is available with a lock.

Notes

For caddy without drawers, order drawers separately.
For general information on locks, see Keyed-Alike Information in Appendices.
Ships fully assembled.

Dimensions



Specification Information

Step 1.

C069

Step 2. Configuration

2.20 no drawers

3.20 drawers

Step 3. Lock

For no lock (), skip this step.*

For no drawers (2.20), skip this step.

For drawers (3.20)

L 9"-high drawer keyed differently

K 9"-high drawer keyed alike

Prices for Steps 1-3.

C0692.20 \$1980

C0693.20 \$2597

C0693.20 L \$2741

K \$2741

Step 4. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

Step 5. Drawer Finish

For drawers (3.20)

2B juniper +\$0

3B beachglass +\$0

6F midnight +\$0

DA deep blue +\$0

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

VR vivid red +\$0

WN warm grey neutral +\$0

ZP terra cotta +\$0

Step 6. Key Number

For 9"-high drawer keyed alike (K)

01 key number 01 +\$0

02 key number 02 +\$0

Drawer Caddy with Casters

continued

Co/Struc® Storage

| | | | | | |
|----|---------------|------|----|---------------|------|
| 03 | key number 03 | +\$0 | 50 | key number 50 | +\$0 |
| 04 | key number 04 | +\$0 | 51 | key number 51 | +\$0 |
| 05 | key number 05 | +\$0 | 52 | key number 52 | +\$0 |
| 06 | key number 06 | +\$0 | 53 | key number 53 | +\$0 |
| 07 | key number 07 | +\$0 | 54 | key number 54 | +\$0 |
| 08 | key number 08 | +\$0 | 55 | key number 55 | +\$0 |
| 09 | key number 09 | +\$0 | 56 | key number 56 | +\$0 |
| 10 | key number 10 | +\$0 | 57 | key number 57 | +\$0 |
| 11 | key number 11 | +\$0 | 58 | key number 58 | +\$0 |
| 12 | key number 12 | +\$0 | 59 | key number 59 | +\$0 |
| 13 | key number 13 | +\$0 | 60 | key number 60 | +\$0 |
| 14 | key number 14 | +\$0 | 61 | key number 61 | +\$0 |
| 15 | key number 15 | +\$0 | 62 | key number 62 | +\$0 |
| 16 | key number 16 | +\$0 | 63 | key number 63 | +\$0 |
| 17 | key number 17 | +\$0 | 64 | key number 64 | +\$0 |
| 18 | key number 18 | +\$0 | 65 | key number 65 | +\$0 |
| 19 | key number 19 | +\$0 | 66 | key number 66 | +\$0 |
| 20 | key number 20 | +\$0 | 67 | key number 67 | +\$0 |
| 21 | key number 21 | +\$0 | 68 | key number 68 | +\$0 |
| 22 | key number 22 | +\$0 | 69 | key number 69 | +\$0 |
| 23 | key number 23 | +\$0 | 70 | key number 70 | +\$0 |
| 24 | key number 24 | +\$0 | 71 | key number 71 | +\$0 |
| 25 | key number 25 | +\$0 | 72 | key number 72 | +\$0 |
| 26 | key number 26 | +\$0 | 73 | key number 73 | +\$0 |
| 27 | key number 27 | +\$0 | 74 | key number 74 | +\$0 |
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |


Drawer Caddy with Casters

continued

| | | |
|-----------|---------------|------|
| 97 | key number 97 | +\$0 |
| 98 | key number 98 | +\$0 |
| 99 | key number 99 | +\$0 |

Drawer

C0207
C0208
C0209



Product Information

Description

This drawer fits into a locker or C frame and has stops to prevent accidental removal. It can also be mounted under a work surface using drawer bearers, ordered separately. The drawer is available with no lock, keyed lock, keyless lock or RFID lock.

Notes


To mount drawer under table or work surface, order drawer bearer package (C0228) or lockable drawer bearer (C0396) separately. Order optional A-size subcontainer (C0231, C0232, C0233, C0234, C0235, or C0369) or B-size subcontainer (C0236, C0238, or C0240) separately.

Drawer with keyless lock (KP) or RFID (RF) option cannot be used in locker with tambour door.

Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO20

Step 2. Size/Height

7 a size
8 b size
9 c size

Step 3. Lock

FF no lock
FL keyed differently
KA keyed alike
KP keyless lock
RF RFID lock

Prices for Steps 1-3.

| | |
|-----------------|--------|
| CO207 FF | \$133 |
| FL | \$278 |
| KA | \$278 |
| KP | \$888 |
| RF | \$1922 |

| | |
|-----------------|--------|
| CO208 FF | \$173 |
| FL | \$315 |
| KA | \$315 |
| KP | \$922 |
| RF | \$1956 |

| | |
|-----------------|--------|
| CO209 FF | \$216 |
| FL | \$361 |
| KA | \$361 |
| KP | \$968 |
| RF | \$2000 |

Step 4. Surface Finish

| | |
|-----------------------------|------|
| 2B juniper | +\$0 |
| 3B beachglass | +\$0 |
| 6F midnight | +\$0 |
| DA deep blue | +\$0 |
| HF inner tone light | +\$0 |
| LT light tone | +\$0 |
| LU soft white | +\$0 |
| VR vivid red | +\$0 |
| WN warm grey neutral | +\$0 |
| YT yellow | +\$0 |

Step 5. Key Number

For keyed alike (KA)

| | | |
|-----------|---------------|------|
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |
| 09 | key number 09 | +\$0 |
| 10 | key number 10 | +\$0 |
| 11 | key number 11 | +\$0 |
| 12 | key number 12 | +\$0 |
| 13 | key number 13 | +\$0 |
| 14 | key number 14 | +\$0 |
| 15 | key number 15 | +\$0 |
| 16 | key number 16 | +\$0 |
| 17 | key number 17 | +\$0 |
| 18 | key number 18 | +\$0 |
| 19 | key number 19 | +\$0 |
| 20 | key number 20 | +\$0 |
| 21 | key number 21 | +\$0 |
| 22 | key number 22 | +\$0 |
| 23 | key number 23 | +\$0 |
| 24 | key number 24 | +\$0 |
| 25 | key number 25 | +\$0 |
| 26 | key number 26 | +\$0 |
| 27 | key number 27 | +\$0 |
| 28 | key number 28 | +\$0 |
| 29 | key number 29 | +\$0 |
| 30 | key number 30 | +\$0 |
| 31 | key number 31 | +\$0 |
| 32 | key number 32 | +\$0 |
| 33 | key number 33 | +\$0 |
| 34 | key number 34 | +\$0 |
| 35 | key number 35 | +\$0 |
| 36 | key number 36 | +\$0 |
| 37 | key number 37 | +\$0 |
| 38 | key number 38 | +\$0 |
| 39 | key number 39 | +\$0 |
| 40 | key number 40 | +\$0 |
| 41 | key number 41 | +\$0 |
| 42 | key number 42 | +\$0 |
| 43 | key number 43 | +\$0 |
| 44 | key number 44 | +\$0 |
| 45 | key number 45 | +\$0 |


| | | | | | |
|-----------|---------------|------|-----------|---------------|------|
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |
| 61 | key number 61 | +\$0 | | | |
| 62 | key number 62 | +\$0 | | | |
| 63 | key number 63 | +\$0 | | | |
| 64 | key number 64 | +\$0 | | | |
| 65 | key number 65 | +\$0 | | | |
| 66 | key number 66 | +\$0 | | | |
| 67 | key number 67 | +\$0 | | | |
| 68 | key number 68 | +\$0 | | | |
| 69 | key number 69 | +\$0 | | | |
| 70 | key number 70 | +\$0 | | | |
| 71 | key number 71 | +\$0 | | | |
| 72 | key number 72 | +\$0 | | | |
| 73 | key number 73 | +\$0 | | | |
| 74 | key number 74 | +\$0 | | | |
| 75 | key number 75 | +\$0 | | | |
| 76 | key number 76 | +\$0 | | | |
| 77 | key number 77 | +\$0 | | | |
| 78 | key number 78 | +\$0 | | | |
| 79 | key number 79 | +\$0 | | | |
| 80 | key number 80 | +\$0 | | | |
| 81 | key number 81 | +\$0 | | | |
| 82 | key number 82 | +\$0 | | | |
| 83 | key number 83 | +\$0 | | | |
| 84 | key number 84 | +\$0 | | | |
| 85 | key number 85 | +\$0 | | | |
| 86 | key number 86 | +\$0 | | | |
| 87 | key number 87 | +\$0 | | | |
| 88 | key number 88 | +\$0 | | | |
| 89 | key number 89 | +\$0 | | | |
| 90 | key number 90 | +\$0 | | | |
| 91 | key number 91 | +\$0 | | | |
| 92 | key number 92 | +\$0 | | | |

Drawer with Lockable Lid

C0370

C0372

C0374



Product Information

Description

This drawer has a hinged steel lid that can be locked. The lid can open when the drawer is pulled out to a stop position; the lid cannot be removed.

The drawer is 3", 6", or 9" high.


Notes

For B-size drawer with lockable lid, order A-size subcontainer only. For

C-size drawer with lockable lid, order A- or B-size subcontainers only.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C037

Step 2. Size/Height

0 a size
2 b size
4 c size

Step 3. Lid Lock

FF keyed differently
KA keyed alike

Prices for Steps 1-3.

| | |
|-----------------|-------|
| C0370 FF | \$472 |
| KA | \$472 |

| | |
|-----------------|-------|
| C0372 FF | \$508 |
| KA | \$508 |

| | |
|-----------------|-------|
| C0374 FF | \$558 |
| KA | \$558 |

Step 4. Drawer Finish

| | | |
|-----------|-------------------|------|
| 2B | juniper | +\$0 |
| 3B | beachglass | +\$0 |
| 6F | midnight | +\$0 |
| DA | deep blue | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| VR | vivid red | +\$0 |
| WN | warm grey neutral | +\$0 |

Step 5. Lid Finish

| | | |
|-----------|------------|------|
| LU | soft white | +\$0 |
|-----------|------------|------|

Step 6. Key Number

For keyed alike (KA)


| | | |
|-----------|---------------|------|
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |

Drawer with Lockable Lid *continued*

Co/Struc® Storage

| | | | | | |
|----|---------------|------|----|---------------|------|
| 09 | key number 09 | +\$0 | 56 | key number 56 | +\$0 |
| 10 | key number 10 | +\$0 | 57 | key number 57 | +\$0 |
| 11 | key number 11 | +\$0 | 58 | key number 58 | +\$0 |
| 12 | key number 12 | +\$0 | 59 | key number 59 | +\$0 |
| 13 | key number 13 | +\$0 | 60 | key number 60 | +\$0 |
| 14 | key number 14 | +\$0 | 61 | key number 61 | +\$0 |
| 15 | key number 15 | +\$0 | 62 | key number 62 | +\$0 |
| 16 | key number 16 | +\$0 | 63 | key number 63 | +\$0 |
| 17 | key number 17 | +\$0 | 64 | key number 64 | +\$0 |
| 18 | key number 18 | +\$0 | 65 | key number 65 | +\$0 |
| 19 | key number 19 | +\$0 | 66 | key number 66 | +\$0 |
| 20 | key number 20 | +\$0 | 67 | key number 67 | +\$0 |
| 21 | key number 21 | +\$0 | 68 | key number 68 | +\$0 |
| 22 | key number 22 | +\$0 | 69 | key number 69 | +\$0 |
| 23 | key number 23 | +\$0 | 70 | key number 70 | +\$0 |
| 24 | key number 24 | +\$0 | 71 | key number 71 | +\$0 |
| 25 | key number 25 | +\$0 | 72 | key number 72 | +\$0 |
| 26 | key number 26 | +\$0 | 73 | key number 73 | +\$0 |
| 27 | key number 27 | +\$0 | 74 | key number 74 | +\$0 |
| 28 | key number 28 | +\$0 | 75 | key number 75 | +\$0 |
| 29 | key number 29 | +\$0 | 76 | key number 76 | +\$0 |
| 30 | key number 30 | +\$0 | 77 | key number 77 | +\$0 |
| 31 | key number 31 | +\$0 | 78 | key number 78 | +\$0 |
| 32 | key number 32 | +\$0 | 79 | key number 79 | +\$0 |
| 33 | key number 33 | +\$0 | 80 | key number 80 | +\$0 |
| 34 | key number 34 | +\$0 | 81 | key number 81 | +\$0 |
| 35 | key number 35 | +\$0 | 82 | key number 82 | +\$0 |
| 36 | key number 36 | +\$0 | 83 | key number 83 | +\$0 |
| 37 | key number 37 | +\$0 | 84 | key number 84 | +\$0 |
| 38 | key number 38 | +\$0 | 85 | key number 85 | +\$0 |
| 39 | key number 39 | +\$0 | 86 | key number 86 | +\$0 |
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |

Locked Drawer with Lockable Lid
C0371
C0373
C0375



Product Information

Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a lockable, non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock, keyless lock or RFID lock.


Notes

Locked drawer with lockable lid cannot be used with a C frame.

Drawer with keyless lock (KP) or RFID lock (RF) option cannot be used in locker with tambour door.

Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.



Locked Drawer with Lockable Lid

continued

Co/Struc® Storage

| Specification Information | | |
|---------------------------|-------------------|--------|
| Step 1. | | |
| CO37 | | |
| Step 2. Size/Height | | |
| 1 | a size | |
| 3 | b size | |
| 5 | c size | |
| Step 3. Drawer/Lid Lock | | |
| FF | keyed differently | |
| KA | keyed alike | |
| KP | keyless lock | |
| RF | RFID lock | |
| Prices for Steps 1-3. | | |
| CO371 | FF | \$607 |
| | KA | \$607 |
| | KP | \$1240 |
| | RF | \$2291 |
| CO373 | FF | \$646 |
| | KA | \$646 |
| | KP | \$1284 |
| | RF | \$2339 |
| CO375 | FF | \$694 |
| | KA | \$711 |
| | KP | \$1321 |
| | RF | \$2372 |
| Step 4. Drawer Finish | | |
| 2B | juniper | +\$0 |
| 3B | beachglass | +\$0 |
| 6F | midnight | +\$0 |
| DA | deep blue | +\$0 |
| HF | inner tone light | +\$0 |
| LT | light tone | +\$0 |
| LU | soft white | +\$0 |
| VR | vivid red | +\$0 |
| WN | warm grey neutral | +\$0 |
| Step 5. Drawer Key Number | | |
| For keyed alike (KA) | | |
| 01 | key number 01 | +\$0 |
| 02 | key number 02 | +\$0 |
| 03 | key number 03 | +\$0 |

| | | |
|-----------|---------------|------|
| 04 | key number 04 | +\$0 |
| 05 | key number 05 | +\$0 |
| 06 | key number 06 | +\$0 |
| 07 | key number 07 | +\$0 |
| 08 | key number 08 | +\$0 |
| 09 | key number 09 | +\$0 |
| 10 | key number 10 | +\$0 |
| 11 | key number 11 | +\$0 |
| 12 | key number 12 | +\$0 |
| 13 | key number 13 | +\$0 |
| 14 | key number 14 | +\$0 |
| 15 | key number 15 | +\$0 |
| 16 | key number 16 | +\$0 |
| 17 | key number 17 | +\$0 |
| 18 | key number 18 | +\$0 |
| 19 | key number 19 | +\$0 |
| 20 | key number 20 | +\$0 |
| 21 | key number 21 | +\$0 |
| 22 | key number 22 | +\$0 |
| 23 | key number 23 | +\$0 |
| 24 | key number 24 | +\$0 |
| 25 | key number 25 | +\$0 |
| 26 | key number 26 | +\$0 |
| 27 | key number 27 | +\$0 |
| 28 | key number 28 | +\$0 |
| 29 | key number 29 | +\$0 |
| 30 | key number 30 | +\$0 |
| 31 | key number 31 | +\$0 |
| 32 | key number 32 | +\$0 |
| 33 | key number 33 | +\$0 |
| 34 | key number 34 | +\$0 |
| 35 | key number 35 | +\$0 |
| 36 | key number 36 | +\$0 |
| 37 | key number 37 | +\$0 |
| 38 | key number 38 | +\$0 |
| 39 | key number 39 | +\$0 |
| 40 | key number 40 | +\$0 |
| 41 | key number 41 | +\$0 |
| 42 | key number 42 | +\$0 |
| 43 | key number 43 | +\$0 |
| 44 | key number 44 | +\$0 |
| 45 | key number 45 | +\$0 |
| 46 | key number 46 | +\$0 |
| 47 | key number 47 | +\$0 |
| 48 | key number 48 | +\$0 |
| 49 | key number 49 | +\$0 |
| 50 | key number 50 | +\$0 |

continued

Co/Struc® Storage

Locked Drawer with Lockable Lid


continued

Co/Struc® Storage

| | | | | | |
|-----------|---------------|------|-----------|---------------|------|
| 40 | key number 40 | +\$0 | 87 | key number 87 | +\$0 |
| 41 | key number 41 | +\$0 | 88 | key number 88 | +\$0 |
| 42 | key number 42 | +\$0 | 89 | key number 89 | +\$0 |
| 43 | key number 43 | +\$0 | 90 | key number 90 | +\$0 |
| 44 | key number 44 | +\$0 | 91 | key number 91 | +\$0 |
| 45 | key number 45 | +\$0 | 92 | key number 92 | +\$0 |
| 46 | key number 46 | +\$0 | 93 | key number 93 | +\$0 |
| 47 | key number 47 | +\$0 | 94 | key number 94 | +\$0 |
| 48 | key number 48 | +\$0 | 95 | key number 95 | +\$0 |
| 49 | key number 49 | +\$0 | 96 | key number 96 | +\$0 |
| 50 | key number 50 | +\$0 | 97 | key number 97 | +\$0 |
| 51 | key number 51 | +\$0 | 98 | key number 98 | +\$0 |
| 52 | key number 52 | +\$0 | 99 | key number 99 | +\$0 |
| 53 | key number 53 | +\$0 | | | |
| 54 | key number 54 | +\$0 | | | |
| 55 | key number 55 | +\$0 | | | |
| 56 | key number 56 | +\$0 | | | |
| 57 | key number 57 | +\$0 | | | |
| 58 | key number 58 | +\$0 | | | |
| 59 | key number 59 | +\$0 | | | |
| 60 | key number 60 | +\$0 | | | |
| 61 | key number 61 | +\$0 | | | |
| 62 | key number 62 | +\$0 | | | |
| 63 | key number 63 | +\$0 | | | |
| 64 | key number 64 | +\$0 | | | |
| 65 | key number 65 | +\$0 | | | |
| 66 | key number 66 | +\$0 | | | |
| 67 | key number 67 | +\$0 | | | |
| 68 | key number 68 | +\$0 | | | |
| 69 | key number 69 | +\$0 | | | |
| 70 | key number 70 | +\$0 | | | |
| 71 | key number 71 | +\$0 | | | |
| 72 | key number 72 | +\$0 | | | |
| 73 | key number 73 | +\$0 | | | |
| 74 | key number 74 | +\$0 | | | |
| 75 | key number 75 | +\$0 | | | |
| 76 | key number 76 | +\$0 | | | |
| 77 | key number 77 | +\$0 | | | |
| 78 | key number 78 | +\$0 | | | |
| 79 | key number 79 | +\$0 | | | |
| 80 | key number 80 | +\$0 | | | |
| 81 | key number 81 | +\$0 | | | |
| 82 | key number 82 | +\$0 | | | |
| 83 | key number 83 | +\$0 | | | |
| 84 | key number 84 | +\$0 | | | |
| 85 | key number 85 | +\$0 | | | |
| 86 | key number 86 | +\$0 | | | |


Clear Lid


C0508.



| Product Information |
|--|
| Description |
| This clear lid fits on a Co/Struc drawer and provides top closure. |
| Notes |
| Order drawer (C0207, C0208, or C0209) separately. |
| Dimensions |

| Specification Information |
|---------------------------|
| Step 1. |
| C0508.20 |
| \$199 |





Product Information

Description

This package is used to mount a nonlocking drawer under a work surface. The drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.

Dimensions

Specification Information


Step 1.

C0228FF\$49


Step 2. Surface Finish

BKblack+\$0

Co/Struc® Storage




Lockable Drawer BearerC0396



| Product Information |
|--|
| Description |
| This component is used to mount a drawer with lock under a work surface. The lockable drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. |
| Dimensions |


| Specification Information |
|---------------------------|
| Step 1. |
| C0396FF\$108 |
| Step 2. Surface Finish |
| BKblack+\$0 |

Co/Struc® Storage



Label Clip


C0274
C0462



Product Information

Description
This clip snaps onto a drawer, tray/shelf, or flipper to hold content labels. The clip accepts pressure-sensitive labels from the front or slide-in labels from the back. Finish is clear. Package contains 12 clips; labels not included.


Dimensions



Specification Information


| | |
|-----------------------|----------|
| Step 1. | |
| C0 | |
| Step 2. Width | |
| 27427 | 6" wide |
| 462 | 19" wide |
| Prices for Steps 1-2. | |
| C027427 | \$48 |
| C0462 | \$84 |

Co/Struc® Storage




| Product Information |
|---|
| Description |
| This assembly fits inside a locker or C frame or fits below a work surface with a drawer bearer. It has a wire cassette, cassette bins, and subdividers. The assembly fills 2 slots in a locker or C frame. |
| Dimensions |

| Specification Information | | |
|---------------------------|------------|-------|
| Step 1. | | |
| C0565FF | | \$719 |
| Step 2. Surface Finish | | |
| LU | soft white | +\$0 |



Dispensing Rail

C0365
C0366
C0367
C0368



Product Information

Description

This rail attaches to a panel, a freestanding module, or wall strips to support subcontainers at a 15° angle for gravity-feed dispensing.

Package contains 2.

The A-size rail holds A-size subcontainers; the B-size rail holds B-size subcontainers.

Notes

Dispensing rails hold the following number of subcontainers:

A-Size Rail Width—Number of Subcontainers

24"—5 A-1, A-2, A-3 or A-4

24"—2 A-5

24"—10 A-8

48"—10 A-1, A-2, A-3, or A-4

48"—5 A-5

48"—20 A-8

B-Size Rail Width—Number of Subcontainers

24"—5 B-1 or B-3


24"—2 B-5

48"—10 B-1 or B-3


48"—5 B-5

Order optional A-size subcontainer (C0231, C0232, C0233, C0234, C0235, or C0369) or B-size subcontainer (C0236, C0238, or C0240) separately.

Dimensions




SIDE




A-SIZE

FRONT



SIDE



B-SIZE

FRONT

Dispensing Rail *continued*

Specification Information

Step 1.

C036

Step 2. Size/Width

- 5FF** a size and 24" wide
- 6FF** a size and 48" wide
- 7FF** b size and 24" wide
- 8FF** b size and 48" wide

Prices for Steps 1-2.


| | |
|----------------|-------|
| C0365FF | \$500 |
| C0366FF | \$638 |
| C0367FF | \$538 |
| C0368FF | \$642 |

Step 3. Surface Finish

| | |
|----------------------|------|
| LU soft white | +\$0 |
|----------------------|------|

Subcontainer

- C0231
- C0232
- C0233
- C0234
- C0235
- C0236
- C0238
- C0240
- C0369



Product Information

Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.
The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is 2 3/16" high; depth and width dimensions are:

Type—Depth—Width

- A-1—4 9/16"—4 9/16"
- A-2—9 3/16"—4 9/16"
- A-3—13 13/16"—4 9/16"
- A-4—18 7/16"—4 9/16"
- A-5—9 3/16"—9 3/16"
- A-8—13 13/16"—2 1/4"

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is 5 3/16" high; depth and width dimensions are:


Type—Depth—Width

- B-1—4 9/16"—4 9/16"
- B-3—13 13/16"—4 9/16"
- B-5—9 3/16"—9 3/16"


Notes

- Order following products separately:
- Drawer (C0207, C0208, or C0209)
 - Dispensing rail (C0365, C0366, C0367, or C0368)


Dimensions



TOP



A-SIZE
FRONT



B-SIZE
FRONT

Specification Information

Step 1.

CO

Step 2. Size

231FF a-1**232FF** a-2**233FF** a-3**234FF** a-4**235FF** a-5**369FF** a-8**236FF** b-1**238FF** b-3**240FF** b-5

Prices for Steps 1-2.


CO231FF \$108**CO232FF** \$108**CO233FF** \$118**CO234FF** \$118**CO235FF** \$118**CO369FF** \$113**CO236FF** \$118**CO238FF** \$162**CO240FF** \$162

Step 3. Surface Finish

LU soft white +\$0

A-Size Drawer Organizer Kit

C0540
C0541
C0542
C0543
C0544
C0545



Product Information

Description

This kit fits inside an A-size drawer (without lid) and has 6 combinations of subcontainers and subcontainer dividers.

A-size subcontainer is 2³/₁₆" high. Width and depth dimensions are:

Type—Width—Depth

A-1—4⁹/₁₆"—4⁹/₁₆"

A-2—4⁹/₁₆"—9³/₁₆"



A-3—4⁹/₁₆"—13¹³/₁₆"

A-4—4⁹/₁₆"—18⁷/₁₆"

A-5—9³/₁₆"—9³/₁₆"


A-8—2¹/₄"—13¹³/₁₆"

Dimensions




C0540FF


TOP




C0541FF




C0542FF



C0543FF



C0544FF



C0545FF

Specification Information

Step 1.

C054

Step 2. Components

0FF 4 a-3 subcontainers, 6 a-3 dividers

1FF 1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8 dividers

2FF 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

3FF 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

4FF 4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers

5FF 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4 a-3 dividers

Prices for Steps 1-2.


| | |
|----------------|-------|
| C0540FF | \$100 |
| C0541FF | \$105 |
| C0542FF | \$105 |
| C0543FF | \$100 |
| C0544FF | \$100 |
| C0545FF | \$100 |

Step 3. Surface Finish


| | | |
|-----------|------------|------|
| LU | soft white | +\$0 |
|-----------|------------|------|

B-Size Drawer Organizer Kit

CO546
CO547



| Product Information |
|--|
| Description |
| This kit fits inside a B-size drawer (without lid) or C-size drawer and has 2 combinations of subcontainers and subcontainer dividers. |
| The B-size subcontainer is 5 ³ / ₁₆ " high. Width and depth dimensions are: |
| Type—Width—Depth |
| B-1—4 ⁹ / ₁₆ "—4 ⁹ / ₁₆ " |
| B-3—4 ⁹ / ₁₆ "—13 ¹³ / ₁₆ " |
| B-5—9 ³ / ₁₆ "—9 ³ / ₁₆ " |
| Dimensions |




| Specification Information |
|--|
| Step 1. |
| CO54 |
| Step 2. Components |
| 6FF 4 b-3 subcontainers, 4 b-3 dividers |
| 7FF 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2 b-3 dividers |
| Prices for Steps 1-2. |
| CO546FF \$120 |
| CO547FF \$120 |
| Step 3. Surface Finish |
| LU soft white +\$0 |

Co/Struc® Storage

Subcontainer Divider

C0378
C0379
C0380




Product Information

Description


This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.

The divider for an A-8 subcontainer is 1⁵/₈" high and 2¹/₈" wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is 1⁵/₈" high and 4¹/₄" wide; and the divider for a B-1 or B-3 subcontainer is 4" high and 4¹/₄" wide.

Dimensions



SIDE



FRONT

Specification Information

Step 1.

C03

Step 2. Usage

- 78FF for a-8 subcontainer
- 79FF for a-1, a-2, a-3, or a-4 subcontainers
- 80FF for b-1 or b-3 subcontainers

Prices for Steps 1-2.


| | |
|---------|-------|
| C0378FF | \$101 |
| C0379FF | \$101 |
| C0380FF | \$103 |

Step 3. Surface Finish


| | | |
|----|------------|------|
| LU | soft white | +\$0 |
|----|------------|------|

Subcontainer Handle

C0376
C0377




| Product Information |
|--|
| Description |
| This snap-on handle has a surface for identification labels in a picking station. It also can convert a small or large subcontainer into a drawer when used on the flat surface of a C tray. The handle cannot be used with a subcontainer in an A-size drawer. Package contains 12. |
| Notes |
| Handle accepts following label: |
| <ul style="list-style-type: none">• 2 1/8"-wide handle: 3/4" x 1" gummed label• 4 1/2"-wide handle: 3/4" x 3" drop-in label |
| For 4 1/2"-wide handle, order label (C0459) separately. |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C037 |
| Step 2. Width |
| 6FF 2 1/8" wide |
| 7FF 4 1/2" wide |
| Prices for Steps 1-2. |
| C0376FF \$53 |
| C0377FF \$67 |
| Step 3. Surface Finish |
| LU soft white +\$0 |

Co/Struc® Storage

Subcontainer Handle LabelC0459



Product Information

Description

This label slides into a 4½"-wide subcontainer handle. Package contains 100 cards with 10 perforated labels per card (1000 labels total).


Specification Information

Step 1.

C0459\$45

Subcontainer Label Flag

C0381
C0382




Product Information

Description

This flag snaps onto subcontainers that are hung from a dispensing rail. It provides a visible surface for identification labels. Package contains 12.


The flag for an A-8 subcontainer is 1 1/4" wide; the flag for an A-3 or B-3 subcontainer is 3 1/2" wide.



| Specification Information | | |
|---------------------------|-----------------------------|-------|
| Step 1. | | |
| C038 | | |
| Step 2. Usage | | |
| 1FF | for a-8 subcontainer | |
| 2FF | for a-3 or b-3 subcontainer | |
| Prices for Steps 1-2. | | |
| C0381FF | | \$146 |
| C0382FF | | \$165 |
| Step 3. Surface Finish | | |
| LU | soft white | +\$0 |

Pullout Catheter Rack


C0469.




Product Information

Description
This 20"-wide, powder-coated wire rack fits into the slots of a locker to organize catheters. It is available with 3 or 4 independent, pullout slides. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.


Dimensions



TOP



SIDE



FRONT

Specification Information

Step 1.

C0469.20

Step 2. Slides


- 03 3 slides
- 04 4 slides

Prices for Steps 1-2.

| | | |
|----------|----|--------|
| C0469.20 | 03 | \$1049 |
| | 04 | \$1172 |

Laptop Cart

CO600.




Product Information

Description

This height-adjustable laptop cart delivers point-of-care technology and holds a 17" laptop. The surface provides security by locking a laptop into place during use. The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum.

Dimensions



Specification Information

Step 1.

CO600.

Step 2. Power Option

N no power strip

P power strip

Step 3. Bar Code Scanner Holder

N no bar code scanner holder

B bar code scanner holder

Step 4. Utility Basket

N no utility basket

U utility basket

Step 5. Drawer

N no drawer


D drawer

Prices for Steps 1-5.

| | | NN | ND | UN | UD |
|----------------|------------|--------|------|------|------|
| CO600.N | N | \$3810 | 4356 | 4099 | 4644 |
| | B | \$3957 | 4499 | 4246 | 4786 |
| | P N | \$4296 | 4836 | 4586 | 5126 |
| | B | \$4438 | 4980 | 4727 | 5269 |

Flat Panel Cart

C0601.




Product Information

Description

This height-adjustable cart delivers point-of-care technology. It holds a flat panel monitor arm and includes a 10"-wide column-mounted CPU holder with straps. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards). The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray and 2 plates: 75mm and 100mm. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum; and the CPU holder is black.

Dimensions




Specification Information

- Step 1.
- C0601.**
- Step 2. Power Option
- N** no power strip
 - P** power strip
- Step 3. Bar Code Scanner Holder
- N** no bar code scanner holder
 - B** bar code scanner holder
- Step 4. Utility Basket
- N** no utility basket
 - U** utility basket
- Step 5. Drawer
- N** no drawer
 - D** drawer

| Prices for Steps 1-5. | | NN | ND | UN | UD |
|-----------------------|---|--------|------|------|------|
| C0601.N | N | \$4020 | 4593 | 4324 | 4898 |
| | B | \$4174 | 4747 | 4480 | 5050 |
| P | N | \$4528 | 5099 | 4835 | 5406 |
| | B | \$4683 | 5253 | 4988 | 5557 |


Coiled Power Cord

C0602.




| Product Information |
|--|
| Description |
| This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black. |
| Dimensions |

| Specification Information |
|---------------------------|
| Step 1. |
| C0602. \$256 |



Utility Basket

C0605.



Product Information

Description

This perforated basket attaches to the column of a laptop or flat-panel cart and holds a utility basket. It can be used to hold charts, paper products, and other supplies. Finish is black.

Dimensions


Specification Information

Step 1.

C0605.


\$325

Co/Struc® Mobile Technology Carts




Cable Manager

C0608.




| Product Information |
|---|
| Description |
| This holder attaches to the surface of a laptop or flat-panel cart. It manages cables and wires and includes reusable cable ties. Finish is black. |
| Notes |
| Laptop-cart cable manager has 1 solid holder. Flat-panel-cart cable manager has 2 pieces that attach to each side of the flat-screen arm holder and go down through the work surface. |
| Dimensions |

| Specification Information | | |
|---------------------------|---------------------|-------|
| Step 1. | | |
| C0608. | | |
| Step 2. Usage | | |
| 01 | for laptop cart | |
| 02 | for flat panel cart | |
| Prices for Steps 1-2. | | |
| C0608.01 | | \$234 |
| 02 | | \$234 |




01



02

Coiled Power Cord

C0609.



Product Information

Description

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.

Dimensions

Specification Information

Step 1.


C0609.

\$460




L Cart

C0212



| Product Information |
|---|
| Description |
| This mobile cart has a platform, 4 rail profiles for hanging frames, and 4 casters (2 swivel and 2 swivel with brake) that are 4 3/4" hard-rubber zinc. |
| Notes |
| To hang drawer or shelf storage components, order C frame (C0205) separately. |
| Dimensions |



| Specification Information |
|---------------------------|
| Step 1. |
| C0212 |
| Step 2. Application |
| FF standard |
| Prices for Steps 1-2. |
| C0212 FF \$1094 |
| Step 3. Surface Finish |
| HF inner tone light +\$0 |
| LT light tone +\$0 |
| LU soft white +\$0 |
| WN warm grey neutral +\$0 |

Co/Struc® Transport

Index by Product Name

| Co/Struc® System | | Index: Product Name | |
|--------------------------------------|------------|--|----------|
| 2-Way 90° Corner Connector | page(s) 31 | Floor Anchor Bracket, Action Office® Series 1 | 14 |
| 2-Way Module Corner Connector | 46 | Floor Anchor Bracket, Action Office® Series 2 | 15 |
| 3-Way 90° Corner Connector | 32 | Floor Anchor Bracket, Co/Struc® Lab Module | 13 |
| 3-Way Module Corner Connector | 47 | Floor Entry Support Panel | 24 |
| Access Panel Assembly | 54 | Gripper Package | 170 |
| Adapter Rail | 7 | Heavy-Duty Corner Work Surface | 82 |
| ADA Sink Support, Systems Mounted | 112 | Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° | |
| Add-On Shelf, Shelf Unit | 130 | Corner Connector | 84 |
| Add-On Shelf with Lip | 142 | Heavy-Duty Work Surface | 72 |
| Adjustable Work Table Base | 99 | Interface Connector | 33 |
| Anchor Support Kit | 49 | Interior Filler | 116 |
| A-Size Drawer Organizer Kit | 192 | Interior Shelf | 51 |
| Backsplash Filler | 81 | Interior Shelf and Support Kit | 53 |
| Basic Work Table Base | 94 | Label Clip | 186 |
| B-Size Drawer Organizer Kit | 193 | Laptop Cart | 199 |
| B-Style Rail-Hanging Shelf | 138 | L Cart | 205 |
| B-Style Shelf | 139 | Light Bracket | 133 |
| B-Style Shelf with Sloped Top | 141 | Lockable Drawer Bearer | 117, 185 |
| Cable Manager | 203 | Locked Drawer with Lockable Lid | 179 |
| Cassette Assembly | 187 | Locker | 148 |
| Ceiling Entry Support Panel | 26 | Locker Hinged Door | 157 |
| Center Closure Panel | 61 | Locker Lock Kit | 159 |
| C Frame | 164 | Locker Lock Kit, Keyless | 161 |
| C Frame Support | 78 | Locker on Wheel Base | 155 |
| Clear Lid | 183 | Locker on Wheel Base, with Hinged Door | 152 |
| C Lid | 166 | Locker on Wheel Base, with Tambour Door | 149 |
| Coiled Power Cord | 201, 204 | Locker Tambour Door | 156 |
| Combination Access Panel Assembly | 56 | Locker, with Hinged Door | 146 |
| Component Adapter Kit | 79 | Locker, with Tambour Door | 144 |
| Counter Top | 165 | Low Cup Sink Access Panel Assembly | 58 |
| CS Tray/Shelf | 163 | Low Module | 38 |
| C Tray/Shelf | 167 | Low Module Terminal Panel | 41 |
| C Wire Shelf | 169 | Marker Board | 108 |
| Dispensing Rail | 188 | Mid-Run Support, Double Sided | 36 |
| Drawer | 174 | Mid-Run Support, Single Sided | 35 |
| Drawer Bearer Package | 184 | Module Support Leg | 48 |
| Drawer Caddy with Casters | 171 | Module Wall Start | 45 |
| Drawer with Lockable Lid | 177 | Open Support Panel | 20 |
| Draw Rod, Seismic | 12 | Panel Connector | 34 |
| End Cap for Standard or Seismic Rail | 10 | Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap | 18 |
| End Closure Assembly | 60 | Panel Wall Start | 30 |
| Equipment Rail, Systems Mounted | 9 | Pass-Through Cover | 77 |
| Equipment Rail, Wall Mounted | 8 | Pass-Through Module | 39 |
| Flat Panel Cart | 200 | Pass-Through Module Terminal Panel | 42 |
| Flat Panel Mount | 109 | Power Strip | 107 |
| Floor Anchor Adapter Kit | 17 | Process Table, Electric Height Adjustment | 92 |
| | | Pullout Catheter Rack | 198 |

Index by Product Name *continued*

Index: Product Name

| | |
|----------------------------------|----------|
| Rail-Hanging Work Surface | 76 |
| Rail Hardware | 6 |
| Reagent Shelf | 93 |
| Riser Frame Divider | 105 |
| Riser Frame End Cover | 106 |
| Seismic Finished End | 16 |
| Shelf End Cap | 52 |
| Shelf Label Clip | 131, 143 |
| Shelf Unit | 126 |
| Shelf Unit, 90° Corner | 129 |
| Shelf Unit Back Panel | 132 |
| Shelf Unit, Diagonal Corner | 128 |
| Shelf Unit Door | 134 |
| Shelf Unit Double Doors | 135 |
| Shelf Unit Wall Attachment Panel | 137 |
| Sink Module | 110 |
| Sink Unit for Storage | 111 |
| Sloped Shelf Unit Top | 136 |
| Standard-Duty Work Surface | 70 |
| Standard Rail | 5 |
| Standard Work Table Base | 96 |
| Storage Case | 118 |
| Storage Case Bottle Drawer | 122 |
| Storage Case Door | 123 |
| Storage Case Drawer | 121 |
| Storage Case Leg | 124 |
| Storage Case Pullout Shelf | 120 |
| Storage Case Shelf | 119 |
| Storage Unit | 113 |
| Storage Unit Door | 115 |
| Storage Unit Shelf | 114 |
| Storage Unit with Sliding Doors | 125 |
| Subcontainer | 190 |
| Subcontainer Divider | 194 |
| Subcontainer Handle | 195 |
| Subcontainer Handle Label | 196 |
| Subcontainer Label Flag | 197 |
| Subdivider Vane | 168 |
| Support Panel | 22 |
| Support Panel Top Cap | 37 |
| Terminal Panel | 28 |
| Top Shelf | 50 |
| Utility Basket | 202 |
| Vertical Chase Cover | 44 |
| Wall Rail, Seismic | 11 |
| Wall Strip Cover | 19 |
| Wire Chase Overlay | 69 |

| | |
|---|-----|
| Wire Chase Rail | 62 |
| Wire Chase Rail, 90° Inside Corner | 64 |
| Wire Chase Rail Bridge | 66 |
| Wire Chase Rail Cover | 68 |
| Wire Chase Rail End Cap | 67 |
| Workstation, Electric Height Adjustment | 86 |
| Workstation, Manual Height Adjustment | 88 |
| Work Surface Backsplash | 80 |
| Work Surface Support | 75 |
| Work Table, Electric Height Adjustment | 90 |
| Work Table Reagent Shelf | 104 |
| Work Table Surface, Rectangular | 101 |

Index by Product Number

| | | | |
|---|------------|---|-----|
| A1250. Seismic Finished End | page(s) 16 | C1455. Center Closure Panel | 61 |
| C460G. Basic Work Table Base | 94 | C1460. Vertical Chase Cover | 44 |
| C461G. Standard Work Table Base | 96 | C1510. Shelf End Cap | 52 |
| C462C. Adjustable Work Table Base | 99 | C1510. Top Shelf | 50 |
| C462G. | | C1511. Interior Shelf | 51 |
| C1112. Low Module | 38 | C1511. Shelf End Cap | 52 |
| C1114. Pass-Through Module | 39 | C1515. Interior Shelf and Support Kit | 53 |
| C1122. Low Module Terminal Panel | 41 | C1610. Adapter Rail | 7 |
| C1122. Pass-Through Module Terminal Panel | 42 | C2140. Work Surface Support | 75 |
| C1124. | | C2141. Heavy-Duty Work Surface | 72 |
| C1150. Open Support Panel | 20 | C2142. Standard-Duty Work Surface | 70 |
| C1151. Support Panel | 22 | C2192. C Frame Support | 78 |
| C1155. Floor Entry Support Panel | 24 | C2193. Component Adapter Kit | 79 |
| C1156. Ceiling Entry Support Panel | 26 | C2215. Heavy-Duty Corner Work Surface | 82 |
| C1161. Terminal Panel | 28 | C2216. Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 | |
| C1170. Equipment Rail, Wall Mounted | 8 | 90° Corner Connector | 84 |
| C1172. Equipment Rail, Systems Mounted | 9 | C2399. Pass-Through Cover | 77 |
| C1211. Panel Wall Start | 30 | C2410. Rail-Hanging Work Surface | 76 |
| C1212. Module Wall Start | 45 | C2512. Sink Module | 110 |
| C1220. 2-Way Module Corner Connector | 46 | C2513. Sink Unit for Storage | 111 |
| C1221. 2-Way 90° Corner Connector | 31 | C2520. ADA Sink Support, Systems Mounted | 112 |
| C1230. 3-Way Module Corner Connector | 47 | C2910. Work Surface Backsplash | 80 |
| C1231. 3-Way 90° Corner Connector | 32 | C2920. Backsplash Filler | 81 |
| C1261. Interface Connector | 33 | C3011. B-Style Shelf | 139 |
| C1272. Mid-Run Support, Single Sided | 35 | C3019. Add-On Shelf with Lip | 142 |
| C1273. Mid-Run Support, Double Sided | 36 | C3091. B-Style Shelf with Sloped Top | 141 |
| C1274. Support Panel Top Cap | 37 | C4310. Workstation, Electric Height Adjustment | 86 |
| C1275. Module Support Leg | 48 | C4311. Workstation, Manual Height Adjustment | 88 |
| C1276. Anchor Support Kit | 49 | C4312. Work Table, Electric Height Adjustment | 90 |
| C1281. Panel Connector | 34 | C4313. Process Table, Electric Height Adjustment | 92 |
| C1313. Wire Chase Rail | 62 | C4320. Riser Frame Divider | 105 |
| C1314. | | C4321. Riser Frame End Cover | 106 |
| C1315. Wire Chase Rail Cover | 68 | C4322. Power Strip | 107 |
| C1316. | | C4323. Marker Board | 108 |
| C1317. | | C4324. Flat Panel Mount | 109 |
| C1318. | | C4326. Reagent Shelf | 93 |
| C1321. Wire Chase Rail, 90° Inside Corner | 64 | C4327. | |
| C1322. | | C4700. Work Table Surface, Rectangular | 101 |
| C1326. Wire Chase Rail Bridge | 66 | C4900. Work Table Reagent Shelf | 104 |
| C1327. | | C5009. Interior Filler | 116 |
| C1331. Wire Chase Rail End Cap | 67 | C5010. Storage Unit | 113 |
| C1332. | | C5014. Storage Unit with Sliding Doors | 125 |
| C1358. Wire Chase Overlay | 69 | C5015. Storage Unit Shelf | 114 |
| C1412. Access Panel Assembly | 54 | C5016. Storage Unit Door | 115 |
| C1422. Combination Access Panel Assembly | 56 | C5017. | |
| C1432. Low Cup Sink Access Panel Assembly | 58 | C5020. Shelf Unit | 126 |
| C1451. End Closure Assembly | 60 | C5021. | |

Index by Product Number *continued*

| | | | |
|---|-----|--|----------|
| C5022. Shelf Unit, Diagonal Corner | 128 | C0290 Locker Hinged Door | 157 |
| C5024. Shelf Unit, 90° Corner | 129 | C0338 End Cap for Standard or Seismic Rail | 10 |
| C5025. Add-On Shelf, Shelf Unit | 130 | C0365 Dispensing Rail | 188 |
| C5026. Shelf Unit Back Panel | 132 | C0366 | |
| C5027. Shelf Unit Door | 134 | C0367 | |
| C5028. | | C0368 | |
| C5032. Shelf Unit Double Doors | 135 | C0369 Subcontainer | 190 |
| C5036. Shelf Unit Wall Attachment Panel | 137 | C0370 Drawer with Lockable Lid | 177 |
| C5040. Storage Case | 118 | C0371 Locked Drawer with Lockable Lid | 179 |
| C5041. Storage Case Shelf | 119 | C0372 Drawer with Lockable Lid | 177 |
| C5042. Storage Case Pullout Shelf | 120 | C0373 Locked Drawer with Lockable Lid | 179 |
| C5043. Storage Case Drawer | 121 | C0374 Drawer with Lockable Lid | 177 |
| C5044. | | C0375 Locked Drawer with Lockable Lid | 179 |
| C5045. Storage Case Bottle Drawer | 122 | C0376 Subcontainer Handle | 195 |
| C5048. Lockable Drawer Bearer | 117 | C0377 | |
| C5050. Storage Case Leg | 124 | C0378 Subcontainer Divider | 194 |
| C5051. Light Bracket | 133 | C0379 | |
| C5052. Storage Case Door | 123 | C0380 | |
| C5053. | | C0381 Subcontainer Label Flag | 197 |
| CO201 C Lid | 166 | C0382 | |
| CO203 C Tray/Shelf | 167 | C0396 Lockable Drawer Bearer | 185 |
| CO204 CS Tray/Shelf | 163 | C0397. Sloped Shelf Unit Top | 136 |
| CO205 C Frame | 164 | C0398 Shelf Label Clip | 131, 143 |
| CO207 Drawer | 174 | C0459 Subcontainer Handle Label | 196 |
| CO208 | | C0462 Label Clip | 186 |
| CO209 | | C0469. Pullout Catheter Rack | 198 |
| CO212 L Cart | 205 | C0479 Wall Rail, Seismic | 11 |
| CO215. Draw Rod, Seismic | 12 | C0481 Floor Anchor Bracket, Action Office® Series 1 | 14 |
| CO219 Locker Tambour Door | 156 | C0485 Floor Anchor Bracket, Action Office® Series 2 | 15 |
| CO228 Drawer Bearer Package | 184 | C0487. Wall Strip Cover | 19 |
| CO231 Subcontainer | 190 | C0508. Clear Lid | 183 |
| CO232 | | C0521. B-Style Rail-Hanging Shelf | 138 |
| CO233 | | C0540 A-Size Drawer Organizer Kit | 192 |
| CO234 | | C0541 | |
| CO235 | | C0542 | |
| CO236 | | C0543 | |
| CO238 | | C0544 | |
| CO240 | | C0545 | |
| CO242 Subdivider Vane | 168 | C0546 B-Size Drawer Organizer Kit | 193 |
| CO252 C Wire Shelf | 169 | C0547 | |
| CO266 Gripper Package | 170 | C0552 Floor Anchor Adapter Kit | 17 |
| CO274 Label Clip | 186 | C0553 Panel Stiffener, Action Office® Series 1 or Series 2 Top | |
| CO277 Locker Lock Kit | 159 | Cap | 18 |
| CO279 Locker Lock Kit, Keyless | 161 | C0555 Counter Top | 165 |
| CO282 Standard Rail | 5 | C0556 | |
| CO284 Rail Hardware | 6 | C0561 Locker, with Tambour Door | 144 |
| CO285 | | C0562 Locker | 148 |

Index by Product Number *continued*



| | |
|---|-----|
| C0563. Locker on Wheel Base | 155 |
| C0564. Locker on Wheel Base, with Tambour Door | 149 |
| C0565. Cassette Assembly | 187 |
| C0568. Floor Anchor Bracket, Co/Struc® Lab Module | 13 |
| C0570. Locker, with Hinged Door | 146 |
| C0574. Locker on Wheel Base, with Hinged Door | 152 |
| C0600. Laptop Cart | 199 |
| C0601. Flat Panel Cart | 200 |
| C0602. Coiled Power Cord | 201 |
| C0605. Utility Basket | 202 |
| C0608. Cable Manager | 203 |
| C0609. Coiled Power Cord | 204 |
| C0692. Drawer Caddy with Casters | 171 |
| C0693. | |



20-Day or Less/Assigned Lead-Time Order Information — Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Packaging/Keyed-Alike Information — Co/Struc® System

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Co/Struc components with a “CO” or “CV” prefix will be shipped with lock plugs installed. Mobile Technology Support products (CO600, CO601, and CO606) cannot be ordered keyed alike.

Keyed-alike Co/Struc components with a “C” prefix will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for “C” prefix components, specify keyed alike. Then place a separate order for plugs and locks:

1. List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 324.
2. List quantity of locks per key number.
3. Indicate this is a no charge order.

Keyed-alike locks are field installed.

A Medeco master key can be used to open any lock on Co/Struc components with a “CO” or “CV” prefix, except on Mobile Technology Support products CO600, CO601, and CO606. Customers interested in ordering master keys should contact Customer Care with a written request. To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug. These locks are available in key numbers 01 through 99. To remove lock plugs from locker with electronic lock, remove the cover from the e-lock mounting plate (be careful not to separate battery wires from unit). Next, loosen the hex nut inside the cover and remove the plug.

A Hudson master key can be used to open any lock on Co/Struc components with a “C” prefix. To remove lock plugs from existing components, a removal key or lock change tool is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request. Locks for “C” prefix components are available in key numbers 226 through 324 but are ordered as key numbers 01 through 99. Use the following chart to cross-reference the number selection.

| “C” lock order numbers | Actual “C” lock plug numbers |
|---------------------------|---------------------------------|
| 1 | 226 |
| 2 | 227 |
| 3 | 228 |
| 4 | 229 |
| 5 | 230 |
| 6 | 231 |
| 7 | 232 |
| 8 | 233 |
| 9 | 234 |
| 10 | 235 |
| 11 | 236 |
| 12 | 237 |
| 13 | 238 |
| 14 | 239 |
| 15 | 240 |
| 16 | 241 |
| 17 | 242 |
| 18 | 243 |
| 19 | 244 |
| 20 | 245 |
| 21 | 246 |
| 22 | 247 |
| 23 | 248 |
| 24 | 249 |
| 25 | 250 |
| 26 | 251 |
| 27 | 252 |
| 28 | 253 |
| 29 | 254 |
| 30 | 255 |
| 31 | 256 |
| 32 | 257 |
| 33 | 258 |
| 34 | 259 |
| 35 | 260 |
| 36 | 261 |
| 37 | 262 |
| 38 | 263 |
| 39 | 264 |
| 40 | 265 |
| 41 | 266 |
| 42 | 267 |
| 43 | 268 |
| 44 | 269 |
| 45 | 270 |
| 46 | 271 |
| 47 | 272 |
| 48 | 273 |
| 49 | 274 |
| 50 | 275 |

| “C” lock order numbers | Actual “C” lock plug numbers |
|---------------------------|---------------------------------|
| 51 | 276 |
| 52 | 277 |
| 53 | 278 |
| 54 | 279 |
| 55 | 280 |
| 56 | 281 |
| 57 | 282 |
| 58 | 283 |
| 59 | 284 |
| 60 | 285 |
| 61 | 286 |
| 62 | 287 |
| 63 | 288 |
| 64 | 289 |
| 65 | 290 |
| 66 | 291 |
| 67 | 292 |
| 68 | 293 |
| 69 | 294 |
| 70 | 295 |
| 71 | 296 |
| 72 | 297 |
| 73 | 298 |
| 74 | 299 |
| 75 | 300 |
| 76 | 301 |
| 77 | 302 |
| 78 | 303 |
| 79 | 304 |
| 80 | 305 |
| 81 | 306 |
| 82 | 307 |
| 83 | 308 |
| 84 | 309 |
| 85 | 310 |
| 86 | 311 |
| 87 | 312 |
| 88 | 313 |
| 89 | 314 |
| 90 | 315 |
| 91 | 316 |
| 92 | 317 |
| 93 | 318 |
| 94 | 319 |
| 95 | 320 |
| 96 | 321 |
| 97 | 322 |
| 98 | 323 |
| 99 | 324 |

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2023 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist, Wireframe, and Zeph are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.