



Prices effective June 2, 2025

Published September 2025

Co/Struc® System

Introduction	page 2
Co/Struc® System	3
Structure	5
Work Surfaces	70
Storage	112
Mobile Technology Carts	193
Transport	199
Indices	201
By Name	201
By Number	203
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Packaging/Keyed-Alike Information-Co/Struc System	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective June 2, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Structure


Work Surfaces

Storage


Mobile Technology Carts

Transport





Product Information
Description
This assembly attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 25 stand-offs, and 5 spacers.
Notes
To attach assembly to wall, order rail hardware (CO28441, or CO28541) separately.
To finish end, order end cap for standard or seismic rail (CO338) separately.
When seismic components are required, order seismic wall rail (CO479) instead of standard rail (CO282).
Dimensions




Specification Information
Step 1.
CO282FF
\$466
Step 2. Surface Finish
HF inner tone light
+\$0
LT light tone
+\$0
LU soft white
+\$0
WN warm grey neutral
+\$0

Co/Struc® Structure

Rail Hardware

CO284
CO285




Co/Struc® Structure

Product Information
Description
This package contains enough fasteners to install 12' of standard rail.
Package contains 300 fastener sets.
The 3" sheet metal screws with plastic anchors are #14, flat-head, Phillips-drive screws with 1⅜"-long plastic anchors. The 4" toggle bolts with wall bushings are ¼"-20, flat-head, Phillips-drive toggle bolts.

Specification Information
Step 1.
CO28
Step 2. Hardware
4413" sheet metal screws with plastic anchors
5414" toggle bolts with wall bushings
Prices for Steps 1-2.
CO28441\$348
CO28541\$1081

Adapter Rail

C1610.




Product Information

Description

This rail attaches to a panel, a module, or wall strips to support Co/Struc® hanging components or a storage case in a straight-line configuration. It does not hang directly on a wall. 2 rails are required to hang a locker from an open panel frame or glazed panel.

Dimensions



Specification Information

Step 1.

C1610.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Prices for Steps 1-2.

C1610. 24	\$315
30	\$327
36	\$344
42	\$373
48	\$396
60	\$443


Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Structure

Equipment Rail, Wall Mounted


C1170.



Co/Struc® Structure


Product Information
Description
This aluminum rail attaches to an architectural wall. It holds work tools or accessories and can be field cut to the appropriate width. The rail includes plastic end caps to accommodate 2 field-cut rail sections.
Notes
Customer must supply attachment hardware for wall conditions.
Order rail-mounted accessories separately:
<ul style="list-style-type: none">• Chart holder (CT730.)• Glove box holder (CT726.)• Sharps container holder (CT734.)• Supply basket (CT720. or CT722.)• Suture basket (CT723.)• Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)• Utility hook (CT776.)• Wastebasket and holder (CT728.)
Order work tools separately:
<ul style="list-style-type: none">• Diagonal tray (Y7218.)• Mini-shelf (Y7310.)• Organizer tray (Y7210.)• Paper tray (Y7216.)• Rail divider (Y7320.)• Vertical tray (Y7217.)
To mount customer-supplied accessories, order rail clamp (CT729.) separately.
Dimensions

Specification Information
Step 1.
C1170.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide
Prices for Steps 1-2.
C1170. 24 \$153
30 \$186
36 \$213
42 \$226
48 \$250
60 \$280
Step 3. End Cap Finish
LU soft white +\$0
WN warm grey neutral +\$0



Equipment Rail, Systems Mounted

C1172.



Product Information

Description

This aluminum rail attaches to a panel, freestanding module, or wall strips and holds work tools or accessories. It includes steel end caps. Attachment hardware is included.

Notes

Order rail-mounted accessories separately:

- Chart holder (CT730.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

Dimensions

Specification Information

Step 1.

C1172.

Step 2. Width


24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.

C1172. 24	\$223
30	\$236
36	\$255
48	\$320


Step 4. End Cap Finish

LU	soft white	+\$0
WN	warm grey neutral	+\$0



End Cap for Standard or Seismic Rail


CO338




Co/Struc® Structure

Product Information
Description
This end cap provides a finished end for a standard or seismic wall rail and a positive stop for a locker.
Notes
For areas requiring seismic components, order 1 end cap for each end of rail, and order seismic wall rail (CO479) separately.
For areas not requiring seismic components, order 1 end cap for each end of rail, and order standard rail (CO282) separately.
Dimensions

Specification Information		
Step 1.		
CO338FF		\$88
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0






Product Information

Description
This aluminum rail attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 26 stand-offs, and 5 spacers.

Notes
Order rail for areas requiring seismic components, when attaching to studs 16" on center, or when attaching to plaster in accordance with OPA-0117 in California.
To meet the conditions of appropriate OPA, refer to the OPA document for specific hardware. For other applications, order rail hardware (CO28441, or CO28541) separately.
Order additional seismic components separately:
• End cap for standard or seismic rail (CO338)
Field drilling is required for proper installation.


Dimensions



Specification Information


Step 1.		
CO479FF		\$682
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Structure



Product Information
Description
This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® support panels in a straight line. It has a threaded hole in the draw block for attachment to a seismic floor anchor bracket.
Notes
For Action Office Series 1 panels or Co/Struc support panels, specify height of draw rod to match height of panel.
For Action Office Series 2 panels, specify draw rod as follows:
• 32"-high panel, CO215.27
• 39"-high panel, CO215.34
• 47"-high panel, CO215.42
• 53"-high panel, CO215.48
• 62"-high panel, CO215.57
• 67"-high panel, CO215.62
• 85"-high panel, CO215.80
Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.
Dimensions


Specification Information
Step 1.
CO215.
Step 2. Height
27 27" high
34 34" high
42 42" high
48 48" high
57 57" high
62 62" high
80 80" high
Prices for Steps 1-2.
CO215. 27 \$45
34 \$46
42 \$46
48 \$47
57 \$47
62 \$48
80 \$51



Floor Anchor Bracket, Co/Struc® Lab

CO568

Module



Product Information

Description


This bracket fastens both sides of a module frame to the floor. Each anchor location requires 1 bracket. Finish is light tone. Package contains 10. Hardware to attach module is included. Floor anchor and bolt must be customer supplied.

Notes

Order bracket for areas requiring seismic components.

Lab modules need to be mounted flush for anchor to install.

Dimensions



Specification Information

Step 1.


CO568FF

\$1506

Co/Struc® Structure

Floor Anchor Bracket, Action Office® Series 1


CO481




Co/Struc® Structure

Product Information
Description
This bracket fastens both sides of an Action Office® Series 1 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.
Notes
Order the following products separately:
• Draw rod (CO215.)
• Floor anchor adapter kit (CO552.)
• Seismic finished end (A1250.) when using only Action Office Series 2 components
• Seismic hingeable end (AO258.) when using Action Office Series 1 or Co/Struc® components
Customer must supply required bolts and concrete anchors.
Dimensions


Specification Information		
Step 1.		
CO481		\$558
Step 2. Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



TOP




SIDE




FRONT

Floor Anchor Bracket, Action Office® Series 2

CO485




Product Information
Description
This bracket fastens both sides of an Action Office® Series 2 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.
Notes
Order the following products separately:
• Draw rod (CO215.)
• Floor anchor adapter kit (CO552.)
• Seismic finished end (A1250.)
Customer must supply required concrete anchors.
Dimensions




Specification Information
Step 1.
CO485
\$1235
Step 2. Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral
+\$0
+\$0
+\$0
+\$0

Co/Struc® Structure




Co/Struc® Structure

Product Information
Description
This seismic cover finishes the exposed end of a panel. It has a draw block that accepts a seismic bracket to meet the state of California seismic codes, and includes a cable management end cover.
Notes
Order floor anchor bracket, Action Office Series 2 (CO485.) separately.
Dimensions



Specification Information
Step 1.
A1250.
Step 2. Height
39S39" high
47S47" high
53S53" high
62S62" high
67S67" high
85S85" high
Prices for Steps 1-2.
A1250. 39S\$192
47S\$205
53S\$209
62S\$216
67S\$216
85S\$226
Step 3. Surface Finish
HFinner tone light+\$0
LTlight tone+\$0
LUsoft white+\$0
MTmedium tone+\$0
WLwarm stone (CP)+\$0
WNwarm grey neutral+\$0
Step 4. Cable Management Finish
HFinner tone light+\$0
LUsoft white+\$0
MTmedium tone+\$0
WLwarm stone (CP)+\$0
WNwarm grey neutral+\$0




Product Information
Description
This kit replaces the bottom block of an Action Office® Series 1 or 2 spacer or 2-way, 3-way, or 4-way connector. It is designed to be used in areas requiring seismic components and has a threaded hole in the draw block for attachment to a seismic floor anchor bracket. Package contains 10.
Notes
Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.
Dimensions

Specification Information
Step 1.
CO552


\$312

Co/Struc® Structure



Panel Stiffener, Action Office® Series
1 or Series 2 Top Cap

CO553




Co/Struc® Structure

Product Information

Description
This top cap fits over a standard top cap and spans multiple Action Office® Series 1 or 2 panels. It provides extra rigidity along the panel run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.

Dimensions




Specification Information

Step 1.		
CO553FF		\$857
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0

Wall Strip Cover


CO487.




Product Information
Description
This plastic cover snaps onto a wall strip to cover the slots. It helps with infection control in healthcare environments by preventing bacteria and germs from growing in these slots. It is 84" and must be field cut to match the wall strip height. Package contains 6 covers.
Notes
Order wall strips (AO213. or E1130.) separately.
Dimensions

Specification Information
Step 1.
CO487.
\$678
Step 2. Finish
HF inner tone light
LU soft white
MT medium tone
+\$0
+\$0
+\$0

Co/Struc® Structure





Co/Struc® Structure

Product Information


Description

This open panel has hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
- To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
- To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
- To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1150.

Step 2. Height

48 48" high**80** 80" high

Step 3. Width


12 12" wide**24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide

Prices for Steps 1-3.

	12	24	30	36	48
C1150. 48	\$820	850	914	982	1064
80	\$1128	1200	1263	1339	1460

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0



Co/Struc® Structure

Product Information


Description

This panel has a 48"-high recessed filler and hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
- To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
- To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
- To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1151. A

Step 2. Height

48 48" high**80** 80" high

Step 3. Width


12 12" wide**24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide

Prices for Steps 1-3.

	12	24	30	36	48
C1151. 48	\$1088	1350	1494	1623	1824
80	\$1458	1643	1812	2035	2248

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0



Product Information

Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the floor and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1155. A

Step 2. Height

48 48" high

80 80" high

Step 3. Width

24 24" wide

30 30" wide

48 48" wide

Prices for Steps 1-3.

	24	30	48
C1155. 48	\$1913	2120	2522
80	\$2256	2393	2812


Step 4. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0



Product Information

Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the ceiling and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

To carry different types of electrical power (e.g. regular and emergency power) or to carry electrical power and low-voltage cables, vertical raceway can be divided into separate internal raceways; contact local contractor.

To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.


To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Ceiling Entry Support Panel *continued*

Specification Information				
Step 1.				
C1156. <input type="text" value="A"/>				
Step 2. Height				
48	48" high	<input type="text" value="A"/>		
80	80" high	<input type="text" value="A"/>		
Step 3. Width				
24	24" wide			
30	30" wide			
48	48" wide			
Prices for Steps 1-3.				
		24	30	48
C1156. 48		\$4633	5018	5043
80		\$5072	5297	5486
Step 4. Surface Finish				
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0



Co/Struc® Structure

Product Information




Description

The center point of this 60"-wide panel attaches at a 90° angle to other panels and provides support to a panel run. Each panel has adjustable glides, finished ends, and a 48"-high recessed filler and hanger frames at 1" intervals to support components. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. The panel is available in 2 heights. The 80"-high panel supports a locker; 48"- and 80"-high panels support work surfaces and other 60"-wide components.

Notes


- To support locker, order 2 adapter rails (C1610.) separately.
- To connect to panel at 90° angle, order draw rod (AO215.) separately.
- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Terminal Panel *continued*


Specification Information		
Step 1.		
C1161.	<input type="checkbox"/> A	
Step 2. Height		
4860	48" high <input type="checkbox"/> A	
8060	80" high <input type="checkbox"/> A	
Prices for Steps 1-2.		
C1161. 4860		\$2815
8060		\$3460
Step 3. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Co/Struc® Structure

Product Information
Description
This connector attaches a support panel to a wall or column for a peninsula configuration.
Notes
Order draw rod (AO215.) separately.
Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.
Dimensions


Specification Information
Step 1.
C1211.
Step 2. Height
4848" high
8080" high
Prices for Steps 1-2.
C1211. 48\$521
80\$623



Step 3. Surface Finish
HFinner tone light+\$0
LTlight tone+\$0
LUsoft white+\$0
WNwarm grey neutral+\$0

2-Way 90° Corner Connector

C1221.



Product Information

Description

This connector joins 2 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.

Notes

Order support panels (C1150., C1151., C1155., C1156.) separately.

To create panel-to-panel connections of same height, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

To create panel-to-panel connection of unequal height or panel-to-corner connection of unequal height, order change-of-height draw rod (AO219.) to match lower height and finished-end change-of-height panel/panel (AO272.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions

Specification Information

Step 1.

C1221.

Step 2. Height

48	48" high
80	80" high


Prices for Steps 1-2.

C1221. 48	\$521
80	\$624


Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Structure



TOP




SIDE



FRONT

3-Way 90° Corner ConnectorC1231.



Co/Struc® Structure

Product Information



Description

This connector joins 3 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.

Notes

Order support panels (C1150., C1151., C1155., C1156.) separately.
Order 3 draw rods (AO215.) or 3 seismic draw rods (CO215.) separately.
When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions



Specification Information

Step 1.

C1231.

Step 2. Height

4848" high

8080" high

Prices for Steps 1-2.

C1231. 48\$546

80\$672


Step 3. Surface Finish

HFinner tone light+\$0

LTlight tone+\$0

LUsoft white+\$0

WNwarm grey neutral+\$0



Product Information



Description
This 11"-wide connector joins a module to a support panel. It has a removable cover strip that conceals predrilled holes used for attaching connectors.

Notes

To complete shelf surface at end of module run, order shelf end cap (C1510.E or C1511.E) separately.
Order panel connector (C1281.) and 3 draw rods (AO215. or CO215.) separately.
To attach support panel to interface connector (C1261.) of unequal height, order the following products separately:

- Panel connector (C1281.)
- Change of height draw rod (AO219.)
- Change of height panel/panel finished end (AO272.)

Dimensions



Specification Information

Step 1.

C1261. A

Step 2. Height

4812 48" high


8012 80" high

Prices for Steps 1-2.

C1261. 4812	\$1326
8012	\$1614

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Co/Struc® Structure

Product Information

Description


This connector attaches a support panel to an interface connector.

Notes

Specify connector height to match panel height.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Specification Information

Step 1.

C1281.

Step 2. Height

48 48" high

80 80" high

Prices for Steps 1-2.

C1281. 48 \$123

80 \$154


Step 3. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0



Product Information

Description

This brace provides additional support to a straight panel run that has components hanging on 1 side. It includes a leveling glide.

Notes

To support 24" deep work surface, specify 21"-wide mid-run support; to support 30" deep work surface, specify 27"-wide mid-run support.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions

Specification Information

Step 1.

C1272.

Step 2. Height

48	48" high
80	80" high

Step 3. Width

21	21" wide
27	27" wide


Prices for Steps 1-3.


	21	27
C1272. 48	\$943	1044
80	\$1180	1227

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Structure





Product Information

Description


This brace provides additional support to a straight panel run that has components hanging on both sides. It includes leveling glides.

Notes


To support 24"-deep work surface, specify 41"-wide mid-run support; to support 30"-deep work surface, specify 53"-wide mid-run support. To support 24"-deep work surface on 1 side and 30"-deep work surface on other side, specify 53"-wide mid-run support.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.


Dimensions




TOP



FRONT



41" WIDE
SIDE



53" WIDE
SIDE

Specification Information

Step 1.

C1273.

Step 2. Height

48	48" high
80	80" high

Step 3. Width

41	41" wide
53	53" wide

Prices for Steps 1-3.


	41	53
C1273. 48	\$1032	1200
80	\$1403	1565

Step 4. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Support Panel Top Cap


C1274.



Product Information
Description
This 20"-wide aluminum top cap attaches to 2 support panels in a straight connection. It provides additional support for a panel run.
Dimensions




SIDE



FRONT

Specification Information
Step 1.
C1274.20
\$214
Step 2. Surface Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral
+\$0
+\$0
+\$0
+\$0


Co/Struc® Structure




Co/Struc® Structure

Product Information
Description
This 48"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services. The module includes a top shelf and 4 adjustable glides. It has hanger frames at 1" intervals to support components.
Notes
Order access panels separately.
For L, T, or X configuration, order module corner connector separately:
• 2-way connector (C1220.)
• 3-way connector (C1230.)
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
To enclose the end of a module when a terminal panel (C1122.) is not used, order the end closure assembly (C1451.) separately.
Dimensions

Specification Information
Step 1.
C1112.48
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1112.48 24 \$1983
30 \$2331
36 \$2379
48 \$2594
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0





Product Information

Description

This 80"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services and provides pass-through access. The module includes an interior shelf that is field adjustable to 30", 36", or 48" high. It has hanger frames at 1" intervals to support components and 4 adjustable glides.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:

- 2-way connector (C1220.)
- 3-way connector (C1230.)


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the top section of a pass-through module, order the end closure panel (C1450.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the end of a module when a terminal panel (C1122., C1124.) is not used, order the end closure assembly (C1451.) separately.

Dimensions



Co/Struc® Structure

Specification Information

Step 1.

C1114.80

Step 2. Width

- 24 24" wide
- 30 30" wide
- 36 36" wide
- 48 48" wide

Prices for Steps 1-2.


C1114.80	24	\$2815
	30	\$3111
	36	\$3303
	48	\$3505

Step 3. Surface Finish


JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Low Module Terminal Panel

C1122.




Product Information
Description
This 48"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel includes a top shelf end cap, adjustable glides, and finished ends, and comes in 3 widths. The 60"- and 72"-wide panel supports hanging components.
Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
Dimensions



Specification Information
Step 1.
C1122.48 A
Step 2. Width/Position
36L 36" wide and left-hand panel
36R 36" wide and right-hand panel
60 60" wide
72 72" wide
Prices for Steps 1-2.
C1122.48 36L \$2694
36R \$2694
60 \$3299
72 \$4865
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Pass-Through Module Terminal Panel

C1122.
C1124.



Product Information


Description

This 80"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel is available in 3 widths. The 60"- and 72"-wide, full-height panel supports hanging components. Each panel has an interior shelf end cap, adjustable glides, and finished ends.

Notes

To attach terminal panel to module, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

Dimensions




Pass-Through Module Terminal Panel

continued

Specification Information			
Step 1.			
C112	<input type="checkbox"/>	A	
Step 2. Height			
2.80	full-height	<input type="checkbox"/>	A
4.80	half-height	<input type="checkbox"/>	A
Step 3. Width/Position			
<i>For full-height (2.80)</i>			
60	60" wide		
72	72" wide		
<i>For half-height (4.80)</i>			
36L	36" wide and left-hand panel		
36R	36" wide and right-hand panel		
60	60" wide		
72	72" wide		
Prices for Steps 1-3.			
C1122.80	60		\$4494
	72		\$5382
C1124.80	36L		\$2988
	36R		\$2988
	60		\$4133
	72		\$5093
Step 4. Surface Finish			
JD	warm grey neutral Chemsurf®		+\$0
KH	light tone Chemsurf®		+\$0
KR	inner tone light Chemsurf®		+\$0
LE	soft white Chemsurf®		+\$0

Vertical Chase Cover


C1460.




Co/Struc® Structure


Product Information
Description
This 72"-high tower encloses services between the ceiling and the top shelf of a low module, the interior shelf of a pass-through module, or a 2- or 3-way module corner connector. It includes a ceiling trim plate. The cover cannot be used with a 4-way module corner connector.
Notes
Order module or connector separately:
• 2-way module corner connector (C1220.)
• 3-way module corner connector (C1230.)
• Low module (C1112.)
• Pass-through module (C1114.)
Dimensions

Specification Information		
Step 1.		
C1460.		\$1257
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0






Product Information
Description
This connector starts a peninsula configuration by attaching a low or pass-through module to a wall or column. It includes a shelf end cap.
Notes
For low module, specify 48"-high wall start; for pass-through module, specify 80"-high wall start.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.
Dimensions



Specification Information
Step 1.
C1212.
Step 2. Height
48 48" high
80 80" high
Prices for Steps 1-2.
C1212. 48 \$888
80 \$1002
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

2-Way Module Corner Connector


C1220.



Co/Struc® Structure


Product Information
Description
This connector joins 2 modules of equal or unequal heights at a 90° angle. It includes a top shelf and filler panels to enclose the utility chase.
Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
Dimensions

Specification Information
Step 1.
C1220.
Step 2. Height
48 48" high
80 80" high
Prices for Steps 1-2.
C1220. 48 \$2060
80 \$2472
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0




3-Way Module Corner Connector

C1230.




Product Information
Description
This connector joins 3 modules of equal or unequal heights at 90° angles. It includes a top shelf and filler panels to enclose the utility chase.
Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
Dimensions



Specification Information
Step 1.
C1230.
Step 2. Height
48 48" high
80 80" high
Prices for Steps 1-2.
C1230. 48 \$2060
80 \$2472
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Module Support Leg


C1275.



Co/Struc® Structure


Product Information
Description
This leg provides additional support for normal loading on a low or pass-through module. It has a leveling glide.
Dimensions

Specification Information		
Step 1.		
C1275.		\$959
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Anchor Support Kit


C1276.



Product Information
Description
This kit fastens a module to the floor. It includes a bolt, spacer, and plate. Package contains 10.
Notes
Anchor support kit is not acceptable for seismic anchoring. Source anchor component separately.
Dimensions


Specification Information
Step 1.
C1276. \$474

Co/Struc® Structure



Top Shelf

C1510.




Co/Struc® Structure

Product Information

Description

This 11"-deep shelf encloses the top of a low module service chase and provides a storage shelf. It has a Chemsurf® surface. The shelf can be drilled for fixtures or piping. It cannot attach to a pass-through module.

Dimensions



Specification Information

Step 1.

C1510.12

Step 2. Width

12	12" wide
24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.


C1510.12	12	\$371
	24	\$498
	30	\$624
	36	\$654
	48	\$671

Step 3. Surface Finish


JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Interior Shelf

C1511.



Product Information
Description
This 11"-deep shelf fits inside a pass-through module. It encloses the top of a 48"-high service chase and provides a storage shelf. The shelf has a Chemsurf® surface. It can be drilled for fixtures or piping. Attachment hardware is included.
Notes
To install shelf higher than 48", order interior shelf and support kit (C1515.) separately.
Dimensions




Specification Information
Step 1.
C1511.12
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1511.12 24 \$591
30 \$658
36 \$700
48 \$739
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Co/Struc® Structure

Shelf End Cap

C1510.
C1511.




Co/Struc® Structure

Product Information


Description
This cap finishes the end of an interior or top shelf at the connection of a low or pass-through module and an interface connector. It has a Chemsurf® surface. Attachment hardware is included.

Dimensions




Specification Information


Step 1.		
C151		
Step 2. Depth/Usage		
1.E	7" deep for interior shelf	
0.E	12" deep for top shelf	
Prices for Steps 1-2.		
C1511.E		\$329
C1510.E		\$322
Step 3. Surface Finish		
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information
Description
This 11"-deep interior shelf is installed within a pass-through module. Attachment hardware is included.
Dimensions



Specification Information
Step 1.
C1515.12
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1515.12 24 \$1160
30 \$1253
36 \$1394
48 \$1590
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0



Product Information

Description

This assembly of 2 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The assembly has 2 30"- or 2 42"-high access panels.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.

For interior shelf mounted at 36" on pass-through module, specify 30"-high assembly.

For interior shelf mounted at 48" on pass-through module, specify 42"-high assembly.

Dimensions



Specification Information

Step 1.

C1412.

Step 2. Height

30 30" high**42** 42" high

Step 3. Width

19 19¼" wide**25** 25¼" wide**31** 31¼" wide**43** 43¼" wide

Prices for Steps 1-3.


	19	25	31	43
C1412. 30	\$932	1086	1136	1171
42	\$1046	1220	1333	1466

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0

Combination Access Panel Assembly

C1422.



Co/Struc® Structure

Product Information

Description

This assembly of 4 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts (4 per module side) for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The 24"-high assembly has 4 12"-high access panels; the 42"-high assembly has 2 12"- and 2 30"-high access panels.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.

For interior shelf mounted 30" high on pass-through module, specify 24"-high assembly.

For interior shelf mounted 48" high on pass-through module, specify 42"-high assembly.

Dimensions



Combination Access Panel Assembly

continued

Specification Information

Step 1.

C1422.

Step 2. Height

24 24" high

42 42" high

Step 3. Width

19 19¼" wide

25 25¼" wide

31 31¼" wide

43 43¼" wide

Prices for Steps 1-3.

	19	25	31	43
C1422. 24	\$1838	1927	2017	2092
42	\$1954	2169	2408	2541

Step 4. Surface Finish

HF inner tone light +\$0


LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

Low Cup Sink Access Panel Assembly

C1432.



Product Information

Description

This assembly attaches to a pass-through module and creates a low cup sink assembly in the lower service chase. It encloses both sides of the service chase and has removable panels for service access. The assembly includes 4 12"-high access panels, 1 shelf support frame, 1 interior shelf, 1 bottom chase cover, and attachment hardware. Each 12"-high panel has 2 knockouts for standard duplex electrical outlets. The assembly has a 15¼" space for a cup sink; this divides the service chase into 2 12" segments. Shipped knocked down.


Notes

Order pass-through module (C1114.) separately.

To enclose service chase of adjacent module, order center closure panel (C1455.1607) separately.

Customer must order sink and fixtures separately and field cut interior shelf to hold sink.

Dimensions




Low Cup Sink Access Panel Assembly *continued*

Specification Information		
Step 1.		
C1432.42		
Step 2. Width		
19	19¼" wide	
25	25¼" wide	
43	43¼" wide	
Prices for Steps 1-2.		
C1432.42	19	\$2825
	25	\$3084
	43	\$3409
Step 3. Surface Finish		
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0


End Closure Assembly

C1451.



Co/Struc® Structure


Product Information
Description
This assembly encloses the end of a module when a terminal panel is not used.
The end closure for a low module has a 48"-high panel and 2 48"-high end caps. The full-height end closure for a pass-through module has an 80"-high panel and 2 80"-high end caps.
Notes
Order low module (C1112.) or pass-through module (C1114.) separately.
Dimensions





Specification Information
Step 1.
C145
Step 2. Type
1.4811 end closure for low module
1.8011 full-height end closure for pass-through module
Prices for Steps 1-2.
C1451.4811 \$437
C1451.8011 \$572
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Center Closure Panel

C1455.



Product Information
Description
This panel attaches to the inside of a module run and encloses the end of a service chase. Attachment hardware is included.
Notes
To enclose service chase on either end of cup sink opening or 14"-high openings created by partial chases at panel connections, order 16"-high panel.
To enclose lower interior module chase, order 43"-high panel.
To enclose upper section of pass-through module, order 32"-high panel.
Dimensions




Specification Information
Step 1.
C1455.
Step 2. Height
1607 16" high
3207 32" high
4307 43" high
Prices for Steps 1-2.
C1455. 1607 \$984
3207 \$998
4307 \$1002
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Co/Struc® Structure

Wire Chase Rail

C1313.
C1314.



Co/Struc® Structure

Product Information

Description

This aluminum rail attaches to 1 side of an equal-width module or support panel and provides 1 or 2 cable management channels. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes



Order connection components separately:

- Wire chase rail bridge (C1326. or C1327.) to connect across mid-run support panel or back side of 3-way connector
- 90° inside corner wire chase rail (C1321. or C1322.) to connect around 90° inside corner

Order wire chase rail covers (C1315., C1316., C1317., or C1318.) and rail end cap (C1331. or C1332.) separately.

Receptacles must be customer supplied.

Dimensions



Specification Information

Step 1.

C131 A

Step 2. Type

3. double channel A
4. single channel A

Step 3. Width

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide A
- 48** 48" wide
- 60** 60" wide
- 72** 72" wide
- 96** 96" wide

Prices for Steps 1-3.

C1313. 24	\$183
30	\$233
36	\$295
42	\$344
48	\$360
60	\$452
72	\$537
96	\$713

C1314. 24	\$97
30	\$123
36	\$153
42	\$172
48	\$183
60	\$231
72	\$271
96	\$360

Step 4. Surface Finish

For double channel (3.) with 24" wide (24)

AN clear anodized aluminum +\$0

For double channel (3.) with 30" wide (30)

AN clear anodized aluminum +\$0

For double channel (3.) with 36" wide (36)

AN clear anodized aluminum +\$0

Wire Chase Rail *continued*

For double channel (3.) with 42" wide (42)
 AN clear anodized aluminum +\$0

For double channel (3.) with 48" wide (48)
 AN clear anodized aluminum +\$0

For double channel (3.) with 60" wide (60)
 AN clear anodized aluminum +\$0

For double channel (3.) with 72" wide (72)
 AN clear anodized aluminum +\$0

For double channel (3.) with 96" wide (96)
 AN clear anodized aluminum +\$0

For single channel (4.) with 24" wide (24)
 AN clear anodized aluminum +\$0

For single channel (4.) with 30" wide (30)
 AN clear anodized aluminum +\$0

For single channel (4.) with 36" wide (36)
 AN clear anodized aluminum +\$0

For single channel (4.) with 42" wide (42)
 AN clear anodized aluminum +\$0

For single channel (4.) with 48" wide (48)
 AN clear anodized aluminum +\$0


For single channel (4.) with 60" wide (60)
 AN clear anodized aluminum +\$0

For single channel (4.) with 72" wide (72)
 AN clear anodized aluminum +\$0

For single channel (4.) with 96" wide (96)
 AN clear anodized aluminum +\$0

Wire Chase Rail, 90° Inside Corner

C1321.
C1322.



Co/Struc® Structure

Product Information


Description

This aluminum rail attaches to 2 modules or support panels at a 90° inside corner. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Rail includes 2 6" mitered corner covers. Order wire chase rail covers to cover the remaining length of each rail (C1315., C1316., C1317., or C1318.) separately.

Dimensions



Specification Information

Step 1.

C132 A

Step 2. Type

1. double channel A
2. single channel A

Step 3. Width

- 24 24" wide
30 30" wide
48 48" wide

Step 4. Depth

For 24" wide (24)

- 24 24" deep
30 30" deep
48 48" deep

For 30" wide (30)

- 30 30" deep
48 48" deep

For 48" wide (48)

- 48 48" deep

Prices for Steps 1-4.

	24	30	48
C1321. 24	\$625	672	802
30	—	\$712	843
48	—	—	\$972
C1322. 24	\$421	452	516
30	—	\$473	537
48	—	—	\$604

Step 5. Surface Finish

For double channel (1.) with 30" wide (30) with 48" deep (48)

AN clear anodized aluminum +\$0

For double channel (1.) with 48" wide (48) with 48" deep (48)

AN clear anodized aluminum +\$0

For single channel (2.) with 24" wide (24) with 24" deep (24)

AN clear anodized aluminum +\$0

Wire Chase Rail, 90° Inside Corner

continued

For single channel (2.) with 24" wide (24) with 30" deep (30)
AN clear anodized aluminum +\$0

For single channel (2.) with 24" wide (24) with 48" deep (48)
AN clear anodized aluminum +\$0

For single channel (2.) with 30" wide (30) with 30" deep (30)
AN clear anodized aluminum +\$0

For single channel (2.) with 30" wide (30) with 48" deep (48)
AN clear anodized aluminum +\$0

For single channel (2.) with 48" wide (48) with 48" deep (48)
AN clear anodized aluminum +\$0

For double channel (1.) with 24" wide (24) with 24" deep (24)
AN clear anodized aluminum +\$0


For double channel (1.) with 24" wide (24) with 30" deep (30)
AN clear anodized aluminum +\$0

For double channel (1.) with 24" wide (24) with 48" deep (48)
AN clear anodized aluminum +\$0

For double channel (1.) with 30" wide (30) with 30" deep (30)
AN clear anodized aluminum +\$0


Wire Chase Rail Bridge

C1326.
C1327.



Co/Struc® Structure


Product Information
Description
This bridge joins wire chase rails across a mid-run support panel or on the back side of a 3-way 90° connector. It allows the continuation of a cable management channel and includes a blank cover. The bridge cannot be used with an Action Office® Series 1 or 2 connector.
Notes
Order 1 of the following products separately: <ul style="list-style-type: none">• 3-way 90° connector (C1231.)• Mid-run support (C1272. or C1273.)
Dimensions




Specification Information
Step 1.
C132 <input type="checkbox"/> A
Step 2. Type
6. double channel <input type="checkbox"/> A
7. single channel <input type="checkbox"/> A
Prices for Steps 1-2.
C1326. \$162
C1327. \$162
Step 3. Surface Finish
AN clear anodized aluminum +\$0

Wire Chase Rail End Cap

C1331.
C1332.



Product Information
Description
This end cap finishes the exposed end of a wire chase rail. Package contains 2.
Dimensions




Specification Information
Step 1.
C133 A
Step 2. Type
1. double channel A
2. single channel A
Prices for Steps 1-2.
C1331. \$145
C1332. \$145
Step 3. Surface Finish
AN clear anodized aluminum +\$0

Co/Struc® Structure

Wire Chase Rail Cover

C1315.
C1316.
C1317.
C1318.




Co/Struc® Structure

Product Information

Description
This cover encloses a wire chase rail.

Notes
Specify type to cover wire chase rail's power and/or data outlets.
Specify covers in 6"- or 12"-wide increments to match rail width.

Dimensions




Specification Information

Step 1.
C131

Step 2. Type
5.06 6"-wide plain cover
5.12 12"-wide plain cover
6. duplex cutout cover
7. GFI cutout cover
8. gang cover

Prices for Steps 1-2.	
C1315.06	\$37
C1315.12	\$47
C1316.	\$50
C1317.	\$52
C1318.	\$52


Step 3. Surface Finish
AN clear anodized aluminum +\$0




Product Information
Description
This 1½"-wide cover wraps around the outside of a wire chase channel to cover gaps between adjoining channels and covers.
Notes
Order wire chase and covers separately.
Dimensions

Specification Information
Step 1.
C1358. A
Step 2. Type
D double channel
T triple channel
Prices for Steps 1-2.
C1358. D \$47
T \$65

Co/Struc® Structure





Product Information

Description

This work surface hangs from a panel, module, or wall strips and is available as laminate or solid surface. The work surface, when supported by work surface supports has a top-loading capacity of up to 200 pounds. The solid surface option, when supported by sink products has a top-loading capacity of 250 pounds. Appropriate sink products and work surface supports must be specified and ordered separately.

Notes

For laminate option (L), order standard duty work surface supports (C2140.S) separately.

For solid surface option (K), order 1 of the following products separately:

- ADA sink support, systems mounted (C2520.)
- Sink module (C2512.)
- Sink unit for storage (C2513.)

- Work surface support, standard duty (C2140.S)

Work surface with solid surface option (K) will not accept a storage case (C5040.) without storage case leg (C5050.).

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.


Work surface with solid surface option (K) has a matte gloss level and includes a backsplash.

When hanging work surface with laminate option (L) from wall strips, order recommended backsplash (C2910.) separately.

Order optional products separately:

- Drawer bearer package (CO228)
- Gripper package (CO266), for laminate (L) option only
- Keyboard/Mouse Support, Adjustable (Y7710.)
- Lockable drawer bearer (CO396)

Dimensions



Specification Information

Step 1.

C2142.

Step 2. Depth

24	24" deep
30	30" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide
96	96" wide

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60)

L	high - pressure laminate
K	solid surface

For 72" wide (72) or 96" wide (96)

L	high - pressure laminate
---	--------------------------

Prices for Steps 1-4.

			L	K
C2142.	24	24	\$175	2144
		30	\$216	2488
		36	\$291	3121
		48	\$387	3531
		60	\$561	4226
		72	\$703	—
		96	\$900	—
	30	24	\$186	2400
		30	\$269	2786
		36	\$337	3490
		48	\$537	3934
		60	\$760	4703
		72	\$934	—
		96	\$1116	—

Standard-Duty Work Surface *continued*


Step 5. Finish

For high - pressure laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For solid surface (K)

CQ	glacier white	+\$0
QB	bisque	+\$0
1S	savannah	+\$52
1U	sahara	+\$52
4I	sandstone	+\$52
58	cameo white	+\$50
ANC	antarctica	+\$50
IQ	aurora	+\$52
OQ	silt	+\$52
SVG	silver gray	+\$50
CRT	concrete	+\$200
DVC	dove	+\$200



Product Information

Description

This work surface is supported by heavy duty work surface supports, allowing it to hang from a panel, module, or wall strips. It has a top-loading capacity of up to 400 pounds. It can hold drawers and includes drawer bearers. Appropriate heavy duty work surface supports must be specified and ordered separately.

The work surface can be specified as laminate, Chemsurf®, stainless steel, Corian®, or phenolic resin. A 51"-wide surface has a 3" overhang on the left or right side to fill the gap created by a mid-run support, C-series 3-way connector, or interface connector. A 96"-wide surface includes 1 additional support bracket. The 24"-wide surface cannot accept components.

Notes

Order heavy duty work surface supports (C2140.H, C2140.W, C214.R) separately.

For stainless steel option (S), order 1 of the following products separately:

- Heavy duty work surface support, with component adapter (C2140.W)
- Heavy duty work surface support, component adapter ready (C2140.R)

Work surface with phenolic resin option (P) or Corian option (K) must use work surface supports (C2140.) heavy duty, with component adaptor (W) or heavy duty, component adaptor ready (R) options.

Finish color on phenolic resin option (P) is black.

Work surface with solid surface option (K) has a matte gloss level.

Work surface with phenolic resin option (P) or Corian option (K) includes a backsplash.

Work surface with phenolic resin option (P) is 1" thick and includes spacers for transitioning to adjacent, non-resin surfaces.

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

When hanging a work surface with laminate option (L) or Chemsurf® option (C) from wall strips, order recommended backsplash (C2910.) separately.

Work surface supports the following quantities of drawers, C frames, or storage cabinets:

- 24" wide: 1 drawer
- 30", 36" wide: 1 drawer, 1 C frame or 1 storage cabinet
- 48", 51", and 60" wide: 2 drawers, 2 C frames, or 2 storage cabinets
- 72" wide: 3 drawers, 3 C frames, or 3 storage cabinets
- 96" wide: 4 drawers, 4 C frames, or 4 storage cabinets


24"-wide work surface will not accept a storage case (C5040.) or storage unit (C5010.) or C frame (CO205).

Work surface with phenolic resin option (P) or stainless steel option (S) will not accept a keyboard/mouse support, adjustable (Y7710.).

Order optional products separately:

- Drawer (CO207, CO208, or CO209)
- Keyboard tray (Y7710.), except for stainless steel (S) and phenolic resin (P) surfaces
- Pencil drawer (A0480.)
- Storage case (C5040.) and adapter rail (C1610.), except for phenolic resin (P) surfaces
- Storage unit (C5010.) and component adaptor (C2193.)

Dimensions



Specification Information**Step 1.****C2141.****Step 2. Depth****24** 24" deep**30** 30" deep**Step 3. Width****24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide**5L** 51" wide, left overhang**5R** 51" wide, right overhang**60** 60" wide**72** 72" wide**96** 96" wide**Step 4. Material**

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (60),
or 72" wide (72)

L high-pressure laminate**C** Chemsurf®**S** stainless steel ☐**P** phenolic resin**K** corian

For 51" wide, left overhang (5L) or 51" wide, right overhang (5R)

L high-pressure laminate**C** Chemsurf®**S** stainless steel ☐**P** phenolic resin**K** corian

For 96" wide (96)

L high-pressure laminate**C** Chemsurf®**S** stainless steel ☐**Prices for Steps 1-4.**

		L	C	S	P	K
C2141.	24 24	\$238	320	3203	1136	1883
	30	\$254	374	3446	1344	2104
	36	\$329	475	4113	1547	2564
	48	\$449	600	4914	1956	3456
	5L	\$536	692	5352	2165	3924
	5R	\$536	692	5352	2165	3924
	60	\$623	770	6404	2265	3927
	72	\$770	938	7307	2577	4849
	96	\$981	1172	8180	—	—
	30 24	\$307	363	3605	1239	2145
	30	\$320	488	4067	1547	2405
	36	\$435	649	5170	1756	2908
	48	\$584	824	6085	2265	3867
	5L	\$609	851	6580	2577	4400
	5R	\$609	851	6580	2577	4400
	60	\$803	1043	7810	2677	4392
	72	\$981	1245	8994	3089	5452
	96	\$1204	1520	9603	—	—

Step 5. Finish

For high-pressure laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Heavy-Duty Work Surface *continued*


Co/Struc® Work Surfaces

For corian (K)

CQ	glacier white	+\$0
QB	bisque	+\$0
1S	savannah	+\$380
1U	sahara	+\$380
4I	sandstone	+\$380
58	cameo white	+\$370
ANC	antarctica	+\$370
IQ	aurora	+\$380
OQ	silt	+\$380
SVG	silver gray	+\$100
CRT	concrete	+\$740
DVC	dove	+\$740

Work Surface Support

C2140.



Product Information

Description

This set of supports allows a standard- or heavy duty work surface to hang from a panel, module, or wall strips.

Notes

Supports for standard duty surfaces include the following:

Surface Width—Supports

24"-60" wide—2 supports (1 left and 1 right)

72" wide—3 supports (1 left, 1 middle, and 1 right)

96" wide—4 supports (1 left, 2 middle, and 1 right)

Supports for heavy duty surfaces include the following:

Surface Width—Supports


24"-72" wide—2 supports (1 left and 1 right)

96" wide—3 supports (1 left, 1 middle, and 1 right)

For standard duty option (S), order standard duty work surface (C2142.) separately.

For heavy duty options (W or R), order appropriate heavy duty work surface (C2141.) separately.

Dimensions



Specification Information

Step 1.

C2140.

Step 2. Type

S	standard duty
W	heavy duty, with component adaptor
R	heavy duty, component adaptor ready

Step 3. Depth

24	for 24"-deep work surface
30	for 30"-deep work surface

Step 4. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide
96	96" wide


Prices for Steps 1-4.

			24	30	36	48	60	72
C2140. S	24		\$264	264	264	264	264	396
	30		\$264	264	264	264	264	396
	W 24		\$665	707	742	782	853	929
	30		\$726	775	807	847	918	994
	R 24		\$478	478	478	478	478	526
	30		\$543	543	543	543	543	598
		96						
C2140. S	24							\$526
	30							\$526
	W 24							\$1281
	30							\$1380
	R 24							\$783
	30							\$890

Step 5. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Rail-Hanging Work SurfaceC2410.




Product Information

Description
This 24"-deep rectangular work surface hangs on a standard rail. It has predrilled holes for hanging drawers, suspended pedestals, or keyboard trays. The work surface can be installed, relocated, or removed without tools and without disturbing other rail components. The support arm finish matches the surface finish.

Notes
Order optional work surface backsplash (C2910.) separately.
Order optional keyboard/mouse support, adjustable (Y7710.) separately.

Dimensions




Specification Information

Step 1.		
C2410.24		
Step 2. Width		
48	48" wide	
72	72" wide	
Prices for Steps 1-2.		
C2410.24	48	\$1722
	72	\$2129
Step 3. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Pass-Through Cover


C2399.




Product Information
Description
This cover provides a continuous surface for 2 back-to-back squared-edge work surfaces hung on an open panel frame. It is 48" wide but can be field cut to fit a narrower opening.
Dimensions

Specification Information		
Step 1.		
C2399.48		\$159
Step 2. Finish		
LU	soft white	+\$0


Co/Struc® Work Surfaces






Co/Struc® Work Surfaces


Product Information
Description
This assembly attaches to a support panel, a module, or wall strips and provides support for a C frame and components hanging on the C frame.
Attachment hardware is included. Shipped knocked down.
The assembly holds the following quantities of C frames:
• 24" and 30" wide: 1 C frame
• 48" and 60" wide: 2 C frames
• 72" wide: 3 C frames
Notes
For 51"-wide work surface, order 48"-wide C frame support.
Dimensions



Specification Information						
Step 1.						
C2192.						
Step 2. Work Surface Depth						
24	for 24"-deep work surface					
30	for 30"-deep work surface					
Step 3. Width						
24	24" wide					
30	30" wide					
36	36" wide					
48	48" wide					
60	60" wide					
72	72" wide					
Prices for Steps 1-3.						
	24	30	36	48	60	72
C2192. 24	\$868	892	914	956	963	980
30	\$956	1018	1064	1083	1093	1144
Step 4. Surface Finish						
HF	inner tone light					+\$0
LT	light tone					+\$0
LU	soft white					+\$0
WN	warm grey neutral					+\$0




Product Information
Description
This kit attaches to a heavy-duty work surface support and allows C frames to hang below the work surface. Attachment hardware is included.
The kit holds the following quantities of C frames or storage units:
• 30" wide: 1 C frame or storage unit
• 48" and 60" wide: 2 C frames or storage units
• 72" wide: 3 C frames or storage units
• 96" wide: 4 C frames or storage units
Notes
The kit attaches to a work surface support (C2140.) with heavy duty, component adapter ready option (R).
For 51"-wide work surface, order 48"-wide kit.
96"-wide kit is shipped in 2 pieces.
Order storage components separately:
• C frame (C0205)
• Storage unit (C5010.)
Dimensions



Specification Information
Step 1.
C2193.
Step 2. Width
24 24" wide
30 30" wide
48 48" wide
60 60" wide
72 72" wide
96 96" wide
Prices for Steps 1-2.
C2193. 24 \$251
30 \$300
48 \$355
60 \$429
72 \$528
96 \$673
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Work Surface Backsplash

C2910.




Product Information

Description

This plastic barrier attaches to the back edge of a C-series rectangular or corner work surface or to a process table and creates a backsplash. Package contains 6.

Dimensions




Specification Information

Step 1.		
C2910.		
Step 2. Width		
72	72" wide	
Prices for Steps 1-2.		
C2910.	72	\$654
Step 3. Surface Finish		
For 72" wide (72)		
BK	black	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Backsplash Filler


C2920.




Product Information
Description
This component attaches to a Casework work surface. It fills the gap created when Casework base cabinets are placed against terminal panels or wall strips. Package contains 6. Attachment hardware is included.
Notes
Order work surface (CG211. or CG212.) or corner work surface (CG218. or CG219.) separately.
Dimensions

Specification Information		
Step 1.		
C2920.96		\$237
Step 2. Surface Finish		
LU	soft white	+\$0

Co/Struc® Work Surfaces





Product Information

Description

This 48"-wide work surface hangs from modules, C-series support panels, or wall strips and provides additional top-loading capacity. It includes 1 drawer bearer package. The work surface cannot attach to Action Office® Series 1 or Series 2 connectors. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top. The support arm finish matches the surface finish.

Notes


When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.


Dimensions



TOP



TOP




FRONT

Heavy-Duty Corner Work Surface

continued

Specification Information			
Step 1.			
C2215.	A		
Step 2. Depth			
2448	24" deep	A	
3048	30" deep	A	
Prices for Steps 1-2.			
C2215.	2448		\$1180
	3048		\$1367
Step 3. Surface Finish			
Laminate Top			
For 24" deep (2448)			
HF	inner tone light	A	+\$0
LT	light tone	A	+\$0
LU	soft white	A	+\$0
WN	warm grey neutral	A	+\$0
Chemsurf® Top			
For 24" deep (2448)			
JD	warm grey neutral Chemsurf®	A	+\$174
KH	light tone Chemsurf®	A	+\$174
KR	inner tone light Chemsurf®	A	+\$174
LE	soft white Chemsurf®	A	+\$174
Laminate Top			
For 30" deep (3048)			
HF	inner tone light	A	+\$0
LT	light tone	A	+\$0
LU	soft white	A	+\$0
WN	warm grey neutral	A	+\$0
Chemsurf® Top			
For 30" deep (3048)			
JD	warm grey neutral Chemsurf®	A	+\$199
KH	light tone Chemsurf®	A	+\$199
KR	inner tone light Chemsurf®	A	+\$199
LE	soft white Chemsurf®	A	+\$199

Heavy-Duty Corner Work Surface, C2216. Action Office® Series 1 or 2 90° Corner Connector



Product Information

Description

This 48"-wide work surface hangs from panels or wall strips connected by an Action Office® Series 1 or 2 90° corner connector. It provides additional top-loading capacity and includes 1 drawer bearer package. The support arm finish matches the surface finish. The work surface cannot attach to a C-series 90° corner connector. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top.

Notes

When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.

Dimensions



Specification Information

Step 1.

C2216. [A]

Step 2. Depth

2448 24" deep [A]

3048 30" deep [A]

Prices for Steps 1-2.

C2216. 2448	\$1200
3048	\$1389

Step 3. Surface Finish

Laminate Top

For 24" deep (2448)

HF	inner tone light [A]	+\$0
LT	light tone [A]	+\$0
LU	soft white [A]	+\$0
WN	warm grey neutral [A]	+\$0

Chemsurf® Top

For 24" deep (2448)

JD	warm grey neutral Chemsurf® [A]	+\$174
KH	light tone Chemsurf® [A]	+\$174
KR	inner tone light Chemsurf® [A]	+\$174
LE	soft white Chemsurf® [A]	+\$174

Laminate Top

For 30" deep (3048)

HF	inner tone light [A]	+\$0
LT	light tone [A]	+\$0
LU	soft white [A]	+\$0
WN	warm grey neutral [A]	+\$0


Chemsurf® Top

For 30" deep (3048)

JD	warm grey neutral Chemsurf® [A]	+\$199
KH	light tone Chemsurf® [A]	+\$199
KR	inner tone light Chemsurf® [A]	+\$199
LE	soft white Chemsurf® [A]	+\$199

Process Table, Electric Height Adjustment

C4313.



Product Information

Description

This height-adjustable process table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 3" locking casters. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 1 stretcher to support a C frame or storage unit.

Notes


Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Reagent shelf (C4326.)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Specification Information

Step 1.

C4313.

Step 2. Depth

24 24" deep

30 30" deep

Step 3. Width

48 48" wide

60 60" wide

72 72" wide

Step 4. Surface Material

L high-pressure laminate

C Chemsurf® A

Prices for Steps 1-4.

		L	C
C4313.	24 48	\$8604	9073
	60	\$8885	9353
	72	\$9259	9729
	30 48	\$8766	9231
	60	\$8948	9415
	72	\$9317	9784

Step 5. Casters/Glides

GA glides +\$0

CA casters +\$318

Step 6. Top/Frame Finish

For high-pressure laminate (L)

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

For Chemsurf® (C)

JD warm grey neutral Chemsurf® +\$0


KH light tone Chemsurf® +\$0

KR inner tone light Chemsurf® +\$0

LE soft white Chemsurf® +\$0

Table Floor Tether

C4315.




Product Information

Description
This bracket attaches a table to the architectural floor. Package contains 2 brackets.
Notes
Finish is black only.
Attachment bolts must be field supplied to meet specific site requirements.
Dimensions

Specification Information


Step 1.		
C4315.2	<input type="text" value="A"/>	\$186
Step 2. Finish		
BK	black <input type="text" value="A"/>	+\$0

Co/Struc® Work Surfaces




Reagent Shelf


C4326.
C4327.



Product Information
Description
This metal shelf attaches to a workstation or process table to provide storage for reagents below the surface.
Notes
Order workstation (C4310. or 4311.) separately.
Order process table (C4313.) separately.
Dimensions



For Electric Process Table




For Workstation

Specification Information			
Step 1.			
C432			
Step 2. Type			
6.	for electric process table		
7.	for workstation		
Step 3. Depth			
For electric process table (6.)			
16	16" deep		
For workstation (7.)			
18	18" deep		
Step 4. Width			
48	48" wide		
60	60" wide		
72	72" wide		
Prices for Steps 1-4.			
	48	60	72
C4326. 16	\$1264	1314	1402
C4327. 18	\$1230	1366	1378
Step 5. Finish			
HF	inner tone light		+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WN	warm grey neutral		+\$0

Workstation, Electric Height Adjustment

C4310.



Product Information

Description

This 30"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)

Order workstation storage components separately:

- Reagent shelf (C4327.)

Order overhead components (to hang on riser frame) separately:


- B-style shelf (C3011.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)
- Shelf unit (C5020, or C5021.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Electric Height Adjustment *continued*

Specification Information

Step 1.

C4310.30

Step 2. Width

48 48" wide
60 60" wide
72 72" wide

Step 3. Surface Material

L high-pressure laminate
C Chemsurf®

Prices for Steps 1-3.

		L	C
C4310.30	48	\$9649	10099
	60	\$9777	10229
	72	\$10222	10675

Step 4. Casters/Glides

GA glides +\$0
CA casters +\$380

Step 5. Top/Frame Finish

For high-pressure laminate (L)


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Workstation, Manual Height Adjustment

C4311.



Product Information

Description

This 30"-deep height-adjustable work station has a laminate or Chemsurf® top. It is pin adjustable in 1" increments and has a 15" travel range from 26½" to 41½". The table has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (C0205)
- Drawer (C0207, C0208, or C0209)
- Storage unit (C5010.)

Order workstation storage components separately:


- Reagent shelf (C4327.)
- Order overhead components (to hang on riser frame) separately:
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Manual Height Adjustment *continued*

Specification Information

Step 1.

C4311.30

Step 2. Width

48 48" wide
60 60" wide
72 72" wide

Step 3. Surface Material

L high-pressure laminate
C Chemsurf®

Prices for Steps 1-3.

		L	C
C4311.30	48	\$7169	7646
	60	\$7333	7808
	72	\$7672	8293

Step 4. Casters/Glides

GA glides +\$0
CA casters +\$380

Step 5. Top/Frame Finish

For high-pressure laminate (L)


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Work Table, Electric Height Adjustment

C4312.



Product Information

Description

This 2-sided, 42"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 2 stretchers (one on each side) to support C frames and/or storage units. 48"- and 60"-wide tables have 4 sets of drawer bearers.

Notes



Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Specification Information

Step 1.

C4312.42

Step 2. Width

48	48" wide
60	60" wide

Step 3. Surface Material

L	high-pressure laminate
C	Chemsurf®

Prices for Steps 1-3.

		L	C
C4312.42	48	\$9963	10488
	60	\$10279	10800

Step 4. Casters/Glides

GA	glides	+\$0
CA	casters	+\$380


Step 5. Top/Frame Finish

For high-pressure laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high), has 2 C-legs, a steel modesty panel, and 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28 $\frac{3}{4}$ " for a 29" seated-height table base and 35 $\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base. Order casters as a service part.

Clearance from front of table to modesty panel is 24 $\frac{1}{4}$ " for a 30"-deep work surface and 18 $\frac{1}{4}$ " for a 24"-deep work surface.

Order work table surface (C4700.) separately:

- 24" and 30" depths, and 48", 51" (left and right), and 60" widths are compatible with table bases 24" deep × 48" wide.
- 60" wide work table surface overhangs on center of a 48"-wide table base.
- 51" wide (left and right) work table surfaces overhang left or right of a 48"-wide table base.
- Order drawer bearers separately, with work table surface.

Order separately:


- Work table reagent shelf (C4900.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).

To accommodate a refrigerator, a 36"-high table base is recommended.


Refrigerators 21.34" wide or less can be used with 1 set of adjacent drawer bearers for a 3" or 6" drawer (CO207, CO208) only.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Dimensions



Specification Information			
Step 1.			
C460 <input type="checkbox"/> A			
Step 2. Glides			
G. glides <input type="checkbox"/> A			
Step 3. Depth			
24	24" deep	<input type="checkbox"/> A	
Step 4. Width			
48	48" wide	<input type="checkbox"/> A	
Step 5. Height			
29	29" high	<input type="checkbox"/> A	
36	36" high	<input type="checkbox"/> A	
Prices for Steps 1-5.			
		29	36
C460G. 24 48		\$1618	1708
Step 6. Base/Modesty Panel Finish			
HF	inner tone light	<input type="checkbox"/> A	+\$0
LT	light tone	<input type="checkbox"/> A	+\$0
LU	soft white	<input type="checkbox"/> A	+\$0
WN	warm grey neutral	<input type="checkbox"/> A	+\$0



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high) and has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28 $\frac{3}{4}$ " for a 29" seated-height table base and 35 $\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base.

Order work table surface (C4700.) separately:

- 24" deep × 36" wide base is only compatible with a 24" deep × 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep × 48" wide base is compatible with a 30" deep × 48", 51" (left and right), 60" wide work table surface.
- 30" deep × 48S" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep × 72" wide base is only compatible with a 30" deep × 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:


- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C461G.3036; order Y1200.42 for a C461G.3048.

Dimensions



Specification Information

Step 1.

C461 ☐

Step 2. Glides

G. glides ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

48S 48" wide, symmetrical support ☐

Step 5. Height

29 29" high ☐

36 36" high ☐

Step 6. Number of Stretchers

For 29" high (29)

A upper placement only ☐

For 36" high (36)

A upper placement only ☐

B upper and lower placement ☐

Prices for Steps 1-6.

		29A	36A	36B
C461G.	24 36	\$1857	1969	2287
	48	\$1877	1988	2304
	72	\$2033	2145	2604
	30 36	\$1902	2008	2328
	48	\$1924	2027	2349
	72	\$2080	2189	2648
	48S	\$2329	2521	2916


Standard Work Table Base *continued*

Step 7. Base/Stretcher Finish

HF	inner tone light <input type="checkbox"/> A	+\$0
LT	light tone <input type="checkbox"/> A	+\$0
LU	soft white <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

Adjustable Work Table Base

C462C.
C462G.



Product Information

Description

This freestanding 1" pin-adjustable table base has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides or 4" locking casters. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

Table with glides and work surface adjusts from 27" high to 36" high. Table with casters adjusts from 30" high to 38" high.

Order work table surface (C4700.) separately:

- 24" deep × 36" wide base is only compatible with a 24" deep × 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep × 48" wide base is compatible with a 30" deep × 48", 51" (left and right), 60" wide work table surface.
- 30" deep × 48S" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep × 72" wide base is only compatible with a 30" deep × 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

For tables adjusted below 32" high, C frames hang from top stretcher only, and storage units cannot mount.


Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C462x.3036; order Y1200.42 for a C462x.3048.

Dimensions



Adjustable Work Table Base *continued*

Specification Information

Step 1.

C462 ☐

Step 2. Casters/Glides

G. glides ☐

C. casters ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

48S 48" wide, symmetrical support ☐

Step 5. Number of Stretchers

A upper placement only ☐

B upper and lower placement ☐

Prices for Steps 1-5.

	A	B
C462G. 24 36	\$2887	3209
48	\$2902	3231
72	\$3069	3537
30 36	\$2915	3233
48	\$2933	3258
72	\$3095	3563
48S	\$3354	3767
	A	B
C462C. 24 36	\$3001	3326
48	\$3017	3344
72	\$3184	3652
30 36	\$3025	3346
48	\$3046	3370
72	\$3208	3677
48S	\$3465	3880

Step 6. Base Finish

HF inner tone light ☐ +\$0


LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

Work Table Surface, Rectangular

C4700.



Product Information

Description

This work table surface attaches to work table bases (C460G., C461G., C462G., C462C.). Predrilled holes accept drawer bearers ordered with the work surface. Surface material is available in laminate, Chemsurf®, Corian®, or phenolic resin.

Notes

Drawer bearers must be field installed.

Only used on work table bases C460G., C461G., C462G., C462C., ordered separately. See table base information for work surface compatibilities and top load weight capacities.


Work table surface supports the following maximum pairs of drawer bearers (each pair has 1 left and 1 right bearer):

- For 36"-wide table: 1 pair.
- For 48"-wide table: 2 pair.
- For 48S"-wide table: 4 pair (2 pair on either side).
- For 60"-wide table: 2 pair.
- For 72"-wide table: 3 pair.

Phenolic resin is 1" thick. When ordering adjustable work table base (C462C.) with phenolic resin top (C4700.xxxxP) that needs to be level with tables (C462C.) using laminate, Chemsurf, or Corian tops (C4700.L, C4700.K, C4700.C), order phenolic shim service part.

See Co/Struc® System planning guide for capacity information.

Dimensions



Co/Struc® Work Surfaces

Work Table Surface, Rectangular

continued

Specification Information

Step 1.

C4700. ☐

Step 2. Depth

24	24" deep	<input type="checkbox"/>
30	30" deep	<input type="checkbox"/>
36	36" deep	<input type="checkbox"/>

Step 3. Width

For 24" deep (24)

36	36" wide	<input type="checkbox"/>
48	48" wide	<input type="checkbox"/>
51L	51" wide, left overhang	<input type="checkbox"/>
51R	51" wide, right overhang	<input type="checkbox"/>
60	60" wide	<input type="checkbox"/>
72	72" wide	<input type="checkbox"/>

For 30" deep (30)

36	36" wide	<input type="checkbox"/>
48	48" wide	<input type="checkbox"/>
51L	51" wide, left overhang	<input type="checkbox"/>
51R	51" wide, right overhang	<input type="checkbox"/>
60	60" wide	<input type="checkbox"/>
72	72" wide	<input type="checkbox"/>

For 36" deep (36)

72	72" wide	<input type="checkbox"/>
-----------	----------	--------------------------

Step 4. Surface Material

L	high-pressure laminate	<input type="checkbox"/>
C	Chemsurf®	<input type="checkbox"/>
K	corian	<input type="checkbox"/>
P	phenolic resin	<input type="checkbox"/>

Prices for Steps 1-4.

		L	C	K	P
C4700.	24 36	\$367	491	1237	1537
	48	\$400	535	1542	2040
	51L	\$503	629	1854	2474
	51R	\$503	658	1854	2474
	60	\$516	642	1855	2476
	72	\$561	787	2170	2984

30 36	\$410	526	1455	1892
48	\$462	572	1813	2511
51L	\$566	716	2181	3048
51R	\$566	716	2181	3048
60	\$561	785	2171	3038
72	\$632	880	2534	3660
36 72	\$835	1300	2959	5588

Step 5. Top/Edge Finish

For high-pressure laminate (L)

HF	inner tone light	<input type="checkbox"/>	+\$0
LT	light tone	<input type="checkbox"/>	+\$0
LU	soft white	<input type="checkbox"/>	+\$0
WN	warm grey neutral	<input type="checkbox"/>	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	<input type="checkbox"/>	+\$0
KH	light tone Chemsurf®	<input type="checkbox"/>	+\$0
KR	inner tone light Chemsurf®	<input type="checkbox"/>	+\$0
LE	soft white Chemsurf®	<input type="checkbox"/>	+\$0

For corian (K)

CQ	glacier white	<input type="checkbox"/>	+\$0
QB	bisque	<input type="checkbox"/>	+\$0
1S	savannah	<input type="checkbox"/>	+\$410
1U	sahara	<input type="checkbox"/>	+\$410
4I	sandstone	<input type="checkbox"/>	+\$410
58	cameo white	<input type="checkbox"/>	+\$400
ANC	antarctica	<input type="checkbox"/>	+\$400
IQ	aurora	<input type="checkbox"/>	+\$410
OQ	silt	<input type="checkbox"/>	+\$410
SVG	silver gray	<input type="checkbox"/>	+\$100
CRT	concrete	<input type="checkbox"/>	+\$525
DVC	dove	<input type="checkbox"/>	+\$525

For phenolic resin (P)

BK	black	<input type="checkbox"/>	+\$0
-----------	-------	--------------------------	------

Step 6. Pairs of Drawer Bearers













For 36" wide (36)

NB	without drawer bearers	<input type="checkbox"/>	+\$0
1D	1 pair drawer bearers	<input type="checkbox"/>	+\$16


Work Table Surface, Rectangular

continued

Co/Struc® Work Surfaces

For 48" wide (48), 51" wide, left overhang (51L), 51" wide, right overhang (51R), or 60" wide (60)		
NB	without drawer bearers 	+\$0
1D	1 pair drawer bearers 	+\$16
2D	2 pair drawer bearers 	+\$31
For 24" deep (24) or 30" deep (30) with 72" wide (72)		
NB	without drawer bearers 	+\$0
1D	1 pair drawer bearers 	+\$16
2D	2 pair drawer bearers 	+\$31
3D	3 pair drawer bearers 	+\$47
For 36" deep (36) with 72" wide (72)		
NB	without drawer bearers 	+\$0
1D	1 pair drawer bearers 	+\$16
2D	2 pair drawer bearers 	+\$31
3D	3 pair drawer bearers 	+\$47
4D	4 pair drawer bearers 	+\$62

C4900.



Description

Notes

Compatible only with 36"-high table bases, due to installation clearance needed.

18" deep shelf (C4900.18) is compatible with only 30"-deep table bases.

Reagent shelf (C4900.) rests on table base legs and is not height adjustable.

Technical drawing of a rectangular box. The top view shows a rectangle with width w and depth d . The side view shows the box with a bottom edge detail indicating a dimension of $1 \frac{1}{4}''$.

Step 1.

C4900. A

Step 2. Depth

16 16" deep

18 18" deep ☐ A

Step 3. Width

36 36" wide

48 48" wide

72 72" wide

Step 4. Surface Material

L high-pressure laminate **A**


Prices for Steps 1-4.

	L
C4900. 16 36	\$623
48	\$701
72	\$1012
18 36	\$653
48	\$730
72	\$1047

Step 5. Top/Edge Finish

HF	inner tone light	<input type="text" value="A"/>	+\$0
LT	light tone	<input type="text" value="A"/>	+\$0
LU	soft white	<input type="text" value="A"/>	+\$0
WN	warm grey neutral	<input type="text" value="A"/>	+\$0
CL	cool grey neutral	<input type="text" value="A"/>	+\$0

Riser Frame DividerC4320.



Product Information

Description
This piece divides a workstation riser frame into smaller sections and provides upright riser support for hanging components. The dividers bolt to the riser frame at predrilled attachment locations. Finish is black.


Notes
Order workstation (C4310. or C4311.) separately.

Dimensions

Specification Information


Step 1.
C4320. \$535

Co/Struc® Work Surfaces



Riser Frame End Cover


C4321.




Product Information
Description
This metal cover finishes the exposed hardware on the end of a riser frame.
Notes
Specify 2 end covers per riser frame.
Specify end cover finish to match the corresponding finish of workstation (C4310. or C4311.) to which cover will be attached.
Order workstation (C4310. or C4311.) separately.
Dimensions

Specification Information		
Step 1.		
C4321.		\$142
Step 2. Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Work Surfaces





Product Information

Description

This power strip mounts horizontally on hanger clips and provides single-circuit, 15-amp, 100-volt outlets on a riser frame. It has a lighted on/off switch with circuit breaker and an 8' cord. It is UL listed. Mounting hardware is included.

Power strips have the following number of outlets:

Width—Outlets

24"—4 outlets

30"—5 outlets

36"—6 outlets

48"—8 outlets

60"—10 outlets

72"—12 outlets

Notes


To mount power strip inside riser frame (vertically), specify 36" width.

Specify power strip finish to match the corresponding finish of workstation (C4310. or C4311.) to which it will be attached.

Order workstation (C4310. or C4311.) separately.

For lab modules (C1112., C1114.) and support panels (C1150., C1151.), power strip can be specified as part of the product.

Dimensions



Specification Information

Step 1.

C4322.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide

Prices for Steps 1-2.


C4322.	24	\$616
	30	\$663
	36	\$710
	48	\$733
	60	\$826
	72	\$872

Step 3. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Marker Board


C4323.




Product Information
Description
This 2-sided white board mounts between 2 riser frame dividers or a riser frame and a riser frame divider. Both sides are magnetic with white erasable writing surfaces. Includes a black-texture marker tray on one side only. Mounting hardware is included.
Notes
Order workstation (C4310. or C4311.) separately.
Dimensions

Specification Information
Step 1.
C4323.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
Prices for Steps 1-2.
C4323. 24 \$587
30 \$650
36 \$692

Co/Struc® Work Surfaces





Product Information



Description

This arm mounts to a workstation riser frame and holds a flat panel display monitor. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards) with a 100 mm or 75 mm mounting pattern. It provides 360° monitor rotation and 60° horizontal and vertical tilt range. Finish is black. Mounting hardware is included. Finish is black.

Notes

Order workstation (C4310. or C4311.) separately.

Dimensions



Specification Information


Step 1.

C4324. \$886

Co/Struc® Work Surfaces

Sink Module

C2512.



Product Information

Description

This component hangs from a module, a support panel, or wall strips and holds a 12"-high sink. It includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

The module accepts the following cutout dimensions:

Depth:

- 24": 18 1/4"-deep maximum cutout
- 30": 24 1/4"-deep maximum cutout

Width:



- 24": 19 5/8"-wide maximum cutout
- 30": 25 5/8"-wide maximum cutout
- 48": 43 5/8"-wide maximum cutout
- 60": 55 5/8"-wide maximum cutout

Notes

Sink must be customer supplied and field installed.

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Dimensions



Specification Information

Step 1.

C2512.

Step 2. Depth

24	24" deep
30	30" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide


Prices for Steps 1-3.

	24	30	36	48	60
C2512. 24	\$876	1020	1071	1121	1220
30	\$1042	1220	1285	1342	1504

Step 4. Surface Finish

91	white (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0


Sink Unit for StorageC2513.




Co/Struc® Work Surfaces

Product Information	
Description	
This 24"-deep, 48"-wide structure hangs from 2 24"-wide panels or freestanding modules or from 3 wall strips. It supports drawer storage on the left or right side and a sink unit on the other side. The maximum cutout for the sink is 18 1/4" deep × 19 5/8" wide. The surface includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.	
Notes	
Order storage components for open space opposite sink unit separately:	
• Drawer bearers (CO228 or CO396)	
• Gripper package (CO266) and C frame (CO205) for Co/Struc® drawers	
• L cart (CO212) and single counter top (CO555) for C frames and drawers when surface is mounted 38" above floor	
• Storage case (C5040.2422) and 24"-wide Co/Struc adapter rail (C1610.24)	
Sink must be customer supplied and field installed.	
Storage unit (C5010.) cannot mount under sink unit.	
Order standard duty work surface (C2142.) with solid surface option (K) separately.	
Dimensions	

Specification Information		
Step 1.		
C2513.24		\$1131
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$77



ADA Sink Support, Systems Mounted C2520.



Product Information

Description

This sink support hangs from a module or wall strips. It supports a 5½"-deep sink and a solid surface or alternative material top. The sink support has a 4"-high laminate front trim and a removable front panel to allow access to plumbing. Attachment hardware is included. Shipped knocked down.

Notes

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Sink must be customer supplied and field installed. A Just SL-ADA-1921-A-GR sink, with drain located in rear center, fits in a 24" × 24" sink support.

Dimensions

Specification Information

Step 1.

C2520.

Step 2. Depth

24	24" deep
30	30" deep

Step 3. Width

24	24" wide
30	30" wide
48	48" wide
60	60" wide


Prices for Steps 1-3.


	24	30	48	60
C2520. 24	\$1485	1671	1855	2038
30	\$1577	1760	2038	2224

Step 4. Surface Finish

91	white (CP)	+\$123
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Work Surfaces





Product Information

Description

This cabinet hangs below a heavy-duty work surface or process table. It has 2 side panels, a back panel, and a top and bottom panel.

Notes

Order heavy-duty work surface (C2141.), process table (C4313.), standard work table base (C461G.), adjustable lab work table base (C462G., C462C.), work table (C4312.), or workstation (C4310. or C4311.) separately.
Order shelves (C5015.1622) separately; shelves adjust in 1¼" increments.
Order A-size drawers (CO207) or B-size drawers (CO208) and lockable drawer bearer (C5048.) separately.
Order storage unit door (C5016. or C5017.) separately.

Dimensions

Specification Information

Step 1.


C5010.1622

\$1048

Step 2. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$62

Co/Struc® Storage



Storage Unit Shelf


C5015.



Product Information
Description
This shelf mounts inside a storage unit and adjusts in 1 1/4" increments.
Notes
Order storage unit (C5010.) separately.
Dimensions


Specification Information		
Step 1.		
C5015.1622		\$294
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$16

Co/Struc® Storage



Storage Unit Door

C5016.
C5017.




Product Information

Description
This door attaches to the front of a storage unit. Attachment hardware is included.

Notes
Co/Struc® drawers cannot be specified behind doors.
When specifying 19" or 22"-high lockable door that has drawers above it, specify interior filler (C5009.) to prevent access to cabinet below.
For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C501

Step 2. Hinge Location

- 6. left-hand hinges
- 7. right-hand hinges

Step 3. Height

- 1922 19" high
- 2222 22" high
- 2522 25" high

Step 4. Lock

- N no lock
- L keyed differently
- K keyed alike

Prices for Steps 1-4.


		N	L	K
C5016.	1922	\$379	473	473
	2222	\$434	527	527
	2522	\$505	597	597
C5017.	1922	\$379	473	473
	2222	\$434	527	527
	2522	\$505	597	597

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$31

Step 6. Pull Option/Finish


NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0




Product Information
Description
This filler mounts inside a storage unit and provides closure to the cabinet below when Co/Struc drawers are installed. It mounts at either 19" or 22" high.
Notes
Order storage unit (C5010.) separately.
Filler is used with A-size drawers (CO207) or B-size drawers (CO208).
Dimensions

Specification Information		
Step 1.		
C5009.1622		\$294
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$16

Co/Struc® Storage





Product Information

Description

These drawer bearers attach Co/Struc® A-, B-, or C-size drawers in a storage unit. They have integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. Finish is black. Package contains 1 pair.

Notes

Order A-size drawers (CO207), B-size drawers (CO208), or C-size drawers (CO209) separately.
Can be used with locking or non-locking drawers.

Dimensions


Specification Information

Step 1.

C5048.


\$128

Co/Struc® Storage



Storage Case


C5040.




Product Information
Description
This case mounts under a heavy-duty rectangular or corner work surface. It has 2 side panels, a back panel, and a top and bottom panel. Interior components can be height adjusted in 1 1/4" increments.
Notes
Order heavy-duty work surface (C2141.) or heavy-duty corner work surface (C2215. or C2216.) separately.
To support case mounted under rectangular work surface, order adapter rail (C1610).
Order optional products separately:
• Storage case bottle drawer (C5045.)
• Storage case door (C5052. or C5053.)
• Storage case drawer (C5043. or C5044.)
• Storage case pullout shelf (C5042.)
• Storage case shelf (C5041.)
For top slot of case, specify 16"-deep drawer or shelf to clear support beam under heavy-duty work surface.
Dimensions

Specification Information
Step 1.
C5040.
Step 2. Depth
2422 23" deep
3022 29" deep
Prices for Steps 1-2.
C5040. 2422 \$1150
3022 \$1263
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0
91 white (CP) +\$72

Co/Struc® Storage



Storage Case ShelfC5041.



Product Information

Description

This shelf mounts inside a storage case and adjusts in 1¼" increments.

Notes

To clear support beam on heavy-duty work surface, shelf must be positioned at least 2½" below the surface.

Dimensions

Specification Information

Step 1.

C5041.

Step 2. Depth

2422 23" deep

3022 29" deep

Prices for Steps 1-2.

C5041. 2422 \$363

3022 \$382

Step 3. Surface Finish


HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0


91 white (CP) +\$21



Co/Struc® Storage

Storage Case Pullout Shelf


C5042.



Product Information
Description
This pullout shelf is 21 1/4" deep and mounts inside a storage case. It adjusts in 1/4" increments.
Notes
To clear support beam on heavy-duty work surface, shelf must be positioned at least 2 1/2" below the surface.
Dimensions


Specification Information		
Step 1.		
C5042.2422		\$509
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$33

Co/Struc® Storage



Storage Case Drawer

C5043.
C5044.



Product Information


Description

This drawer mounts inside a storage case and is available with or without a lock. The 22"-deep drawer cannot be used in the top position of a storage case.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C504

Step 2. Depth

- 3. 16" deep
- 4. 22" deep

Step 3. Height

For 16" deep (3.)

- 0422 small, 5" high
- 0822 medium, 7 1/2" high

For 22" deep (4.)

- 0422 small, 5" high
- 0822 medium, 7 1/2" high
- 1222 large, 10" high

Step 4. Lock

- N no lock
- L keyed differently
- K keyed alike

Prices for Steps 1-4.


		N	L	K
C5043.	0422	\$481	795	795
	0822	\$604	906	906
C5044.	0422	\$533	701	701
	0822	\$636	942	942
	1222	\$670	978	978

Step 5. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$41

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0




Product Information
Description
This pullout drawer mounts in a storage case and has a partial-height front for easy access to contents. It includes 3 dividers.
Dimensions



Specification Information
Step 1.
C5045.
Step 2. Height
0822 5" high
1222 7 1/2" high
Prices for Steps 1-2.
C5045. 0822 \$1063
1222 \$1132
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0
76 light brown walnut +\$62
91 white (CP) +\$62
Step 4. Pull Option/Finish
NN none +\$0
BK black +\$0
NH brushed nickel +\$0

Storage Case Door

C5052.
C5053.



Product Information

Description


This door attaches to the front of a storage case. Attachment hardware is included.

Notes

Co/Struc® storage case drawers and storage case bottle drawers cannot be specified behind doors.

When specifying 17"- or 20"-high lockable door that has drawers above it, specify storage case shelf (C5041.) to prevent access to cabinet below. For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C505

Step 2. Hinge Location

- 2. left-hand hinges
- 3. right-hand hinges

Step 3. Height

- 1722 17" high
- 2022 20" high
- 2522 25" high

Step 4. Lock

- N no lock
- L keyed differently
- K keyed alike

Prices for Steps 1-4.

		N	L	K
C5052.	1722	\$369	460	460
	2022	\$400	492	492
	2522	\$500	594	594
C5053.	1722	\$381	477	477
	2022	\$410	509	509
	2522	\$518	614	614

Step 5. Surface Finish


91	white (CP)	+\$31
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0

Storage Case Leg


C5050.




Product Information
Description
This leg supports a storage case mounted under a heavy-duty work surface. It provides support when the work surface holds heavy loads. The legs adjust in 1/2" increments to allow a work surface height of 34" to 38". Leg finish is medium tone.
Notes
Order storage case (C5040.) separately.
Dimensions

Specification Information
Step 1.
C5050. \$292

Co/Struc® Storage




Storage Unit with Sliding DoorsC5014.




Product Information
Description
This unit hangs on a module, support panel, or wall strips above a work surface. It has sliding glass doors. Shipped knocked down.
Notes
Order optional task light separately: <ul style="list-style-type: none">• Under shelf LED task light (G6170.)
Dimensions

Specification Information
Step 1.
C5014.16
Step 2. Width
3030" wide
4848" wide
Prices for Steps 1-2.
C5014.1630\$2106
48\$2462
Step 3. Surface Finish
HFinner tone light+\$0
LTlight tone+\$0
LUsoft white+\$0
WNwarm grey neutral+\$0
91white (CP)+\$113



Shelf Unit

C5020.
C5021.



Product Information

Description

This 3- or 5-shelf unit hangs from a module, panel, or wall strips. It has 9" or 16"-deep shelves that adjust in 2½" increments. Shelves are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes

For additional shelf, order add-on shelf (C5025.) separately.

To cover shelf unit with dust cover, order add-on shelf (C5025.) and place in top position of unit.

To enclose back of unit, order back panel (C5026.) separately.

To hang unit on architectural wall and enclose back of unit, order shelf unit wall attachment panel (C5036.) separately.

To enclose front of unit, order shelf unit door (C5027., C5028., C5032., C5037., or C5038.) separately.


To ease cleaning and prevent the stacking of materials on top of shelf unit, order sloped shelf unit top (C0397.) separately.

Order optional task light for 16"-deep unit separately:


- Under shelf LED task light (G6170.)

To attach task light to slanted shelf, order light bracket (C5051.) separately.

Dimensions



3 Shelves



5 Shelves

Specification Information

Step 1.

C502

Step 2. Shelves/Height

- 0. 3 shelves and 24" high
- 1. 5 shelves and 34" high

Step 3. Depth

- 09 9" deep
- 16 16" deep

Step 4. Width


- 24 24" wide
- 30 30" wide
- 36 36" wide
- 48 48" wide

Prices for Steps 1-4.


	24	30	36	48
C5020. 09	\$732	774	789	831
16	\$916	964	1018	1139
C5021. 09	\$1027	1062	1106	1178
16	\$1232	1313	1393	1540

Step 5. Side Panel/Shelf Finish

- HF inner tone light +\$0
- LT light tone +\$0
- LU soft white +\$0
- WN warm grey neutral +\$0
- 91 white (CP) +\$62




Product Information
Description
This unit hangs from 24"-wide panels connected by an Action Office® 2-way 90° connector or wall strips used in a corner position. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.
Notes
For additional shelf in center section, order 24"-wide add-on shelf (C5025.1624). For additional shelf in side section, order 14"-wide add-on shelf (C5025.1614).
To cover back of center unit, order back panel (C5026.) separately.
To attach task light to slanted center shelf, order light bracket (C5051.) separately.
Dimensions



Specification Information
Step 1.
C502
Step 2. Shelves/Height
2.1648 3 shelves and 24" high
Prices for Steps 1-2.
C5022.1648 \$2857
Step 3. Side Panel/Shelf Finish
91 white (CP) +\$164
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Shelf Unit, 90° Corner

C5024.



Product Information



Description

This 72"-high shelf unit hangs from 24" or 48"-wide panels connected by 1 or 2 Action Office® 2-way 90° connectors or hangs from wall strips used in 1 or 2 90° corners. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes

For additional shelf, order add-on shelf (C5025.1631) separately.
To cover shelf unit with dust cover, order add-on shelf (C5025.1631) and place in top position of unit.

Dimensions



Specification Information


Step 1.

C5024.1648

\$5222

Step 2. Side Panel/Shelf Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$308




Product Information

Description

This shelf fits inside a shelf unit, diagonal corner shelf unit, or 90° corner shelf unit. It is used as an additional shelf or dust cover.

Dimensions



Specification Information

Step 1.

C5025.

Step 2. Depth

09	9" deep
16	16" deep

Step 3. Width

For 9" deep (09)

24	22 ³ / ₄ " wide
30	28 ³ / ₄ " wide
36	34 ³ / ₄ " wide
48	46 ³ / ₄ " wide

For 16" deep (16)


14	13 ¹ / ₂ " wide
24	22 ³ / ₄ " wide
30	28 ³ / ₄ " wide
31	30 ¹ / ₂ " wide
36	34 ³ / ₄ " wide
48	46 ³ / ₄ " wide

Prices for Steps 1-3.

	14	24	30	31	36	48
C5025. 09	—	\$150	164	—	171	196
16	\$159	194	198	206	208	225

Step 4. Shelf Finish

91	white (CP)	+\$11
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.


Dimensions

Specification Information

Step 1.


CO39827 \$211

Co/Struc® Storage




Shelf Unit Back Panel


C5026.



Product Information
Description
This panel attaches to a 3- or 5-shelf unit or diagonal corner shelf unit and closes the back. The shelf unit's top and bottom shelves must be flat.
Notes
Order shelf unit (C5020. or C5021.) or diagonal corner shelf unit (C5022.) separately.
Dimensions



Specification Information				
Step 1.				
C5026.				
Step 2. Height				
24	24" high			
34	34" high			
Step 3. Width				
24	22¾" wide			
30	28¾" wide			
36	34¾" wide			
48	46¾" wide			
Prices for Steps 1-3.				
	24	30	36	48
C5026. 24	\$293	317	340	405
34	\$350	383	412	479
Step 4. Surface Finish				
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0



Product Information

Description
These brackets fasten a task light to the bottom of an overhead cabinet, a flat or slanted shelf in a 3- or 5-shelf unit, or a center shelf in a diagonal corner shelf unit. Package contains 1 pair. Finish is black.

Notes
For 16"-deep shelf, order under shelf LED task light (G6170.) separately.


Dimensions

Specification Information

Step 1.
C5051.


Step 2. Usage
16 for 16"-deep shelf

Prices for Steps 1-2.
C5051. 16 \$186



Shelf Unit Door

C5027.
C5028.



Product Information

Description

This 24"-wide door encloses a shelf unit. Attachment hardware is included.


Notes

For 24"-high door, order 3-shelf unit (C5020.) separately.

For 34"-high door, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C502

Step 2. Hinge Location

- 7. left-hand hinges
- 8. right-hand hinges

Step 3. Height

- 2424** 24" high
- 3424** 34" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.


		N	L	K
C5027.	2424	\$581	745	745
	3424	\$761	928	928
C5028.	2424	\$567	735	735
	3424	\$754	915	915

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$41

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Product Information

Description

These doors enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included.


Notes

For 24" high doors, order 3-shelf unit (C5020.) separately.

For 34" high doors, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C5032.

Step 2. Height

- 24 24" high
- 34 34" high

Step 3. Width

- 30 30" wide
- 36 36" wide
- 48 48" wide

Step 4. Lock

- N no lock
- L keyed differently
- K keyed alike

Prices for Steps 1-4.

			N	L	K
C5032.	24	30	\$627	804	804
		36	\$735	910	910
		48	\$900	1071	1071
	34	30	\$814	985	985
		36	\$956	1130	1130
		48	\$1250	1424	1424

Step 5. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$52

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0

Sloped Shelf Unit Top

CO397.



Product Information


Description

This top attaches to a shelf unit. It is sloped to ease cleaning and prevent the stacking of materials on top of the cabinet.

Notes

Order shelf unit (C5020. or C5021.) separately.

Dimensions



Specification Information

Step 1.

CO397.

Step 2. Depth

09	10 1/2" deep
16	17" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-3.


	24	30	36	48
CO397. 09	\$439	492	534	582
16	\$492	526	582	693

Step 4. Surface Finish

HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0

Shelf Unit Wall Attachment Panel


C5036.



Product Information
Description
This panel encloses the back of a 3- or 5-shelf unit and allows the shelf unit to hang on an architectural wall.
Notes
Order 3-shelf unit (C5020.) or 5-shelf unit (C5021.) separately.
Dimensions


Specification Information
Step 1.
C5036.
Step 2. Height
24 24" high
34 34" high
Step 3. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide

Prices for Steps 1-3.					
		24	30	36	48
C5036.	24	\$350	390	472	547
	34	\$379	406	479	571
Step 4. Surface Finish					
HF	inner tone light				+\$0
LT	light tone				+\$0
LU	soft white				+\$0
WN	warm grey neutral				+\$0
91	white (CP)				+\$26



B-Style Rail-Hanging Shelf

CO521.



Product Information

Description

This 15½"-high shelf with a lip hangs from a standard rail or adapter rail. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.




Order optional add-on shelves of equal depth and width separately:

- Add-on shelf with lip (C3019.)

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

CO521.

Step 2. Depth

13	13" deep
16	16" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-3.


	24	30	36	42	48
CO521. 13	\$637	654	679	697	735
16	\$879	899	944	966	1048

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

B-Style Shelf

C3011.



Product Information

Description

This 15½"-high shelf with a lip hangs from a panel, a freestanding module, or wall strips. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage of 24" to 48"-wide shelf, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.

Order optional add-on shelves of equal depth and width separately:


- Add-on shelf with lip (C3019.)

For 60"-wide shelf, order 60"-wide task light.

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

C3011.

Step 2. Depth

13	13" deep
16	16" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Prices for Steps 1-3.


	24	30	36	42	48	60
C3011. 13	\$357	373	396	410	435	479
16	\$510	528	556	578	632	759

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

B-Style Shelf with Sloped Top

C3091.



Product Information

Description

This 16"-deep shelf hangs from a panel, a freestanding module, or wall strips and has a sloped metal top. A filler piece is included for enclosed storage applications. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes


For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

To enclose back of shelf, order A-/B-style flipper door back panel (A3390.) separately.

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

C3091.16

Step 2. Width

24	24" wide
30	30" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.


C3091.16	24	\$707
	30	\$740
	42	\$860
	48	\$898

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage

Add-On Shelf with LipC3019.



Product Information
Description
This shelf fits into a B-style shelf or B-style rail-hanging shelf to add a second shelf. Attachment hardware is included.
Notes
Order support components separately:
• B-style (C3011.) shelf
• B-style (CO521.) rail-hanging shelf
Dimensions


Specification Information
Step 1.
C3019.


Step 2. Depth
1313" deep
1616" deep

Step 3. Width
2424" wide
3030" wide
3636" wide
4242" wide
4848" wide
6060" wide

Prices for Steps 1-3.		24	30	36	42	48	60
C3019.	13	\$208	218	242	257	279	313
	16	\$305	322	348	368	428	535

Step 4. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0







Product Information
Description
This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.
Dimensions

Specification Information
Step 1.
CO39827
\$211

Co/Struc® Storage





Product Information

Description

This enclosed storage unit hangs on rails for stationary storage. The locker has 19 drawer slots in 3" increments and holds interchangeable components. The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

Notes

Order rail components separately:



- Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO561

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
EL	keyless lock, keyed differently
EK	keyless lock, keyed alike

Prices for Steps 1-2.

CO561	FF	\$2534
	FL	\$2761
	KA	\$2761
	EL	\$4082
	EK	\$4082

Step 3. Locker Finish

LU	soft white	+\$0
----	------------	------

Step 4. Door Finish

3B	beachglass	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0

Locker, with Tambour Door *continued*

16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			



Co/Struc® Storage

Product Information

Description

This enclosed storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components. Door is hinged at the right.

Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes

Door frame color matches locker color.

Order rail components separately:


- Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO570

Step 2. Lock

FF	no lock	
FL	keyed lock, keyed differently	
KA	keyed lock, keyed alike	
KP	keyless lock	
RF	RFID lock	

Prices for Steps 1-2.

CO570	FF	\$3271
	FL	\$3529
	KA	\$3529
	KP	\$4077
	RF	\$5072

Step 3. Locker Finish

LU	soft white	+\$0
----	------------	------

Step 4. Door Insert Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0

Locker, with Hinged Door *continued*

18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			



Product Information



Description

This storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.

Notes

- Order rail components separately:
- Standard rail assembly (CO282)
- Order transport/storage components separately:
- C tray/shelf (CO203)
 - C wire shelf (CO252)
 - Cassette assembly (CO565)
 - Drawer (CO207, CO208, or CO209)
 - Pullout catheter rack (CO469.)
- Order optional locker tambour door (CO219) separately.

Dimensions



Specification Information


Step 1.

CO562FF	\$2237
---------	--------

Step 2. Surface Finish

LU	soft white	+\$0
----	------------	------

Locker on Wheel Base, with Tambour Door CO564 Door



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5" diameter casters (2 swivel and 2 swivel with brake). The tambour door slides vertically for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.


Notes

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Locker on Wheel Base, with Tambour Door *continued*

Co/Struc® Storage

Specification Information

Step 1.

CO564

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
EL	keyless lock, keyed differently
EK	keyless lock, keyed alike

Prices for Steps 1-2.

CO564	FF	\$3537
	FL	\$3820
	KA	\$3711
	EL	\$5083
	EK	\$5083

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

3B	beachglass	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number

For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)


01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0

13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0
46	key number 46	+\$0
47	key number 47	+\$0
48	key number 48	+\$0
49	key number 49	+\$0
50	key number 50	+\$0
51	key number 51	+\$0
52	key number 52	+\$0
53	key number 53	+\$0
54	key number 54	+\$0
55	key number 55	+\$0
56	key number 56	+\$0
57	key number 57	+\$0
58	key number 58	+\$0
59	key number 59	+\$0

Locker on Wheel Base, with Tambour
Door *continued*

60	key number 60	+\$0
61	key number 61	+\$0
62	key number 62	+\$0
63	key number 63	+\$0
64	key number 64	+\$0
65	key number 65	+\$0
66	key number 66	+\$0
67	key number 67	+\$0
68	key number 68	+\$0
69	key number 69	+\$0
70	key number 70	+\$0
71	key number 71	+\$0
72	key number 72	+\$0
73	key number 73	+\$0
74	key number 74	+\$0
75	key number 75	+\$0
76	key number 76	+\$0
77	key number 77	+\$0
78	key number 78	+\$0
79	key number 79	+\$0
80	key number 80	+\$0
81	key number 81	+\$0
82	key number 82	+\$0
83	key number 83	+\$0
84	key number 84	+\$0
85	key number 85	+\$0
86	key number 86	+\$0
87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0

Locker on Wheel Base, with Hinged Door CO574



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5" diameter casters (2 swivel and 2 swivel with brake). The door is hinged at the right and swings open for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes


Door frame color matches locker color.

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO574

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-2.

CO574	FF	\$4478
	FL	\$4733
	KA	\$4733
	KP	\$5283
	RF	\$6231

Step 3. Locker Finish

LU	soft white	+\$0
----	------------	------

Step 4. Door Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0

Locker on Wheel Base, with Hinged
Door *continued*

18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			



Co/Struc® Storage

Product Information

Description

This mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Notes


Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

Order optional locker tambour door (CO219) and locker lock kit (CO277) separately.


Order optional locker hinged door (CO290) separately.

Dimensions



Specification Information

Step 1.	
CO563FF	\$3497
Step 2. Surface Finish	
LU soft white	+\$0




Product Information

Description

This vertical door provides closure on a locker. It opens by sliding into the locker bottom.

Dimensions




Specification Information

Step 1.

CO219FF \$386

Step 2. Surface Finish		
3B	beachglass	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage




Product Information

Description

This door provides closure on a locker. It is hinged at the right. Attachment hardware included.

Available with no lock, keyed lock, keyless lock or RFID lock.

Dimensions



Specification Information

Step 1.

CO290

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-2.

CO290	FF	\$1040
	FL	\$1303
	KA	\$1303
	KP	\$1855
	RF	\$2904

Step 3. Door Finish

LU	soft white	+\$0
----	------------	------

Step 4. Insert Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number

For keyed lock, keyed alike (KA)		
01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0

Locker Hinged Door *continued*

18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			



Product Information


Description

This kit includes a lock and converts a locker with tambour door to a lockable storage unit.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.
Kit must be field installed.

Dimensions



Specification Information

Step 1.

CO277

Step 2. Lock

FF	keyed differently
----	-------------------

KA keyed alike

Prices for Steps 1-2.

C0277	FF	\$253
-------	----	-------

KA	\$253
----	-------

Step 3. Surface Finish

LU	soft white	+\$0
----	------------	------

Step 4. Key Number


For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0

Locker Lock Kit *continued*

31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			

Co/Struc® Storage



Product Information


Description

This keyless lock converts a locker with tambour door to a lockable storage unit. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

Notes

For general information on locks, see Keyed-Alike Information in Appendices. Kit must be field installed.

Dimensions



Specification Information

Step 1.

CO279E

Step 2. Lock

- Kkeyless lock, keyed alike
- Lkeyless lock, keyed differently

Prices for Steps 1-2.

CO279E K	\$1658
L	\$1658

Step 3. Surface Finish

LUsoft white	+\$0
--------------	------

Step 4. Key Number


For keyless lock, keyed alike (K)

00	key number 00	+\$0
01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0

Locker Lock Kit, Keyless *continued*

30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			

Co/Struc® Storage



Product Information


Description

This component provides storage in an endoscopy/catheter cabinet. It has 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


Notes

Tray/shelf surface with raised edges can be configured with subcontainers; order subcontainers separately.

Dimensions



TOP



FRONT


Specification Information

Step 1.

CO204FF \$126

Step 2. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information
Description
This frame hangs on a standard rail or adapter rail, or it is supported by an L cart, process table, counter top, or heavy-duty storage work surface. It has 4 slots at 3" intervals to enclose and support storage components and accessories. The C frame cannot mount under a 24"-wide work surface and it is not recommended for overhead storage.
Notes
Order support components separately:
• Adapter rail (C1610.)
• Counter top (CO555, or CO556)
• L cart (CO212)
• Process table (C4115., C4215., or C4313.)
• Lab work table (C461G., C462G., or C462C.)
• Standard rail (CO282)
• Work table (C4312.)
• Workstation (C4310. or C4311.)
Order storage components separately:
• C tray/shelf (CO203)
• Drawer (CO207, CO208, or CO209)
Dimensions


Specification Information
Step 1.
CO205FF
\$333
Step 2. Surface Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral

Co/Struc® Storage



Counter Top

CO555
CO556




Co/Struc® Storage


Product Information
Description
This surface mounts on a C frame to provide a work surface or storage surface. It includes a gripper package for attaching the top to a C frame.
The single or extended counter top fits on 1 C frame. The extended counter top extends 4" past each C frame side.
Notes
Order C frame (CO205) separately.
Dimensions

Specification Information
Step 1.
CO
Step 2. Configuration/Width
555FF single
556FF extended
Prices for Steps 1-2.
CO555FF
CO556FF


Step 3. Surface Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral




TOP



SINGLE
FRONT




EXTENDED
FRONT




Product Information
Description
This lid provides a top for a C frame. It has raised side edges to keep items from sliding off.
Notes
Use lid when storing L cart below 38"-high process table or cantilevered work surface; existing drawer bearers must be removed.
Dimensions

Specification Information		
Step 1.		
CO201FF		\$233
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage





Product Information

Description

This component provides storage within a C frame, locker, or interior cabinet adapter. It is designed with 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


Notes

Order support component separately:


- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (CO561, CO562, CO563, or CO564)

Tray/shelf surface with raised edges can be configured with subcontainers or subdivider vane. Order subdivider vane (CO242) or subcontainers separately.

Dimensions



TOP




FRONT

Specification Information

Step 1.	
CO203FF	\$158


Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0




Product Information
Description
This component organizes IV bags, forms, tape rolls, and other small items within a drawer or C tray/shelf.
Dimensions

Specification Information		
Step 1.		
CO242FF		\$78
Step 2. Surface Finish		
LU	soft white	+\$0

Co/Struc® Storage






Product Information


Description
This wire shelf fits into the slots of a C frame, locker, or interior cabinet adapter and stores items requiring air circulation. It cannot be used with a subdivider vane or subdivider.

- Notes**
- Order support component separately:
- C frame (CO205)
 - Interior cabinet adapter (CG591.)
 - Locker or locker on wheel base (CO561, CO562, CO563, or CO564)

Dimensions




TOP



FRONT

Specification Information


Step 1.		
CO252FF		\$202
Step 2. Surface Finish		
LU	soft white	+\$0



Product Information
Description
This hardware package mounts a C frame under a work surface. 1 gripper package is required to mount each C frame to a work surface. Attachment screws are included.
Notes
C frame cannot mount with grippers under heavy-duty work surface.
Dimensions


Specification Information		
Step 1.		
CO266FF		\$98
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage



Drawer

CO207
CO208
CO209



Product Information

Description

This drawer fits into a locker or C frame and has stops to prevent accidental removal. It can also be mounted under a work surface using drawer bearers, ordered separately. The drawer is available with no lock, keyed lock, keyless lock or RFID lock.

Notes

To mount drawer under table or work surface, order drawer bearer package (CO228) or lockable drawer bearer (CO396) separately.


Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.

Drawer with keyless lock (KP) or RFID (RF) option cannot be used in locker with tambour door.

Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO20

Step 2. Size/Height

- 7 a size
- 8 b size
- 9 c size

Step 3. Lock

- FF no lock
- FL keyed differently
- KA keyed alike
- KP keyless lock
- RF RFID lock

Prices for Steps 1-3.

CO207	FF	\$144
	FL	\$301
	KA	\$301
	KP	\$957
	RF	\$2069

CO208	FF	\$187
	FL	\$340
	KA	\$340
	KP	\$993
	RF	\$2107

CO209	FF	\$233
	FL	\$390
	KA	\$390
	KP	\$1043
	RF	\$2153

Step 4. Surface Finish

2B	juniper <input type="checkbox"/>	+\$0
3B	beachglass	+\$0
6F	midnight <input type="checkbox"/>	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
YT	yellow <input type="checkbox"/>	+\$0

Step 5. Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0

Co/Struc® Storage


46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0			
82	key number 82	+\$0			
83	key number 83	+\$0			
84	key number 84	+\$0			
85	key number 85	+\$0			
86	key number 86	+\$0			
87	key number 87	+\$0			
88	key number 88	+\$0			
89	key number 89	+\$0			
90	key number 90	+\$0			
91	key number 91	+\$0			
92	key number 92	+\$0			

Drawer with Lockable Lid

CO370

CO372

CO374



Product Information

Description

This drawer has a hinged steel lid that can be locked. The lid can open when the drawer is pulled out to a stop position; the lid cannot be removed.

The drawer is 3", 6", or 9" high.


Notes

For B-size drawer with lockable lid, order A-size subcontainer only. For

C-size drawer with lockable lid, order A- or B-size subcontainers only.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO37

Step 2. Size/Height

0	a size
2	b size
4	c size

Step 3. Lid Lock

FF	keyed differently
KA	keyed alike

Prices for Steps 1-3.

CO370	FF	\$509
	KA	\$509
CO372	FF	\$548
	KA	\$548
CO374	FF	\$602
	KA	\$602

Step 4. Drawer Finish

2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0

Step 5. Lid Finish

LU	soft white	+\$0
----	------------	------

Step 6. Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0


Drawer with Lockable Lid *continued*

Co/Struc® Storage

09	key number 09	+\$0	56	key number 56	+\$0
10	key number 10	+\$0	57	key number 57	+\$0
11	key number 11	+\$0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			

Locked Drawer with Lockable Lid

CO371
CO373
CO375



Product Information

Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a lockable, non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock, keyless lock or RFID lock.

Notes


Locked drawer with lockable lid cannot be used with a C frame.

Drawer with keyless lock (KP) or RFID lock (RF) option cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions




TOP



A SIZE
FRONT



B SIZE
FRONT



C SIZE
FRONT

Specification Information

Step 1.

CO37

Step 2. Size/Height

1	a size
3	b size
5	c size

Step 3. Drawer/Lid Lock

FF	keyed differently
KA	keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-3.

CO371	FF	\$655
	KA	\$655
	KP	\$1336
	RF	\$2467
CO373	FF	\$696
	KA	\$696
	KP	\$1383
	RF	\$2519
CO375	FF	\$748
	KA	\$766
	KP	\$1423
	RF	\$2554

Step 4. Drawer Finish

2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0

Step 5. Drawer Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0

Locked Drawer with Lockable Lid

continued

Co/Struc® Storage

04	key number 04	+\$0	51	key number 51	+\$0
05	key number 05	+\$0	52	key number 52	+\$0
06	key number 06	+\$0	53	key number 53	+\$0
07	key number 07	+\$0	54	key number 54	+\$0
08	key number 08	+\$0	55	key number 55	+\$0
09	key number 09	+\$0	56	key number 56	+\$0
10	key number 10	+\$0	57	key number 57	+\$0
11	key number 11	+\$0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0

Locked Drawer with Lockable Lid

continued

98	key number 98	+\$0	40	key number 40	+\$0
99	key number 99	+\$0	41	key number 41	+\$0
Step 6. Lid Finish			42	key number 42	+\$0
LU	soft white	+\$0	43	key number 43	+\$0
Step 7. Lid Key Number			44	key number 44	+\$0
For keyed alike (KA) or keyless lock (KP)			45	key number 45	+\$0
01	key number 01	+\$0	46	key number 46	+\$0
02	key number 02	+\$0	47	key number 47	+\$0
03	key number 03	+\$0	48	key number 48	+\$0
04	key number 04	+\$0	49	key number 49	+\$0
05	key number 05	+\$0	50	key number 50	+\$0
06	key number 06	+\$0	51	key number 51	+\$0
07	key number 07	+\$0	52	key number 52	+\$0
08	key number 08	+\$0	53	key number 53	+\$0
09	key number 09	+\$0	54	key number 54	+\$0
10	key number 10	+\$0	55	key number 55	+\$0
11	key number 11	+\$0	56	key number 56	+\$0
12	key number 12	+\$0	57	key number 57	+\$0
13	key number 13	+\$0	58	key number 58	+\$0
14	key number 14	+\$0	59	key number 59	+\$0
15	key number 15	+\$0	60	key number 60	+\$0
16	key number 16	+\$0	61	key number 61	+\$0
17	key number 17	+\$0	62	key number 62	+\$0
18	key number 18	+\$0	63	key number 63	+\$0
19	key number 19	+\$0	64	key number 64	+\$0
20	key number 20	+\$0	65	key number 65	+\$0
21	key number 21	+\$0	66	key number 66	+\$0
22	key number 22	+\$0	67	key number 67	+\$0
23	key number 23	+\$0	68	key number 68	+\$0
24	key number 24	+\$0	69	key number 69	+\$0
25	key number 25	+\$0	70	key number 70	+\$0
26	key number 26	+\$0	71	key number 71	+\$0
27	key number 27	+\$0	72	key number 72	+\$0
28	key number 28	+\$0	73	key number 73	+\$0
29	key number 29	+\$0	74	key number 74	+\$0
30	key number 30	+\$0	75	key number 75	+\$0
31	key number 31	+\$0	76	key number 76	+\$0
32	key number 32	+\$0	77	key number 77	+\$0
33	key number 33	+\$0	78	key number 78	+\$0
34	key number 34	+\$0	79	key number 79	+\$0
35	key number 35	+\$0	80	key number 80	+\$0
36	key number 36	+\$0	81	key number 81	+\$0
37	key number 37	+\$0	82	key number 82	+\$0
38	key number 38	+\$0	83	key number 83	+\$0
39	key number 39	+\$0	84	key number 84	+\$0
			85	key number 85	+\$0
			86	key number 86	+\$0

Locked Drawer with Lockable Lid


continued

Co/Struc® Storage

87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0


Clear Lid


CO508.



Product Information
Description
This clear lid fits on a Co/Struc drawer and provides top closure.
Notes
Order drawer (CO207, CO208, or CO209) separately.
Dimensions

Specification Information
Step 1.
CO508.20
\$215







Product Information
Description
This package is used to mount a nonlocking drawer under a work surface. The drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.
Dimensions

Specification Information		
Step 1.		
CO228FF		\$53
Step 2. Surface Finish		
BK	black	+\$0

Co/Struc® Storage






Product Information
Description
This component is used to mount a drawer with lock under a work surface. The lockable drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.
Dimensions


Specification Information
Step 1.
CO396FF
\$117
Step 2. Surface Finish
BK black
+\$0

Co/Struc® Storage



Label Clip

CO274
CO462



Product Information

Description

This clip snaps onto a drawer, tray/shelf, or flipper to hold content labels. The clip accepts pressure-sensitive labels from the front or slide-in labels from the back. Finish is clear. Package contains 12 clips; labels not included.

Dimensions

Specification Information

Step 1.

CO

Step 2. Width

27427 6" wide


462 19" wide


Prices for Steps 1-2.

CO27427 \$52

CO462 \$92

Co/Struc® Storage






Product Information
Description
This assembly fits inside a locker or C frame or fits below a work surface with a drawer bearer. It has a wire cassette, cassette bins, and subdividers. The assembly fills 2 slots in a locker or C frame.
Dimensions


Specification Information
Step 1.
CO565FF
\$775
Step 2. Surface Finish
LU soft white
+\$0

Co/Struc® Storage



Dispensing Rail

CO365
CO366
CO367
CO368



Product Information

Description

This rail attaches to a panel, a freestanding module, or wall strips to support subcontainers at a 15° angle for gravity-feed dispensing. Package contains 2.

The A-size rail holds A-size subcontainers; the B-size rail holds B-size subcontainers.

Notes

Dispensing rails hold the following number of subcontainers:

A-Size Rail Width—Number of Subcontainers

24"—5 A-1, A-2, A-3 or A-4

24"—2 A-5

24"—10 A-8

48"—10 A-1, A-2, A-3, or A-4

48"—5 A-5

48"—20 A-8

B-Size Rail Width—Number of Subcontainers

24"—5 B-1 or B-3


24"—2 B-5

48"—10 B-1 or B-3

48"—5 B-5

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.

Dimensions



Specification Information

Step 1.

CO36

Step 2. Size/Width

5FF	a size and 24" wide
6FF	a size and 48" wide
7FF	b size and 24" wide
8FF	b size and 48" wide

Prices for Steps 1-2.


CO365FF	\$539
CO366FF	\$688
CO367FF	\$580
CO368FF	\$692

Step 3. Surface Finish

LU	soft white	+\$0
-----------	------------	------

Subcontainer

CO231
CO232
CO233
CO234
CO235
CO236
CO238
CO240
CO369



Product Information

Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is $2\frac{3}{16}$ " high; depth and width dimensions are:

Type—Depth—Width

A-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

A-2— $9\frac{3}{16}$ "— $4\frac{9}{16}$ "

A-3— $13\frac{13}{16}$ "— $4\frac{9}{16}$ "

A-4— $18\frac{7}{16}$ "— $4\frac{9}{16}$ "

A-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

A-8— $13\frac{13}{16}$ "— $2\frac{1}{4}$ "

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is $5\frac{3}{16}$ " high; depth and width dimensions are:

Type—Depth—Width

B-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

B-3— $13\frac{13}{16}$ "— $4\frac{9}{16}$ "


B-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

Notes


Order following products separately:

- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)

Dimensions



TOP



A-SIZE
FRONT

B-SIZE
FRONT

Specification Information

Step 1.

CO

Step 2. Size

231FF a-1**232FF** a-2**233FF** a-3**234FF** a-4**235FF** a-5**369FF** a-8**236FF** b-1**238FF** b-3**240FF** b-5

Prices for Steps 1-2.


CO231FF \$117**CO232FF** \$117**CO233FF** \$128**CO234FF** \$128**CO235FF** \$128**CO369FF** \$123**CO236FF** \$128**CO238FF** \$175**CO240FF** \$175

Step 3. Surface Finish

LU soft white +\$0

A-Size Drawer Organizer Kit

CO540
CO541
CO542
CO543
CO544
CO545



Product Information

Description

This kit fits inside an A-size drawer (without lid) and has 6 combinations of subcontainers and subcontainer dividers.

A-size subcontainer is $2\frac{3}{16}$ " high. Width and depth dimensions are:

Type—Width—Depth

A-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

A-2— $4\frac{9}{16}$ "— $9\frac{3}{16}$ "



A-3— $4\frac{9}{16}$ "— $13\frac{13}{16}$ "

A-4— $4\frac{9}{16}$ "— $18\frac{7}{16}$ "

A-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "


A-8— $2\frac{1}{4}$ "— $13\frac{13}{16}$ "

Dimensions




CO540FF


TOP




CO541FF




CO542FF



CO543FF



CO544FF



CO545FF

Specification Information

Step 1.

CO54

Step 2. Components

0FF 4 a-3 subcontainers, 6 a-3 dividers

1FF 1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8 dividers

2FF 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

3FF 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

4FF 4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers

5FF 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4 a-3 dividers

Prices for Steps 1-2.


CO540FF	\$108
CO541FF	\$114
CO542FF	\$114
CO543FF	\$108
CO544FF	\$108
CO545FF	\$108

Step 3. Surface Finish


LU	soft white	+\$0
-----------	------------	------

B-Size Drawer Organizer Kit

CO546
CO547




Product Information
Description
This kit fits inside a B-size drawer (without lid) or C-size drawer and has 2 combinations of subcontainers and subcontainer dividers.
The B-size subcontainer is 5 ³ / ₁₆ " high. Width and depth dimensions are:
Type—Width—Depth
B-1—4 ⁹ / ₁₆ "—4 ⁹ / ₁₆ "
B-3—4 ⁹ / ₁₆ "—13 ¹³ / ₁₆ "
B-5—9 ³ / ₁₆ "—9 ³ / ₁₆ "
Dimensions



Specification Information
Step 1.
CO54
Step 2. Components
6FF 4 b-3 subcontainers, 4 b-3 dividers
7FF 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2 b-3 dividers
Prices for Steps 1-2.
CO546FF \$130
CO547FF \$130
Step 3. Surface Finish
LU soft white +\$0

Subcontainer Divider

CO378
CO379
CO380




Product Information

Description

This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.

The divider for an A-8 subcontainer is 1⁵/₈" high and 2¹/₈" wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is 1⁵/₈" high and 4¹/₄" wide; and the divider for a B-1 or B-3 subcontainer is 4" high and 4¹/₄" wide.

Dimensions



Specification Information

Step 1.

CO3

Step 2. Usage

- 78FF
- for a-8 subcontainer
- 79FF
- for a-1, a-2, a-3, or a-4 subcontainers
- 80FF
- for b-1 or b-3 subcontainers

Prices for Steps 1-2.


CO378FF	\$110
CO379FF	\$110
CO380FF	\$112

Step 3. Surface Finish


LU	soft white	+\$0
----	------------	------

Subcontainer Handle


CO376
CO377



Product Information
Description
This snap-on handle has a surface for identification labels in a picking station. It also can convert a small or large subcontainer into a drawer when used on the flat surface of a C tray. The handle cannot be used with a subcontainer in an A-size drawer. Package contains 12.
Notes
Handle accepts following label:
• 2 1/8"-wide handle: 3/4" x 1" gummed label
• 4 1/2"-wide handle: 3/4" x 3" drop-in label
For 4 1/2"-wide handle, order label (CO459) separately.
Dimensions



Specification Information
Step 1.
CO37
Step 2. Width
6FF 2 1/8" wide
7FF 4 1/2" wide
Prices for Steps 1-2.
CO376FF \$58
CO377FF \$73
Step 3. Surface Finish
LU soft white +\$0




Product Information
Description
This label slides into a 4½"-wide subcontainer handle. Package contains 100 cards with 10 perforated labels per card (1000 labels total).


Specification Information
Step 1.
CO459
\$49

Subcontainer Label Flag

CO381
CO382



Product Information
Description
This flag snaps onto subcontainers that are hung from a dispensing rail. It provides a visible surface for identification labels. Package contains 12.
The flag for an A-8 subcontainer is 1¼" wide; the flag for an A-3 or B-3 subcontainer is 3½" wide.
Dimensions




Specification Information
Step 1.
CO38
Step 2. Usage
1FF for a-8 subcontainer
2FF for a-3 or b-3 subcontainer
Prices for Steps 1-2.
CO381FF
CO382FF
Step 3. Surface Finish
LU soft white

\$158
\$179

+\$0

Pullout Catheter Rack

CO469.



Product Information

Description

This 20"-wide, powder-coated wire rack fits into the slots of a locker to organize catheters. It is available with 3 or 4 independent, pullout slides. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.

Dimensions

Specification Information

Step 1.

CO469.20

Step 2. Slides

033 slides


044 slides

Prices for Steps 1-2.

CO469.2003\$1130


04\$1262

Co/Struc® Storage



Laptop Cart

CO600.




Product Information

Description

This height-adjustable laptop cart delivers point-of-care technology and holds a 17" laptop. The surface provides security by locking a laptop into place during use. The cart holds a maximum of 30 pounds and has 4" high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum.

Dimensions



Specification Information

Step 1.

CO600.

Step 2. Power Option

N no power strip
P power strip

Step 3. Bar Code Scanner Holder

N no bar code scanner holder
B bar code scanner holder

Step 4. Utility Basket


N no utility basket
U utility basket

Step 5. Drawer

N no drawer
D drawer

Prices for Steps 1-5.

			NN	ND	UN	UD
CO600.	N	N	\$4102	4690	4413	5000
		B	\$4261	4843	4571	5153
	P	N	\$4625	5207	4937	5519
		B	\$4778	5362	5090	5672




Product Information

Description

This height-adjustable cart delivers point-of-care technology. It holds a flat panel monitor arm and includes a 10"-wide column-mounted CPU holder with straps. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards). The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray and 2 plates: 75mm and 100mm. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum; and the CPU holder is black.

Dimensions



Specification Information

Step 1.

CO601.

Step 2. Power Option

- N no power strip
- P power strip

Step 3. Bar Code Scanner Holder

- N no bar code scanner holder
- B bar code scanner holder

Step 4. Utility Basket

- N no utility basket
- U utility basket

Step 5. Drawer


- N no drawer
- D drawer

Prices for Steps 1-5.

				NN	ND	UN	UD
CO601.	N	N		\$4328	4945	4655	5273
		B		\$4493	5110	4824	5436
	P	N		\$4875	5489	5206	5820
		B		\$5042	5656	5370	5983

Coiled Power Cord


CO602.



Product Information
Description
This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.
Dimensions

Specification Information
Step 1.
CO602. \$277







Product Information
Description
This perforated basket attaches to the column of a laptop or flat-panel cart and holds a utility basket. It can be used to hold charts, paper products, and other supplies. Finish is black.
Dimensions

Specification Information
Step 1.
CO605. \$350


Co/Struc® Mobile Technology Carts






Product Information
Description
This holder attaches to the surface of a laptop or flat-panel cart. It manages cables and wires and includes reusable cable ties. Finish is black.
Notes
Laptop-cart cable manager has 1 solid holder. Flat-panel-cart cable manager has 2 pieces that attach to each side of the flat-screen arm holder and go down through the work surface.
Dimensions

Specification Information		
Step 1.		
CO608.		
Step 2. Usage		
01	for laptop cart	
02	for flat panel cart	
Prices for Steps 1-2.		
CO608. 01		\$253
02		\$253




01



02

Coiled Power Cord

CO609.



Product Information

Description

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.


Dimensions

Specification Information

Step 1.

CO609.	\$496
--------	-------






Product Information
Description
This mobile cart has a platform, 4 rail profiles for hanging frames, and 4 casters (2 swivel and 2 swivel with brake) that are 4¾" hard-rubber zinc.
Notes
To hang drawer or shelf storage components, order C frame (CO205) separately.
Dimensions

Specification Information
Step 1.
CO212
Step 2. Application
FF standard
Prices for Steps 1-2.
CO212 FF \$1178
Step 3. Surface Finish
LU soft white +\$0

Co/Struc® Transport



Index by Product Name

Co/Struc® System	
2-Way 90° Corner Connector	page(s) 31
2-Way Module Corner Connector	46
3-Way 90° Corner Connector	32
3-Way Module Corner Connector	47
Access Panel Assembly	54
Adapter Rail	7
ADA Sink Support, Systems Mounted	111
Add-On Shelf, Shelf Unit	129
Add-On Shelf with Lip	140
Adjustable Work Table Base	98
Anchor Support Kit	49
A-Size Drawer Organizer Kit	186
Backsplash Filler	81
Basic Work Table Base	93
B-Size Drawer Organizer Kit	187
B-Style Rail-Hanging Shelf	137
B-Style Shelf	138
B-Style Shelf with Sloped Top	139
Cable Manager	197
Cassette Assembly	181
Ceiling Entry Support Panel	26
Center Closure Panel	61
C Frame	161
C Frame Support	78
Clear Lid	177
C Lid	163
Coiled Power Cord	195, 198
Combination Access Panel Assembly	56
Component Adapter Kit	79
Counter Top	162
CS Tray/Shelf	160
C Tray/Shelf	164
C Wire Shelf	166
Dispensing Rail	182
Drawer	168
Drawer Bearer Package	178
Drawer with Lockable Lid	171
Draw Rod, Seismic	12
End Cap for Standard or Seismic Rail	10
End Closure Assembly	60
Equipment Rail, Systems Mounted	9
Equipment Rail, Wall Mounted	8
Flat Panel Cart	194
Flat Panel Mount	108
Floor Anchor Adapter Kit	17
Floor Anchor Bracket, Action Office® Series 1	14

Floor Anchor Bracket, Action Office® Series 2	15
Floor Anchor Bracket, Co/Struc® Lab Module	13
Floor Entry Support Panel	24
Gripper Package	167
Heavy-Duty Corner Work Surface	82
Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector	84
Heavy-Duty Work Surface	72
Interface Connector	33
Interior Filler	115
Interior Shelf	51
Interior Shelf and Support Kit	53
Label Clip	180
Laptop Cart	193
L Cart	199
Light Bracket	132
Lockable Drawer Bearer	116, 179
Locked Drawer with Lockable Lid	173
Locker	146
Locker Hinged Door	154
Locker Lock Kit	156
Locker Lock Kit, Keyless	158
Locker on Wheel Base	152
Locker on Wheel Base, with Hinged Door	150
Locker on Wheel Base, with Tambour Door	147
Locker Tambour Door	153
Locker, with Hinged Door	144
Locker, with Tambour Door	142
Low Cup Sink Access Panel Assembly	58
Low Module	38
Low Module Terminal Panel	41
Marker Board	107
Mid-Run Support, Double Sided	36
Mid-Run Support, Single Sided	35
Module Support Leg	48
Module Wall Start	45
Open Support Panel	20
Panel Connector	34
Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
Panel Wall Start	30
Pass-Through Cover	77
Pass-Through Module	39
Pass-Through Module Terminal Panel	42
Power Strip	106
Process Table, Electric Height Adjustment	85
Pullout Catheter Rack	192
Rail-Hanging Work Surface	76

Index by Product Name *continued*

Index: Product Name

Rail Hardware	6
Reagent Shelf	87
Riser Frame Divider	104
Riser Frame End Cover	105
Seismic Finished End	16
Shelf End Cap	52
Shelf Label Clip	130, 141
Shelf Unit	125
Shelf Unit, 90° Corner	128
Shelf Unit Back Panel	131
Shelf Unit, Diagonal Corner	127
Shelf Unit Door	133
Shelf Unit Double Doors	134
Shelf Unit Wall Attachment Panel	136
Sink Module	109
Sink Unit for Storage	110
Sloped Shelf Unit Top	135
Standard-Duty Work Surface	70
Standard Rail	5
Standard Work Table Base	95
Storage Case	117
Storage Case Bottle Drawer	121
Storage Case Door	122
Storage Case Drawer	120
Storage Case Leg	123
Storage Case Pullout Shelf	119
Storage Case Shelf	118
Storage Unit	112
Storage Unit Door	114
Storage Unit Shelf	113
Storage Unit with Sliding Doors	124
Subcontainer	184
Subcontainer Divider	188
Subcontainer Handle	189
Subcontainer Handle Label	190
Subcontainer Label Flag	191
Subdivider Vane	165
Support Panel	22
Support Panel Top Cap	37
Table Floor Tether	86
Terminal Panel	28
Top Shelf	50
Utility Basket	196
Vertical Chase Cover	44
Wall Rail, Seismic	11
Wall Strip Cover	19
Wire Chase Overlay	69

Wire Chase Rail	62
Wire Chase Rail, 90° Inside Corner	64
Wire Chase Rail Bridge	66
Wire Chase Rail Cover	68
Wire Chase Rail End Cap	67
Workstation, Electric Height Adjustment	88
Workstation, Manual Height Adjustment	90
Work Surface Backsplash	80
Work Surface Support	75
Work Table, Electric Height Adjustment	92
Work Table Reagent Shelf	103
Work Table Surface, Rectangular	100

Index by Product Number

A1250. Seismic Finished End	page(s) 16
C460G. Basic Work Table Base	93
C461G. Standard Work Table Base	95
C462C. Adjustable Work Table Base	98
C462G.	
C1112. Low Module	38
C1114. Pass-Through Module	39
C1122. Low Module Terminal Panel	41
C1122. Pass-Through Module Terminal Panel	42
C1124.	
C1150. Open Support Panel	20
C1151. Support Panel	22
C1155. Floor Entry Support Panel	24
C1156. Ceiling Entry Support Panel	26
C1161. Terminal Panel	28
C1170. Equipment Rail, Wall Mounted	8
C1172. Equipment Rail, Systems Mounted	9
C1211. Panel Wall Start	30
C1212. Module Wall Start	45
C1220. 2-Way Module Corner Connector	46
C1221. 2-Way 90° Corner Connector	31
C1230. 3-Way Module Corner Connector	47
C1231. 3-Way 90° Corner Connector	32
C1261. Interface Connector	33
C1272. Mid-Run Support, Single Sided	35
C1273. Mid-Run Support, Double Sided	36
C1274. Support Panel Top Cap	37
C1275. Module Support Leg	48
C1276. Anchor Support Kit	49
C1281. Panel Connector	34
C1313. Wire Chase Rail	62
C1314.	
C1315. Wire Chase Rail Cover	68
C1316.	
C1317.	
C1318.	
C1321. Wire Chase Rail, 90° Inside Corner	64
C1322.	
C1326. Wire Chase Rail Bridge	66
C1327.	
C1331. Wire Chase Rail End Cap	67
C1332.	
C1358. Wire Chase Overlay	69
C1412. Access Panel Assembly	54
C1422. Combination Access Panel Assembly	56
C1432. Low Cup Sink Access Panel Assembly	58
C1451. End Closure Assembly	60

C1455. Center Closure Panel	61
C1460. Vertical Chase Cover	44
C1510. Shelf End Cap	52
C1510. Top Shelf	50
C1511. Interior Shelf	51
C1511. Shelf End Cap	52
C1515. Interior Shelf and Support Kit	53
C1610. Adapter Rail	7
C2140. Work Surface Support	75
C2141. Heavy-Duty Work Surface	72
C2142. Standard-Duty Work Surface	70
C2192. C Frame Support	78
C2193. Component Adapter Kit	79
C2215. Heavy-Duty Corner Work Surface	82
C2216. Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector	84
C2399. Pass-Through Cover	77
C2410. Rail-Hanging Work Surface	76
C2512. Sink Module	109
C2513. Sink Unit for Storage	110
C2520. ADA Sink Support, Systems Mounted	111
C2910. Work Surface Backsplash	80
C2920. Backsplash Filler	81
C3011. B-Style Shelf	138
C3019. Add-On Shelf with Lip	140
C3091. B-Style Shelf with Sloped Top	139
C4310. Workstation, Electric Height Adjustment	88
C4311. Workstation, Manual Height Adjustment	90
C4312. Work Table, Electric Height Adjustment	92
C4313. Process Table, Electric Height Adjustment	85
C4315. Table Floor Tether	86
C4320. Riser Frame Divider	104
C4321. Riser Frame End Cover	105
C4322. Power Strip	106
C4323. Marker Board	107
C4324. Flat Panel Mount	108
C4326. Reagent Shelf	87
C4327.	
C4700. Work Table Surface, Rectangular	100
C4900. Work Table Reagent Shelf	103
C5009. Interior Filler	115
C5010. Storage Unit	112
C5014. Storage Unit with Sliding Doors	124
C5015. Storage Unit Shelf	113
C5016. Storage Unit Door	114
C5017.	
C5020. Shelf Unit	125

Index by Product Number *continued*

Index: Product Number

C5021.		
C5022.	Shelf Unit, Diagonal Corner	127
C5024.	Shelf Unit, 90° Corner	128
C5025.	Add-On Shelf, Shelf Unit	129
C5026.	Shelf Unit Back Panel	131
C5027.	Shelf Unit Door	133
C5028.		
C5032.	Shelf Unit Double Doors	134
C5036.	Shelf Unit Wall Attachment Panel	136
C5040.	Storage Case	117
C5041.	Storage Case Shelf	118
C5042.	Storage Case Pullout Shelf	119
C5043.	Storage Case Drawer	120
C5044.		
C5045.	Storage Case Bottle Drawer	121
C5048.	Lockable Drawer Bearer	116
C5050.	Storage Case Leg	123
C5051.	Light Bracket	132
C5052.	Storage Case Door	122
C5053.		
CO201	C Lid	163
CO203	C Tray/Shelf	164
CO204	CS Tray/Shelf	160
CO205	C Frame	161
CO207	Drawer	168
CO208		
CO209		
CO212	L Cart	199
CO215.	Draw Rod, Seismic	12
CO219	Locker Tambour Door	153
CO228	Drawer Bearer Package	178
CO231	Subcontainer	184
CO232		
CO233		
CO234		
CO235		
CO236		
CO238		
CO240		
CO242	Subdivider Vane	165
CO252	C Wire Shelf	166
CO266	Gripper Package	167
CO274	Label Clip	180
CO277	Locker Lock Kit	156
CO279	Locker Lock Kit, Keyless	158
CO282	Standard Rail	5
CO284	Rail Hardware	6
CO285		
CO290	Locker Hinged Door	154
CO338	End Cap for Standard or Seismic Rail	10
CO365	Dispensing Rail	182
CO366		
CO367		
CO368		
CO369	Subcontainer	184
CO370	Drawer with Lockable Lid	171
CO371	Locked Drawer with Lockable Lid	173
CO372	Drawer with Lockable Lid	171
CO373	Locked Drawer with Lockable Lid	173
CO374	Drawer with Lockable Lid	171
CO375	Locked Drawer with Lockable Lid	173
CO376	Subcontainer Handle	189
CO377		
CO378	Subcontainer Divider	188
CO379		
CO380		
CO381	Subcontainer Label Flag	191
CO382		
CO396	Lockable Drawer Bearer	179
CO397.	Sloped Shelf Unit Top	135
CO398	Shelf Label Clip	130, 141
CO459	Subcontainer Handle Label	190
CO462	Label Clip	180
CO469.	Pullout Catheter Rack	192
CO479	Wall Rail, Seismic	11
CO481	Floor Anchor Bracket, Action Office® Series 1	14
CO485	Floor Anchor Bracket, Action Office® Series 2	15
CO487.	Wall Strip Cover	19
CO508.	Clear Lid	177
CO521.	B-Style Rail-Hanging Shelf	137
CO540	A-Size Drawer Organizer Kit	186
CO541		
CO542		
CO543		
CO544		
CO545		
CO546	B-Size Drawer Organizer Kit	187
CO547		
CO552	Floor Anchor Adapter Kit	17
CO553	Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
CO555	Counter Top	162
CO556		
CO561	Locker, with Tambour Door	142
CO562	Locker	146



CO563	Locker on Wheel Base	152
CO564	Locker on Wheel Base, with Tambour Door	147
CO565	Cassette Assembly	181
CO568	Floor Anchor Bracket, Co/Struc® Lab Module	13
CO570	Locker, with Hinged Door	144
CO574	Locker on Wheel Base, with Hinged Door	150
CO600	Laptop Cart	193
CO601	Flat Panel Cart	194
CO602	Coiled Power Cord	195
CO605	Utility Basket	196
CO608	Cable Manager	197
CO609	Coiled Power Cord	198



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Packaging/Keyed-Alike Information — Co/Struc® System

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Co/Struc components with a "CO" or "CV" prefix will be shipped with lock plugs installed. Mobile Technology Support products (CO600, CO601, and CO606) cannot be ordered keyed alike.

Keyed-alike Co/Struc components with a "C" prefix will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for "C" prefix components, specify keyed alike. Then place a separate order for plugs and locks:

1. List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 324.
2. List quantity of locks per key number.
3. Indicate this is a no charge order.

Keyed-alike locks are field installed.

A Medeco master key can be used to open any lock on Co/Struc components with a "CO" or "CV" prefix, except on Mobile Technology Support products CO600, CO601, and CO606. Customers interested in ordering master keys should contact Customer Care with a written request. To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug. These locks are available in key numbers 01 through 99. To remove lock plugs from locker with electronic lock, remove the cover from the e-lock mounting plate (be careful not to separate battery wires from unit). Next, loosen the hex nut inside the cover and remove the plug.

A Hudson master key can be used to open any lock on Co/Struc components with a "C" prefix. To remove lock plugs from existing components, a removal key or lock change tool is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request. Locks for "C" prefix components are available in key numbers 226 through 324 but are ordered as key numbers 01 through 99. Use the following chart to cross-reference the number selection.

"C" lock order numbers	Actual "C" lock plug numbers
1	226
2	227
3	228
4	229
5	230
6	231
7	232
8	233
9	234
10	235
11	236
12	237
13	238
14	239
15	240
16	241
17	242
18	243
19	244
20	245
21	246
22	247
23	248
24	249
25	250
26	251
27	252
28	253
29	254
30	255
31	256
32	257
33	258
34	259
35	260
36	261
37	262
38	263
39	264
40	265
41	266
42	267
43	268
44	269
45	270
46	271
47	272
48	273
49	274
50	275

"C" lock order numbers	Actual "C" lock plug numbers
51	276
52	277
53	278
54	279
55	280
56	281
57	282
58	283
59	284
60	285
61	286
62	287
63	288
64	289
65	290
66	291
67	292
68	293
69	294
70	295
71	296
72	297
73	298
74	299
75	300
76	301
77	302
78	303
79	304
80	305
81	306
82	307
83	308
84	309
85	310
86	311
87	312
88	313
89	314
90	315
91	316
92	317
93	318
94	319
95	320
96	321
97	322
98	323
99	324

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, ●, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.