

Prices effective July 5, 2023 Published March 2024

Nevi™ Sit-to-Stand Tables

Introduction	page 2
Nevi™ Sit-to-Stand Tables	3
Adjustable Height Tables	5
Sit-to-Stand Table Bases	13
Ambit™ Storage	15
Power and Data Support	17
Screens	22
Ambit™ Shroud	52
Indices	59
By Name	59
By Number	61
Appendices	
20-Day or Less/Assigned Lead-Time Order Informat	ion
For the latest materials information, refer to the Mate	rials pages on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective July 5, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Nevi™ Sit-to-Stand Tables

Adjustable Height Tables Sit-to-Stand Table Bases Ambit™ Storage Power and Data Support Screens

Ambit™ Shroud



Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. It comes with a simple up/down switch for height adjustment. Glides have 1/2 leveling range. Shipped knocked down. Product is UL Listed.

Notes

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.


Table cross beam acts as the stiffener and provides a small cavity for cable management.

Tables 48"-60" wide do not need a cross beam; tables 66" wide and 72" wide require a cross beam.

Floor to top-of-surface height adjustment range is $28^1/2^{"}.47^3/8$ " for the electric standard range (E) option, and $22^1/2^{"}.48^1/2$ " for the electric extended range (D) option.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.



Specification Information

Step 1	
DW6A	С
•	. Edge
S.	squared-edge
Step 3	S. Depth
24	24" deep (23" surface size)
30	30" deep (29" surface size)
Step 4	. Width
48	48" wide (46" surface size)
54	54" wide (52" surface size) A
60	60" wide (58" surface size)
66	66" wide (64" surface size) A
72	72" wide (70" surface size)
Step 5	S. Surface Material
L	high-pressure laminate top/thermoplastic edge
U	high-pressure laminate/universal edge [A]
Α	high-pressure laminate top/thermoplastic edge with
	MicrobeCare™ A
С	high-pressure laminate top/universal edge with
	MicrobeCare™ A
Step 6	. Mechanism
For 24	" deep (23" surface size) (24)
E	electric standard range

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric extended range (D)

WB legs with cross beam

Prices for Steps 1-7.						
	LENB	LEWB	LDWB	UENB	UEWB	UDWB
DW6ACS. 24 48	\$1931	2017	2211	1931	2017	2211
54	\$2003	2089	2271	2003	2089	2271
60	\$2047	2131	2315	2047	2131	2315
66	_	\$2191	2369	_	2191	2369
72	_	\$2252	2422	_	2252	2422
30 48	\$2016	2099	2281	2016	2099	2281
54	\$2099	2180	2361	2099	2180	2361
60	\$2145	2229	2408	2145	2229	2408
66	_	\$2312	2479	_	2304	2479
		*	0 = = 0			2550
72	_	\$2377	2550	_	2377	2550
72	_	\$2377	2550	_	23//	2550
72	AENB	\$2377 AEWB	ADWB	CENB	CEWB	CDWB
72 DW6ACS. 24 48	AENB \$2032			CENB 1991		
		AEWB	ADWB		CEWB	CDWB
DW6ACS. 24 48	\$2032	AEWB 2118	ADWB 2312	1991	CEWB 2075	CDWB 2265
DW6ACS. 24 48 54	\$2032 \$2106	AEWB 2118 2191	ADWB 2312 2373	1991 2064	CEWB 2075 2147	CDWB 2265 2325
DW6ACS. 24 48 54 60	\$2032 \$2106 \$2148	AEWB 2118 2191 2235	2312 2373 2415	1991 2064	2075 2147 2190	2265 2325 2366
DW6ACS. 24 48 54 60 66	\$2032 \$2106 \$2148	AEWB 2118 2191 2235 \$2293	ADWB 2312 2373 2415 2469	1991 2064	2075 2147 2190 2247	2265 2325 2366 2419
DW6ACS. 24 48 54 60 66 72	\$2032 \$2106 \$2148 —	AEWB 2118 2191 2235 \$2293 \$2353	ADWB 2312 2373 2415 2469 2523	1991 2064 2105 —	2075 2147 2190 2247 2306	2265 2325 2366 2419 2472
DW6ACS. 24 48 54 60 66 72 30 48	\$2032 \$2106 \$2148 — — \$2116	AEWB 2118 2191 2235 \$2293 \$2353 2199	2312 2373 2415 2469 2523 2384	1991 2064 2105 — — 2073	2075 2147 2190 2247 2306 2155	2265 2325 2366 2419 2472 2336 2410
DW6ACS. 24 48 54 60 66 72 30 48 54	\$2032 \$2106 \$2148 — — \$2116 \$2199	2118 2191 2235 \$2293 \$2353 2199 2280	2312 2373 2415 2469 2523 2384 2460	1991 2064 2105 — — 2073 2155	2075 2147 2190 2247 2306 2155 2234	2265 2325 2366 2419 2472 2336

Step 8	3. Swi	tch O	ption
--------	--------	-------	-------

STS simple up/down touch switch

+\$0

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60) with electric standard range (E)

For 66" wide (64" surface size) (66) or 72" wide (70" surface size) (72)

electric extended range

electric standard range

electric extended range

For 30" deep (29" surface size) (30)

independent legs

with electric standard range (E)

legs with cross beam

Step 7. Cross Beam

Ε

D

NB

WB

Step 9	9. Top Finish	
8Q	folkstone grey A	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre A	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🖪	+\$0
LBV	warm grey teak A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step :	10. Edge Finish	
For hi	gh-pressure laminate top/thermoplastic	edge (L) or high-
press	ure laminate top/thermoplastic edge witl	h MicrobeCare™ (A)
8Q	folkstone grey 🛕	+\$(
91	white	+\$0
98	studio white	+\$0
BU	black umber A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre 🛕	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill 🛕	+\$0
LBJ	graphite twill 🛕	+\$0
LBQ	white twill 🛕	+\$0
LBR	phantom ecru 🖪	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

For high-pressure laminate/universal edge (U) or high-pressure $laminate\ top/universal\ edge\ with\ Microbe Care^{\rm \tiny TM}\ (C)$

PLY	plywood edge	Α		+\$50
-----	--------------	---	--	-------

metati	ic Paint	
CN	metallic champagne 🛕	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Rectangle Table with C-Foot

continued

evi" Adjustable Height Table

Smoo	oth Paint	
8Q	folkstone grey 🛕	+\$0
91	white A	+\$0
98	studio white A	+\$0
G2	graphite satin 🛕	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Step	12. Glides	
57	glides	+\$0



Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. It comes with a simple up/down switch for height adjustment. Glides have $^{1}/_{2}$ " leveling range. Shipped knocked down. Product is UL Listed.

Notes

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.


Table cross beam acts as the stiffener and provides a small cavity for cable management.

Tables 48"-60" wide do not need a cross beam; tables 66" wide and 72" wide require a cross beam.

Floor to top-of-surface height adjustment range is $28^1/2^{"}.47^3/8$ " for the electric standard range (E) option, and $22^1/2^{"}.48^1/2$ " for the electric extended range (D) option.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.



Specification Information

DW6	AT
	A1
Step	2. Edge
S.	squared-edge
Step	3. Depth
24	24" deep (23" surface size)
30	30" deep (29" surface size)
Step	4. Width
48	48" wide (46" surface size)
54	54" wide (52" surface size) 🛕
60	60" wide (58" surface size)
66	66" wide (64" surface size)
72	72" wide (70" surface size)
Step	5. Surface Material
Α	high-pressure laminate top/thermoplastic edge with
	MicrobeCare™ A
C	high-pressure laminate top/universal edge with
	MicrobeCare™ A
L	high-pressure laminate top/thermoplastic edge
U	high-pressure laminate/universal edge 🛕
J	thermally-fused laminate top/thermoplastic edge with
	MicrobeCare™ A
K	thermally-fused laminate top/universal edge with
	MicrobeCare™ A
M	thermally-fused laminate top/thermoplastic edge
T	thermally-fused laminate top/universal edge [A]
Step	6. Mechanism
For 2	4" deep (23" surface size) (24)
E	electric standard range
D	electric extended range A
For 3	0" deep (29" surface size) (30)
E	electric standard range
D	electric extended range A

Step 7. Cross Beam

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60) with electric standard range (E)

NB independent legs

WB legs with cross beam [A]

For 66" wide (64" surface size) (66) or 72" wide (70" surface size) (72) with electric standard range (E)

WB legs with cross beam

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric extended range (D)

WB legs with cross beam A

Driega for Ctoma 1 7						
Prices for Steps 1-7.	AFND	A EVA/D	ADME	CENE	CEMB	CDWD
	AENB	AEWB	ADWB	CENB	CEWB	CDWB
DW6ATS. 24 48	\$2032	2118	2312	2032	2118	2312
54	\$2106	2191	2373	2106	2191	2373
60	\$2148	2235	2415	2148	2235	2415
66	_	\$2293	2469	_	2293	2469
72		\$2353	2523	<u> </u>	2353	2523
30 48	\$2116	2199	2384	2116	2199	2384
54	\$2199	2280	2460	2199	2280	2460
60	\$2245	2329	2509	2245	2329	2509
66	_	\$2412	2578	_	2405	2578
72	_	\$2476	2650	_	2476	2650
	LENB	LEWB	LDWB	UENB	UEWB	UDWB
DW6ATS. 24 48	\$1931	2017	2211	1931	2017	2211
54	\$2003	2089	2271	2003	2089	2271
60	\$2047	2131	2315	2047	2131	2315
66	_	\$2191	2369	_	2191	2369
72	_	\$2252	2422	_	2252	2422
30 48	\$2016	2099	2281	2016	2099	2281
54	\$2099	2180	2361	2099	2180	2361
60	\$2145	2229	2408	2145	2229	2408
66	_	\$2312	2479	_	2304	2479
72	_	\$2377	2550	_	2377	2550
	JENB	JEWB	JDWB	KENB	KEWB	KDWB
DW6ATS. 24 48	\$1908	1990	2172	1908	1990	2172
54	\$1979	2058	2229	1979	2058	2229
60	\$2018	2099	2268	2018	2099	2268
66	_	\$2154	2319	_	2154	2319
72	_	\$2211	2370	_	2211	2370

30 48	\$1987	2066	2239	1987	2066	2239
54	\$2066	2141	2310	2066	2141	2310
60	\$2109	2187	2357	2109	2187	2357
66	_	\$2264	2422	_	2259	2422
72	_	\$2326	2489	_	2326	2489
	MENB	MEWB	MDWB	TENB	TEWB	TDWB
DW6ATS. 24 48	\$1814	1894	2076	1814	1894	2076
54	\$1883	1962	2133	1883	1962	2133
60	\$1922	2003	2174	1922	2003	2174
66	_	\$2058	2225	_	2058	2225
72	_	\$2116	2275	_	2116	2275
30 48	\$1892	1971	2142	1892	1971	2142
54	\$1971	2048	2217	1971	2048	2217
60	\$2014	2094	2261	2014	2094	2261
66	_	\$2171	2328	_	2164	2328
72	_	\$2233	2394	_	2233	2394

Step	9.	Top	Finish
Step	7.	TOP	1111131

+\$0

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

8Q	folkstone grey A	+\$0
91	white	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
НХ	aged cherry A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
нм	natural maple	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0

Step 8. Switch Option

simple up/down touch switch

Step 10. Edge Finish

For hi	gh-pressure laminate top/thermoplastic ec	lge with
Micro	beCare™ (A), high-pressure laminate top/th	nermoplastic edge (L),
therm	nally-fused laminate top/thermoplastic edg	e with MicrobeCare™
(J), or	thermally-fused laminate top/thermoplast	ic edge (M)
8Q	folkstone grey A	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple [A]	+\$0
HP	light anigre A	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill 🗚	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🖪	+\$0
LBV	warm grey teak 🛕	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
For hi	gh-pressure laminate top/universal edge w	vith MicrobeCare™ (C),
high-	pressure laminate/universal edge (U), ther	mally-fused laminate
top/u	niversal edge with MicrobeCare™ (K), or the	ermally-fused
lamin	ate top/universal edge (T)	
PLY	plywood edge A	+\$50
Step 1	11. Base Finish	
Metal	lic Paint	
CN	metallic champagne 🛕	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smoot	h Paint	
3Q	folkstone grey	+\$0
91	white A	+\$0
98	studio white A	+\$0
32	graphite satin A	+\$0
NL	sandstone A	+\$0
٧N	warm grey neutral A	+\$0
Step 1	2. Glides	
57	glides	+\$0

+\$0

Sand Texture Paint

black

ВК



Description


This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes

Worksurface stiffener does not come with base kit. Order stiffener (FV696.) separately.

Height range of the electric standard range (E) option is $27^1/_4$ "- $46^1/_8$ ", and of the electric extended range (D) option is $22^1/_2$ "- $48^1/_2$ ". Range does not include thickness of worksurface.

Dimensions



Specification Information

Step 1.

DW7A.

Step 2.	Depth
24	24" deep (23" surface size)
30	30" deep (29" surface size)

Step 3. Foot Type

r	C foot
C	C 1001

T T foot A

Step 4. Mechanism

E electric standard range A


D electric extended range


Prices for Steps 1-4.		
	E	D
DW7A. 24 C	\$1532	1852
Т	\$1532	1852
30 C	\$1564	1880
Т	\$1564	1880

Step 5	. Switch Option	
STS	simple up/down touch switch	+\$0

Step 6. Base Finish Metallic Paint CN metallic champagne A +\$0 MS metallic silver +\$0 **SNA** satin aluminum +\$30 **SNB** satin bronze +\$30 SNC satin carbon +\$30 Sand Texture Paint BK black A +\$0

Smoo	oth Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
G2	graphite satin A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0





Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

Notes

Suspended units must be mounted on inside of table leg.


Small and large open units are not handed. Lock is always on right

Small and large open units are not handed. Lock is always on right side.


Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.

See planning guide for additional information and for other height-adjustable table mounting capabilities.


Dimensions



Large suspended storage



Open suspended storage



Small suspended storage

Specification Information


Step 1	
IH200	
Step 2	. Storage Type
C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock
Step 3	. Configuration
For sm	all suspended storage, lock (K) or small suspended storage, no
lock (S	
S	standard
	ge suspended storage, lock (C) or large suspended storage, no
lock (L	
L	drawer, door hinged left
Р	drawer, open
R	drawer, door hinged right
Step 4	. Depth
For sm	all suspended storage, lock (K) or small suspended storage, no
lock (S	5)
13	13" deep
	ge suspended storage, lock (C) or large suspended storage, no
lock (L 16) 16" deep
Step 5	. Width
Force	all suspended storage, lock (K) or small suspended storage, no
lock (S	
10	10" wide
10	10 wide
For lar	ge suspended storage, lock (C) or large suspended storage, no
lock (L)
10	10-¹/₄" wide
Step 6	. Top Drawer Accessory
N	none
C+ 7	. Bottom Accessory
Step /	. Bottom recessory

Prices f	or Steps 1-7.		
		1310NN	
IH200.	C L	_	\$1097
	P	_	\$84
	R	_	\$1097
	K S	\$580	_
	LL	_	\$1042
	P	_	\$78
	R	_	\$1042
	S S	\$525	-
Step 8.	Finish		
CN	metallic champagne		+\$0
MS	metallic silver		+\$0
SNA	satin aluminum		+\$30
SNB	satin bronze		+\$30
SNC	satin carbon		+\$30
8Q	folkstone grey		+\$0
91	white		+\$0
98	studio white		+\$0
ВК	black		+\$0
DB3	glacier		+\$20
DN2	nightfall		+\$20
DR1	canyon		+\$20
G1	graphite		+\$0
OLF	olive		+\$20
WL	sandstone		+\$0
WN	warm grey neutral		+\$0
Step 9.	Door Pull Finish		
For dra	wer, door hinged left (L) or drawer, door hinge	d right (R)
8Q	folkstone grey		+\$0
98	studio white		+\$0
BK	black		+\$0
UBK	ultra black		+\$0
Step 10). Lock		
For lard	re suspended storage, lock (C) or small suspen	ded stord	ige,
lock (K)			-
KA	keyed alike		+\$(
KC	keyed differently, chrome		+\$(
KD	keyed differently, black		+\$0
	, , ,		. 7

no lock

NL


+\$0



Description

This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU11

Step 2. Attachment


Price Category 5

- **B.** high density trough attachment
- **S.** worksurface attachment

Prices for Steps 1-2.	
DU11B.	\$273
DU11S.	\$273
Step 3. Finish	

+\$0






Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FT19C. A


Step 2. Width

08 8" wide A

40 40" wide A

Prices for Steps 1-2.


FT19C. 08 \$60 **40** \$106



Description

This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.


Dimensions		



Specification Information	
Step 1.	
FT199.	\$99

Height-Adjustable Vertical Cable Manager

DU15B. DU15S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

91

white

DU15 A

Step 2. Attachment

B. cable tray attachment A

S. worksurface attachment A

Step 3. Table Mechanism

D electric extended range


E electric standard range

Price	s for Steps 1-3.	
DU15	BB.D	\$164
	E	\$164
DU15	SS.D	\$170
	E	\$170
Step	4. Finish	
MS	metallic silver	+\$0
BK	black	+\$0

+\$0

Easy Access Height-Adjustable Vertical Cable Manager

DU16B. DU16S.




Product Information

Description


This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Step 1. DU16 A Step 2. Attachment B. cable tray attachment A S. worksurface attachment A Step 3. Table Mechanism D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 DU16S.D \$200 Step 4. Mesh Finish BK black A SY silver grey A Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A 98 studio white A 98 studio white A BK black A 1+\$0 G1 graphite A	Spec	ification Information					
Step 2. Attachment B. cable tray attachment A S. worksurface attachment A Step 3. Table Mechanism D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0 BK black A +\$0 Step 5. Cable Cover Finish							
B. cable tray attachment A S. worksurface attachment A Step 3. Table Mechanism D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0 BK black A +\$0							
B. cable tray attachment A S. worksurface attachment A Step 3. Table Mechanism D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0 BK black A +\$0							
Step 3. Table Mechanism D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0 BK black A +\$0 Step 5. Cable Cable A +\$0 Sand Texture Paint 91 white A +\$0 Step 5. Cable Cable A +\$0 Step 5. Cable Cable A +\$0	Step 2	2. Attachment					
Step 3. Table Mechanism D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish BK black A \$400 SY silver grey A \$400 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A \$400 Sand Texture Paint 91 white A \$400 98 studio white A \$400 BK black A \$400 Show the standard range A \$400 Step 5. Table Cover Finish	B.	cable tray attachment A					
D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 BK black A +\$0 BK black A +\$0 BK black A +\$0 BK black A +\$0	S.	worksurface attachment A					
D electric extended range A E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 BK black A +\$0 BK black A +\$0 BK black A +\$0 BK black A +\$0							
E electric standard range A Prices for Steps 1-3. DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	Step 3	3. Table Mechanism					
Prices for Steps 1-3. \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish \$200 BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish **0 Metallic Paint **50 Sand Texture Paint **50 98 studio white A **50 BK black A **\$0	D	electric extended range A					
DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish \$200 BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish **0 Metallic Paint **0 Sand Texture Paint **0 98 studio white A **50 BK black A **50	E	electric standard range A					
DU16B.D \$200 E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish \$200 BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish **0 Metallic Paint **0 Sand Texture Paint **0 98 studio white A **50 BK black A **50	_						
E \$200 DU16S.D \$200 E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0							
BK black A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 BK black A +\$0 BK black A +\$0	DU16		•				
E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0		E	\$200				
E \$200 Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0			****				
Step 4. Mesh Finish BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	DU16						
BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0		E	\$200				
BK black A +\$0 SY silver grey A +\$0 Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	Stop /	Mach Einich					
Step 5. Cable Cover Finish Metallic Paint M5 metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0			. 40				
Step 5. Cable Cover Finish Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0							
Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	31	Silver grey A	+\$0				
Metallic Paint MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	Sten 5	Cable Cover Finish					
MS metallic silver A +\$0 Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	Step 3	. Cable Cover (misn					
Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0	Metal	ic Paint					
Sand Texture Paint 91 white A +\$0 98 studio white A +\$0 BK black A +\$0			+\$0				
91 white A +\$0 98 studio white A +\$0 BK black A +\$0							
98 studio white A +\$0 BK black A +\$0	Sand	Texture Paint					
98 studio white A +\$0 BK black A +\$0	91	white A	+\$0				
	98	studio white A	+\$0				
	BK	black A	+\$0				
	G1						

Pari Screen, Height Adjustable Y1116. Tables



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2'' less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately

Attachment brackets are inset from edge of screen by approximately 8'' and require $2^1/2''$ of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A-1.51

B-1.89

C-1.76

D-2.14

E-2.21

F-2.58

For horizontal fabric direction (R):

Width-Yardage

For heights A/B:

24 - 0.88

30-1.07

36-1.26

42-1.45

48 - 1.64

54-1.83

60 - 2.02

66 - 2.21

72-2.39

For heights C/D/E/F:

24-1.76

30-2.14

36 - 2.52

42-2.90

48 - 3.28

54-3.65

60-4.03

66-4.41

72-4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions





Pari Screen, Height Adjustable Tables continued

Spe	cification Information					B 24	\$651	651	717	717
Step	1.					30	\$698	698	763	763
Y111	6. A					36	\$742	742	807	807
						42	\$784	784	850	850
Step	2. Height					48	\$870	870	936	936
Α	privacy (42" high) 🗚					54	\$979	_	1045	_
В	privacy & modesty (42" hig	h/10" below s	urface)	Α		60	\$1004	_	1070	_
C	privacy (46" high) 🗚					66	\$1080	_	1147	_
D	privacy & modesty (46" hig	h/10" below s	urface)	Α		72	\$1107	_	1174	_
E	privacy (53" high) 🗚					C 24	\$613	613	679	679
F	privacy & modesty (53" hig	h/10" below s	urface)	Α		30	\$656	656	722	722
						36	\$702	702	768	768
Step	3. Width					42	\$745	745	811	811
24	24" wide 🛕					48	\$823	823	888	888
30	30" wide 🛕					54	\$905	_	970	_
36	36" wide 🛕					60	\$1008	_	1074	_
42	42" wide 🛕					66	\$1057	_	1123	_
48	48" wide 🛕					72	\$1100	_	1165	_
54	54" wide 🛕					D 24	\$788	788	853	853
60	60" wide 🛕					30	\$830	830	896	896
66	66" wide 🛕					36	\$874	874	940	940
72	72" wide 🛕					42	\$918	918	984	984
						48	\$987	987	1055	1055
Step	4. Surface Material					54	\$1035	_	1101	_
						60	\$1097	_	1163	_
For 2	4" wide (24), 30" wide (30), 36	5" wide (36), 4	2" wide	e (42), or	48"	66	\$1152	_	1218	_
wide	(48)					72	\$1182	_	1247	_
R	tackable fabric, horizontal	Α				E 24	\$806	806	872	872
T	tackable fabric A					30	\$850	850	916	916
D	tackable fabric, horizontal	with MicrobeC	Care™ [Α		36	\$894	894	959	959
E	tackable fabric with Microb	oeCare™ 🗚				42	\$964	964	1031	1031
						48	\$992	992	1059	1059
For 5	4" wide (54), 60" wide (60), 60	5" wide (66), o	r 72" wi	ide (72)		54	\$1048	_	1116	_
R	tackable fabric, horizontal	Α				60	\$1069	_	1136	_
D	tackable fabric, horizontal	with MicrobeC	Care™ [Α		66	\$1096	_	1162	_
						72	\$1121	_	1187	
Price	s for Steps 1-4.					F 24	\$888	888	954	954
		R	Т	D	E	30	\$931	931	998	998
Y111	6. A 24	\$539	539	606	606	36	\$976	976	1042	1042
	30	\$626	626	691	691	42	\$1020	1020	1086	1086
	36	\$650	650	716	716	48	\$1098	1098	1164	1164
	42	\$689	689	756	756	54	\$1136	_	1201	_
	48	\$714	714	781	781	60	\$1178	_	1244	_
	54	\$784	_	850	_	66	\$1274	_	1339	_
	60	\$842	_	909	_	72	\$1299	_	1365	_
	66	\$900	_	968	_					
	72	\$950		1015						

Price Category C

Price Category E

Step 5. Cable Trough For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F) NC no cable way 🛕 +\$0 CW cable way 🛕 +\$25 Step 6. Fabric Price Category 1 +\$0 Price Category 2 +\$23 Price Category 3 +\$49 Price Category 4 +\$96 Price Category 5 +\$162 Price Category B +\$86


+\$121

+\$182

+\$53

+\$90

+\$66



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to $1^{1}/_{4}$ " thick.

Bottom of attachment bracket extends $1^{1}/_{2}$ " below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

13-0.94


For horizontal fabric direction (R):

Height—Yardage

13-1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117. A

Step 2. Height

13 13" high A

Price Category 4

Price Category 5

Price Category C

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-3.		
	R	Т
Y1117. 13	\$483	483
Step 4. Fabric		
Price Category 1		+\$0
Price Category 2		+\$13
Price Category 3		+\$28

Surface-Attached Screen, Flat

Y1118.

Product Information

Description

Edge

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width

Privacy screen (A) top edge is 13" above top of work surface; bottom edge is $3^{3}/4$ " below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 21/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54" wide fabrics.

For vertical fabric direction (T):

Height-Yardage

A-1.51

B - 1.89

C-1.76

D-2.14

E-2.21

L—Z.Z.

F-2.58

For horizontal fabric direction (R):

Width-Yardage

For heights A/B:

24 - 0.88

30-1.07

36-1.26

42-1.45

48-1.64

54-1.83

60-2.02

66 - 2.21

72-2.39

For heights C/D/E/F:

24-1.76

30-2.14

36 - 2.52

42-2.90

48-3.28

54-3.65 60-4.03

66-4.41


72-4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare[™] protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains. MicrobeCare[™] is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge continued

	ication Information					В		\$467	467	532	532
Step 1.							30	\$503	503	570	570
Y1118.	. A						36	\$539	539	606	606
							42	\$577	577	643	643
Step 2.	Height						48	\$607	607	674	674
A	privacy (42" high) 🗚						54	\$640	_	705	_
В	privacy & modesty (42	" high/ 9" below su	ırface) [Α			60	\$662	_	728	_
C	privacy (46" high) 🗚						66	\$722	_	789	_
D	privacy & modesty (46	" high/ 9" below su	ırface) [Α			72	\$776	_	842	_
E	privacy (53" high) 🗚					C	24	\$468	468	534	534
F	privacy & modesty (53	" high/ 9" below su	ırface) [Α			30	\$516	516	582	582
							36	\$555	555	621	621
Step 3.	Width						42	\$611	611	677	677
24	24" wide 🗚						48	\$685	685	750	750
30	30" wide 🛕						54	\$721	_	788	_
36	36" wide 🛕						60	\$806	_	872	_
42	42" wide A						66	\$848	_	913	_
48	48" wide A						72	\$909	_	975	_
54	54" wide A					D	24	\$588	588	655	655
60	60" wide A						30	\$656	656	722	722
66	66" wide A						36	\$732	732	797	797
72	72" wide A						42	\$748	748	815	815
							48	\$779	779	846	846
Step 4.	Surface Material						54	\$801	_	866	_
,							60	\$887	_	953	_
For 24"	wide (24), 30" wide (30)). 36" wide (36). 4	2" wide	(42), or	48"		66	\$959	_	1026	_
wide (4		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(,_,, -,			72	\$999	_	1065	_
R	tackable fabric, horizo	ntal 🖪				E	24	\$638	638	703	703
T	tackable fabric A	car [/]				_	30	\$647	647	713	713
D	tackable fabric, horizo	ntal with Microbe(are™ [/	A			36	\$665	665	731	731
E	tackable fabric with Mi		- L				42	\$781	781	848	848
_	tackaste lasile with in	icrosecure A					48	\$808	808	875	875
For 5/1"	wide (54), 60" wide (60	1) 66" wide (66) o	r 72" wi	de (72)			54	\$829	_	895	-
R	tackable fabric, horizo		1 / 2 WI	uc (72)			60	\$866	_	932	_
D	tackable fabric, horizo	_	aro™ [/				66	\$944	_	1011	_
U	tackable labile, ilolizo	illat with Microbet	Laie [1			72	\$1005		1071	
Dricos f	for Stone 1 /					E			772		020
Piices i	for Steps 1-4.	В	Т	D	-	F		\$772 \$781	772	838	838
V1110	A 24	R		D	E		30	\$781	781	848	848
11118.	. A 24	\$375	375	441	441		36	\$795	795	861	861
	30	\$405	405	471	471		42	\$808	808	875	875
	36	\$483	483	550	550		48	\$819	819	886	886
	42	\$520	520	586	586		54	\$830	_	896	_
	48	\$557	557	622	622		60	\$918	_	984	_
	54	\$592	_	657	_		66	\$965	_	1032	_
	60	\$642	_	708	_		72	\$1166	_	1232	_
	66	\$672	_	738	_						
	72	\$716	_	782	_						

Surface-Attached Screen, Flat Edge *continued*

Step 5. Cable Trough
For privacy & modesty

For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)

NC	no cable way 🛕	+\$0
CW	cable way A	+\$25


Step 6. Fabric	
Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

For tackable fabric, horizontal (R) or tackable fabric, horizontal with

MicrobeCare™ (D)	
Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

Personal Side Screen, Rectangular

Y1119.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to $1^{1}/_{4}$ " thick.

Bottom of attachment bracket extends $1^{1}/_{2}$ " below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated

for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

13-0.94


For horizontal fabric direction (R):

Height—Yardage

13-1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1119. A

Step 2. Height

13" high A

Price Category 3

Price Category 4

Price Category 5

Price Category C

Step 3. Surface Material

R tackable fabric, horizontal 🖪

Т tackable fabric A

Prices for Steps 1-3.		
	R	Т
Y1119. 13	\$474	474
Step 4. Surface Finish		
Price Category 1		+\$0
Price Category 2		+\$11

+\$23


+\$47

+\$80

+\$66

Laminate Screen, Surface Attached

Y1120.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.


Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11¹/₈" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface. Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite. Attachment brackets are inset from edge of screen by approximately 8" and require $2^{1}/_{2}$ " of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13¹/₂" above worksurface)

13B privacy & modesty (131/2" above worksurface/111/8" below worksurface)

Step 3. Width

24	24"	wid

30 30" wide

36 36" wide

42 42" wide

48 48" wide

54 54" wide

60 60" wide66 66" wide

72 72" wide

Step 4. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge


Prices for Steps 1-4.		
	L	U
Y1120. 13A 24	\$256	256
30	\$272	272
36	\$286	286
42	\$300	300
48	\$314	314
54	\$327	327
60	\$337	337
66	\$348	348
72	\$362	362
13B 24	\$316	316
30	\$333	333
36	\$350	350
42	\$368	368
48	\$386	386
54	\$400	400
60	\$417	417
66	\$429	429
72	\$443	443

Laminate Screen, Surface Attached continued

Step 5	. Grain Direction	
	" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 4	18"
	48), 54" wide (54), or 60" wide (60)	
VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0
	" wide (66) or 72" wide (72)	
HRG	horizontal grain	+\$0
Step 6	. Cable Trough	
For pri	vacy (13½" above worksurface) (13A)	
NC	no cable way	+\$0
For pri	vacy & modesty (13½" above worksurface/11½" below	
worksi	ırface) (13B)	
NC	no cable way	+\$0
CW	cable way	+\$25
Step 7	. Surface Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8	3. Edge Finish	
For th	ermally-fused laminate (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For th	ermally-fused laminate/universal edge (l	U) +\$50

Ambit™ Height Adjustable Table Y1150. Screen, Thin Profile Fabric



Product Information

Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2'' less than specified width.

For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 33/4" below work surface.

For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.

For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42" high Canvas datum line.


For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46" high Canvas datum line.

For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53" high Canvas datum line.

Side-attached (S) screens contain a center bracket.

Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

Dimensions



Specification Information

Step 1.

Y1150.

Step 2. Table Type

MT Motia
NL Nevi Link

NT Nevi RL Renew Link

RT Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

L left hand return

R right hand return

S back screen only

U right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

L left hand return

R right hand return

U right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)

S attached on outside of work surface (for use with freestanding table)

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S attached on outside of work surface (for use with freestanding table)

T mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T mounted on top of work surface (for benching applications)

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric continued

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

- A privacy (42" high)
- **B** privacy & modesty (42" high/10" below surface)
- c privacy (46" high)
- **D** privacy & modesty (46" high/10" below surface)
- **E** privacy (53" high)
- **F** privacy & modesty (53" high/10" below surface)

For mounted on top of work surface (for benching applications) (T)

- A privacy (42" high)
- c privacy (46" high)
- **E** privacy (53" high)

Step 6. Width

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)

- **48** 48" wide **54**" wide
- **60** 60" wide
- **66** 66" wide
- **72** 72" wide

For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

- **36** 36" wide
- **42** 42" wide
- **48** 48" wide
- **54** 54" wide
- **60** 60" wide
- **66** 66" wide
- **72** 72" wide

For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

48 48" wide 54 54" wide 60 60" wide 66 66" wide

72" wide

72

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)

48 48" wide 54 54" wide 60 60" wide 66 66" wide 72 72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)

48 48" wide 54 54" wide 60 60" wide 66 66" wide 72 72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)

48 48" wide 54 54" wide 60 60" wide 66 66" wide 72 72" wide

Step 7. Table Depth

For left hand return (L), right hand return (R), or right and left return screen, U screen (U)

24 24" deep30 30" deep

For back scr	reen only (S)							RT	L	\$897	941	_	936	992	_
00 no d	lepth selection	on need					•••••••••••••		R	\$897	941	_	936	992	_
									S	_	_	\$702	_	_	529
Step 8. Surf	ace Material								U	\$1199	1258	_	1252	1328	_
R tack	able fabric, l	norizont	:al												
										SB4200R	SB4800R	SB4824R :	SB4830R :	SB5400R S	SB5424R
Prices for St	eps 1-8.							Y1150. MT	L	_	_	\$797	834	_	855
	9	SA3600R :	SA4200R :	SA4800R	SA4824R	SA4830R S	A5400R		R	_	_	\$797	797	_	855
Y1150. MT	L	_	_	_	\$773	785			S	_	\$596	_	_	628	_
	R	_	_	_	\$773	773	_		U	_	_	\$1066	1066	_	1144
	S	_	_	\$546	_	_	580	NT	L	_	_	\$797	797	_	855
	U	_	_	_	\$1034	1034	_		R	_	_	\$797	797	_	855
NT	L		_	_	\$773	773	_		S	_	\$596	_	_	628	_
	R	_	_	_	\$773	773	_		U	_	_	\$1066	1066	_	1144
	S	_	_	\$546	_	_	580	RT	L	—	_	\$797	797	·····	855
	U	_	_	_	\$1034	1034	_		R	_	_	\$797	797	_	855
RT	L	·····	_		\$773	773	·····		S	\$566	596	· _	_	628	_
	R	_	_	_	\$773	773	_		U	_	_	\$1066	1066	_	1144
	S	\$474	510	546	_	_	580					,			
	U	_	_	_	\$1034	1034	_			SB5430R	SB6000R	SB6024R :	SB6030R :	SB6600R 5	SB6624R
					,			Y1150. MT	L	\$876	_	890	923	_	921
	9	SA5424R S	SA5430R S	SA6000R	SA6024R	SA6030R S	A6600R		R	\$876	_	890	923	_	921
Y1150. MT		\$831	851	_	867	900			S	-	\$649	_	_	708	_
	R	\$831	851	_	867	900	_		U	\$1172	ψ0 ⁴ / ₂	1190	1233	_	1231
	S	_	_	\$630	_	_	660	NT		\$876		890	923	·····	921
		\$1112	1140	4000	1158	1201	_		R	\$876	_	890	923	_	921
NT		\$831	851		867	900			S	ф070 —	\$649	0,0	723	708	721
	R	\$831	851	_	867	900	_		U	\$1172	¥047	1190	1233	700	1231
	S	Д ОЭ1	0)1	\$630	- 007	900	660	RT		\$876		890	923		921
		- \$1112	1140	\$000	1158	1201	000	KI	R	\$876	_	890	923	_	921
RT									S	\$670	- \$649	690	923	708	921
		\$831	851	_	867	900	_		U	£1172	\$ 049	1100	1222	708	1221
	R	\$831	851	_	867	900			U	\$1172	_	1190	1233	_	1231
	S	- *1112	_	\$630	-	1201	660			CD//20D	CDZZAAD	CD7224D /	CD722AD	CC2/00D (CC 4200D
	U	\$1112	1140	_	1158	1201	_	V4450 MT				SB7224R :		5C36UUK :	5C4200K
	,	5A//24D (CA//20D (CAZZOOD	CA7224D	CATOOD C	D2/00D	Y1150. MT		\$965	_	960	1017	_	_
V4450 MT					SA7224R		B3600K		R	\$965	_ 	960	1017	_	_
Y1150. MT		\$897	941	_	936	992	_		S	- #1200	\$762	-	1260	_	_
	R	\$897	941	_		992	_					1283		<u> </u>	
	S	_	-			_	_	NT		\$965	_		1017	_	_
			1258		1252				R	\$965	_		1017	_	_
NT		\$897	941	_	936	992	_		S	_		_	_	_	_
	R	\$897	941	_	936	992	_			\$1289		1283			
	S	_			_	_	_	RT		\$965	_		1017	_	_
	U	\$1199	1258	_	1252	1328	_		R	\$965	_		1017	_	_
									S	_			_	544	599
									U	\$1289	_	1283	1360	_	_


		SC4800R	SC4824R	SC4830R 5	SC5400R	SC5424R	SC5430R	NT	L	\$904	904	_	963	983	_
Y1150. MT I	L	_	\$889	889		948	969		R	\$904	904	_	963	983	_
	R	_		889	_	948	969		S	_	_	\$785	_	_	870
	S	\$672	•	_	707	_	_		U	\$1211	1211	_	1288	1316	_
i	U		\$1190	1190	_	1267	1295	RT	L	\$904	904	_	963	983	_
NT I	 L		\$889	889	·····	948	969		R	\$904	904	_	963	983	_
	R	_	\$889	889	_	948	969		S	_	_	\$785	_	_	870
	S	\$672	•	_	707	_	_		U	\$1211	1211	_	1288	1316	_
	U		\$1190	1190	_	1267	1295								
RT I		<u> </u>	\$889	889	<u> </u>	948	969			SD6024R	SD6030R :	SD6600R :	SD6624R :	SD6630R S	SD7200R
	R	_		889	_	948	969	Y1150. MT	L	\$998	1030	_	1028	1072	
	s S	\$672		_	707	_	_		R	\$998	1030	_	1028	1072	_
	U		\$1190	1190	-	1267	1295		S	_	_	\$941	_	_	980
`	•		ΨΙΙΟ	1170		1207	12//		U	\$1334	1378	_	1376	1434	_
		SCENNOD	SC6024R	CLEUSUD (SCEENOD	SC662/ID	SC4430D	NT	L	\$998	1030	—	1028	1072	
Y1150. MT I				1016		1013	1057		R	\$998	1030	_	1028	1072	_
	R	_		1016	_	1013	1057		S	_	_	\$941	_	_	980
	s S	- \$791	•	1010	832		1057		U	\$1334	1378	_	1376	1434	_
	s U					1255	1616	RT	L	\$998	1030	·····	1028	1072	·····
			\$1314	1357	<u> </u>		1414		R	\$998	1030	_	1028	1072	_
NT I		_		1016	_	1013	1057		S	_	_	\$941	_		980
	R		42	1016	-	1013	1057		U	\$1334	1378	-	1376	1434	_
	S 	\$791		_	832	_	_		•	41004	1370		1370	1777	
	U		\$1314	1357		1355	1414			SD7224R	SD7230R (SE3600R	SF4200R	SF4800R	SF4824R
RT		_		1016	_	1013	1057	Y1150. MT	1	\$1067					966
	R	_	42	1016	_	1013	1057	11130. MI	R	\$1067	1124	_	_	_	966
	S 	\$791		_	832	_	_		S	Ψ1007 —	1127	_	_	\$793	700
'	U	_	\$1314	1357	_	1355	1414		U	\$1428	1504	_	_	Ψ/ <i>/ / /</i>	1293
								NT		\$1067	1124				966
			SC7224R		SD3600R	SD4200R	SD4800R	N1	R	\$1067	1124				966
Y1150. MT I			\$1052		_	_	_		S	\$1007	1124	_	_	- \$793	900
	R	_	\$1052	1110	_	_	_		U	£1,420	1504	_	_	\$/90	_ 1293
	S	\$891	_	_	_	_	764	DT		\$1428	1504	<u> </u>	<u> </u>	<u> </u>	
	U		\$1407	1484				RT		\$1067	1124	_	_	_	966
NT I	L	_	\$1052	1110	_	_	_		R	\$1067	1124	-	7//	702	966
ı	R	_	\$1052	1110	_	_	_		S 		4507	\$652	766	793	_
9	S	\$891	_	_	_	_	764		U	\$1428	1504	_	_	_	1293
	U		\$1407	1484		<u> </u>				CE / 020B	CEF (OOD)	CET/O/D	CEE (20 D)	CE < 0.00 P	CE / 00 / D
RT I	L	_	\$1052	1110	_	_	_	W44-0-1-		SE4830R					
I	R	_	\$1052	1110	_	_	_	Y1150. MT		\$966		1024			1059
9	S	\$891	_	_	718	734	764		R	\$966		1024		-	1059
ı	U	_	\$1407	1484	_	_	_		S	_	\$813	_	_	849	
									U	\$1293		1370			1417
		SD4824R	SD4830R	SD5400R 5	SD5424R	SD5430R	SD6000R	NT		\$966	_	1024		_	1059
Y1150. MT I	L	\$904	904	_	963	983			R	\$966	_	1024	1045	_	1059
ı	R	\$904	904	_	963	983	_		S	_	\$813	_	_	849	_
9	S	_	_	\$785	_	_	870		U	\$1293	_	1370	1398	_	1417
	U	\$1211	1211	_	1288	1316	_								
		•													

				4007	40/5		4050								
RT		\$966	_	1024	1045	_	1059			SF6600R	SF6624R	SF6630R :	SF7200R	SF7224R	SF7230R
	R	\$966	. –	1024	1045	_	1059	Y1150. MT	L	_	\$1167	1212	_	1207	1264
	S	_	,	_	_	849	_		R	_	\$1167	1212	_	1207	1264
	U	\$1293	_	1370	1398	_	1417		S	\$947	_	_	1144	_	_
									U	_	\$1562	1620	_	1613	1691
		SE6030R	SE6600R	SE6624R	SE6630R	SE7200R	SE7224R	NT	L	_	\$1167	1212	_	1207	1264
Y1150. MT	L	\$1092		1090	1133	_	1129		R	_	\$1167	1212	_	1207	1264
	R	\$1092		1090	1133	_	1129		S	\$947	_	_	1144	_	_
	S	_	\$926	_	_	986	_		U	_	\$1562	1620	_	1613	1691
	U	\$1461	_	1458	1517	_	1510	RT	L	_	\$1167	1212	_	1207	1264
NT	L	\$1092	_	1090	1133	_	1129		R	_	\$1167	1212	_	1207	1264
	R	\$1092	_	1090	1133	_	1129		S	\$947	_	_	1144	_	_
	S	_	\$926	_	_	986	_		U	_	\$1562	1620	_	1613	1691
	U	\$1461	_	1458	1517	_	1510								
RT	L	\$1092	_	1090	1133	_	1129			TA4824R	TA4830R	TA5424R 1	A5430R	TA6024R .	TA6030R
	R	\$1092	_	1090	1133	_	1129	Y1150. MT	L	\$773	773	831	851	867	900
	S	_	\$926	_	_	986	_		R	\$773	773	831	851	867	900
	U	\$1461	_	1458	1517	_	1510		U	\$1034	1034	1112	1140	1158	1201
								NL		\$773	773	831	851	867	900
		SE7230R	SF3600R	SF4200R	SF4800R	SF4824R	SF4830R	II.	R	\$773 \$773	773	831	851	867	900
Y1150. MT	L	\$1186	_	_	_	1044	1044		U	\$1034	1034	1112	1140	1158	1201
	R	\$1186	_	_	_	1044	1044	NT		\$773	773	831	851	867	900
	S	_	_	_	\$804	_	_	NI	R	\$773 \$773	773	831	851		
	U	\$1587	_	_	_	1396	1396		K U					867	900
NT	L	\$1186	·····	·····	·····	1044	1044	RL		\$1034	1034	1112	1140	1158	1201
	R	\$1186	_	_	_	1044		1044		\$773	773	831	851	867	900
	S	_	_	_	\$804	_	_		R	\$773	773	831	851	867	900
	II	\$1587	_	_	_	1396	1396		U	\$1034	1034	1112	1140	1158	1201
RT	 I	\$1186	·····			1044	1044	RT		\$773	773	831	851	867	900
	R	\$1186	_	_	_	1044	1044		R	\$773	773	831	851	867	900
	S	Ψ1100 —	\$780	785	804	-	1044		U	\$1034	1034	1112	1140	1158	1201
	U	\$1587		705	- 004	1396	1396								
	U	¥1367				1390	1390				TA6630R				
		SEE 400D	SF5424R	CEE #20D	SECONOR	SE402//D	SECUZOD.	Y1150. MT		\$897	941	936	992	889	889
Y1150. MT	_		\$1103			1138	1171		R	\$897	941	936	992	889	889
11150. MI	R		\$1103	_					U	\$1199	1258	1252	1328	1190	1190
	S		•	1123		1136	1171	NL	L	\$897	941	936	992	889	889
	S U	\$814		1502	901	4520	1564		R	\$897	941	936	992	889	889
			\$1474			1520			U		1258		1328	1190	1190
NT			\$1103					NT	L	\$897	941	936	992	889	889
	R		\$1103		-	1138			R	\$897	941	936	992	889	889
	S		_		901	_	_	***************************************	U	\$1199	1258	1252	1328	1190	1190
	U		\$1474		_	1520		RL		\$897	941	936	992	889	889
RT			\$1103		_		1171		R	\$897	941	936	992	889	889
	R		\$1103					***************************************	U	\$1199	1258	1252	1328	1190	1190
	S	•	_		901	_	_	RT		\$897	941	936	992	889	889
	U	_	\$1474	1502	_	1520	1564		R	\$897	941	936	992	889	889
									U	\$1199	1258	1252	1328	1190	1190

		TCEASAD	エヘモルコヘロ	TC4024P	TC4020D	TC4424D	TC4420D	<u></u>	RT L	\$1059	1092	1090	1133	1129	1186
Y1150. MT	1	TC5424R \$948	969	983	1016	1013	1057		R	\$1059	1092	1090	1133	1129	1186
11150. MI	R	\$948	969	983	1016	1013	1057		U	\$1417	1461	1458	1517	1510	1587
	U	\$1267	1295	1314	1357	1355	1414			·					
NL		\$948			1016	1013		Step 9). Fabric						
NL	_		969	983			1057		Category 1						+\$0
	R	\$948	969	983	1016	1013	1057		Category 2						+\$31
	U	\$1267	1295	1314	1357	1355	1414		Category 3						+\$71
NT		\$948	969	983	1016	1013	1057		Category 4						+\$134
	R	\$948	969	983	1016	1013	1057		Category 5						+\$220
	U	\$1267	1295	1314	1357	1355	1414		Category B						+\$120
RL		\$948	969	983	1016	1013	1057		Category C						+\$160
	R	\$948	969	983	1016	1013	1057		Category E						+\$220
	U	\$1267	1295	1314	1357	1355	1414	FIICE	category E						+\$220
RT	L	\$948	969	983	1016	1013	1057	C+ 1	0. 6	O ti					
	R	\$948	969	983	1016	1013	1057		0. Corner Cove		(6	, ,.		·· \	(T)
	U	\$1267	1295	1314	1357	1355	1414		ounted on top		ace (for	benchin	g applic	ations)	
								8Q	folkstone gre	ey					+\$(
		TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R	91	white						+\$(
Y1150. MT	L	\$1052	1110	966	966	1024	1045	98	studio white						+\$0
	R	\$1052	1110	966	966	1024	1045	BK	black						+\$0
	U	\$1407	1484	1293	1293	1370	1398	CL	cool grey ne	utral					+\$0
NL	L	\$1052	1110	966	966	1024	1045	DB3	glacier						+\$10
	R	\$1052	1110	966	966	1024	1045	DN2	nightfall						+\$10
	U	\$1407	1484	1293	1293	1370	1398	DR1	canyon						+\$10
NT		\$1052	1110	966	966	1024	1045	G1	graphite						+\$(
	R	\$1052	1110	966	966	1024	1045	OLF	olive						+\$10
	U	\$1407	1484	1293	1293	1370	1398	WN	warm grey						+\$0
RL		\$1052	1110	966	966	1024	1045								
KL	R	\$1052	1110	966	966	1024	1045	Step 1	1. Bracket Col	or Options					
	U	\$1032				1370			ounted on top		ace (for	benchin	a applic	ations)	(T)
DT			1484	1293	1293		1398	MS	metallic silve		,		5		+\$0
RT		\$1052	1110	966	966	1024	1045	8Q	folkstone gre						+\$(
	R	\$1052	1110	966	966	1024	1045	91	white	- y					+\$(
	U	\$1407	1484	1293	1293	1370	1398	98	studio white						+\$0
								BK	black						+\$0
		TE6024R						G1	graphite						+\$0
Y1150. MT	L	\$1059	1092	1090	1133	1129	1186								
	R	\$1059	1092	1090	1133	1129	1186	WL	sandstone						+\$0
	U	\$1417	1461	1458	1517	1510	1587	WN	warm grey no						+\$0
NL	L	\$1059	1092	1090	1133	1129	1186	CN	metallic cha	mpagne					+\$10
	R	\$1059	1092	1090	1133	1129	1186	DB3	glacier						+\$10
	U	\$1417	1461	1458	1517	1510	1587	DN2	nightfall						+\$10
NT	L	\$1059	1092	1090	1133	1129	1186	DR1	canyon						+\$10
	R	\$1059	1092	1090	1133	1129	1186	OLF	olive						+\$10
	U	\$1417	1461	1458	1517	1510	1587	SNA	satin alumin	um					+\$10
RL		\$1059	1092	1090	1133	1129	1186	SNB	satin bronze						+\$10
_	R	\$1059	1092	1090	1133	1129	1186	SNC	satin carbon						+\$10
	U	\$1417		1458	1517	1510	1587								
	•	4141/	1401	1+70	1)11	1710	1001								

Step 1	12. Screen Accessories	
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
MB	24" painted metal markerboard (Y1124.DP)	+\$170
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265
Step 1	13. Screen Accessory Finish	
For no	nme tag holder (YT410) (NH)	
MS	metallic silver	+\$0
For 24	i" painted metal markerboard (Y1124.DP) (MB), 30"	painted
metal	markerboard (Y1124.DP) (ML), 24" writeable marke	erboard
(Y112	4.DM) (DM), or 30" writeable markerboard (Y1124.	DM) (DL)
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
For 24	i" painted metal markerboard (Y1124.DP) (MB), 30"	painted
	markerboard (Y1124.DP) (ML), 24" writeable marke	
(Y112	4.DM) (DM), or 30" writeable markerboard (Y1124	DM) (DL)
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Ambit™ Height Adjustable Table Y1155. Screen, PET




Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.

Dimensions



Specification Information

Step 1.

Y1155.

Step	2.	Tab	le	Type
Step	۷٠	Tub	ıc	Type

MT Motia

NL Nevi Link

NT Nevi

RL Renew Link

RT Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

L left hand return

R right hand return

U right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

left hand return

R right hand return

 $oldsymbol{\mathsf{U}}$ right and left return screen, $oldsymbol{\mathsf{U}}$ screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S attached on outside of work surface (for use with freestanding table)

T mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T mounted on top of work surface (for benching applications)

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

A privacy (42" high)

B privacy & modesty (42" high/10" below surface)

c privacy (46" high)

D privacy & modesty (46" high/10" below surface)

For mounted on top of work surface (for benching applications) (T)

A privacy (42" high)

C privacy (46" high)

Step 6. Width

48" wide

\$10	L	Y1155. MI								70	40
\$10	R								wide	54"	54
\$15	U								wide	60"	60
\$10	L	NT							wide	66"	66
\$10	R								wide	72"	72
\$15	U										
\$10	L	RT							le Depth	Tabl	Step 7.
\$10	R								deep	24"	24
\$15	U								deep	30"	30
SC60									teps 1-7.	or St	Prices f
\$9	L	Y1155. MT	SA6030	SA6024	SA5430	SA5424	SA4830	SA4824			
\$9	R		927	927	897	897	876	\$876	L	ΜT	Y1155.
\$13	U		927	927	897	897	876	\$876	R		
\$9	L	NT	1082	1082	1051	1051	979	\$979	U		
\$9	R		927	927	897	897	876	\$876	L	NT	
\$13	U		927	927	897	897	876	\$876	R		
\$9	L	RT	1082	1082	1051	1051	979	\$979	U		
\$9	R		927	927	897	897	876	\$876	L	RT	
\$13	U		927	927	897	897	876	\$876	R		
7			1082	1082	1051	1051	979	\$979	U		
SD48					•						
\$13	L	Y1155. MT						SA6624			
\$13	R		907	907	969	969	948	\$948		MT	Y1155.
\$14	U		907	907	969	969	948	\$948	R		
\$13	L	NT	1185	1185	1494	1494	1185	\$1185	U		
\$13	R		907	907	969	969	948	\$948		NT	
\$14	U		907	907	969	969	948	\$948	R		
\$13	L	RT	1185	1185	1494	1494	1185	\$1185	U		
\$13	R		907	907	969	969	948	\$948	L	RT	
\$14	U		907	907	969	969	948	\$948	R		
_			1185	1185	1494	1494	1185	\$1185	U		
SD66			SR6630	R662/	SR6030	SB6024	SR5430	SB5424			
\$14		Y1155. MT	989	989	958	958	938	\$938	L	мт	Y1155.
\$14	R		989	989	958	958	938	\$938	R		
\$18	U		1494	1494	1288	1288	1236	\$1236	U		
		NL	989	989	958	958	938	\$938		NT	
	R			989				\$938	R	41	
	U		989		958 1288	958	938		U		
\$14		NT	1494	1494		1288	1236	\$1236		DT	
\$14	R		989	989	958	958	938	\$938	L	RT	
\$18	U		989	989	958	958	938	\$938	R		
	1	RL	1494	1494	1288	1288	1236	\$1236	U		
	R										

			SB7224	SB7230	SC4824	SC4830	SC5424	SC5430
Y1155. M	Т	L	\$1010	1010	927	927	948	948
		R	\$1010	1010	927	927	948	948
	-	U	\$1568	1568	1236	1236	1288	1288
N7	ΓΙ	L	\$1010	1010	927	927	948	948
	-	R	\$1010	1010	927	927	948	948
		U	\$1568		1236	1236	1288	1288
R1	Γ Ι	 L	\$1010		927	927	948	948
	1	R	\$1010		927	927	948	948
	ı	U	\$1568		1236	1236	1288	1288
			SC6024	SC6030	SC6624	SC6630	SC7224	SC7230
Y1155. M	Т	L	\$969	969	989	989	1010	1010
	ı	R	\$969	969	989	989	1010	1010
	-	U	\$1339		1442	1442	1545	1545
N٦	ТΙ	L	\$969	969	989	989	1010	1010
	-	R	\$969	969	989	989	1010	1010
	ı	U	\$1339	1339	1442	1442	1545	1545
R1	ΓΙ	L	\$969	969	969	969	1010	1010
	-	R	\$969	969	969	969	1010	1010
	ı	U	\$1339	1339	1442	1442	1545	1545
			SD4824	SD4830	SD5424	SD5430	SD6024	SD6030
Y1155. M	T	L	\$1334	1334	1345	1345	1391	1391
	-	R	\$1334	1334	1345	1345	1391	1391
	-	U	\$1442	1442	1545	1545	1648	1648
N7	Γ	L	\$1334	1334	1345	1345	1391	1391
	-	R	\$1334	1334	1345	1345	1391	1391
	-	U	\$1442	1442	1545	1545	1648	1648
R1	Γ	L	\$1334	1334	1345	1345	1391	1391
	-	R	\$1334	1334	1345	1345	1391	1391
	-	U	\$1442	1442	1545	1545	1648	1648
			SD6624	SD6630	SD7224	SD7230	TA4824	TA4830
Y1155. M	Т	L	\$1448	1448	1551	1551	785	786
	ı	R	\$1448	1448	1551	1551	785	786
	-	U	\$1854	1854	2060	2060	832	833
NI	L I	L	·····	·····	_	····	\$785	786
		R	_	_	_	_	\$785	786
		U	_	_	_	_	\$832	833
N7	Τ Ι	 L	\$1447	1448	1551	1551	785	786
		- R	\$1448			1551	785	786
		 U	\$1854	1854	2060	2060	832	833
RI		 L					\$785	786
		R	_	_	_	_	\$785	786
							4,00	, 50

833

\$832

••••									
RT	L	\$1448	1448	1551	1551	785	786		NT L
	R	\$1448	1448	1551	1551	785	786		R
	U	\$1854	1854	2060	2060	832	833		U
									RL L
		TA5424							R
Y1155. MT		\$793	793	824	824	861	861		U
	R	\$793	793	824	824	861	861		RT L
	U	\$835	835	934	935	937	937		R
NL		\$793	793	824	824	861	861		U
	R	\$793	793	824	824	861	861	-	
	U	\$835	835	934	935	937	937		3. Materia
NT	L	\$793	793	824	824	861	861	PHN	heathe
	R	\$793	793	824	824	861	861	PHO	heathe
	U	\$835	835	934	935	937	937	PLG	cool he
RL	L	\$793	793	824	824	861	861	-	
	R	\$793	793	824	824	861	861		9. Bracke
	U	\$835	835	934	935	937	937		ounted o
RT	L	\$793	793	824	824	861	861	98	studio
	R	\$793	793	824	824	861	861	BK	black
	U	\$835	835	934	935	937	937	CRB	carbon
								DN2	nightfa
		TA7224						OLF	olive
Y1155. MT		\$899	900	887	888	907	907	<u> </u>	
	R	\$899	900	887	888	907	907		10. Scree
	U	\$942	943	934	935	937	937	MB	24" pai
NL		\$899	900	887	888	907	907	NN	none
	R	\$899	900	887	888	907	907	NH	name t
	U	\$942	943	934	935	937	937	ML	30" pai
NT		\$899	900	887	888	907	907	DM	24" wri
	R	\$899	900	887	888	907	907	DL	30" wri
	U	\$942	943	934	935	937	937	C1 .	
RL		\$899	900	887	887	907	907	Step 1	l 1. Scree
	R	\$899	900	887	887	907	907		
	U	\$942	943	934	935	937	937		me tag h
RT	L	\$899	900	887	888	907	907	MS	metalli
	R	\$899	900	887	888	907	907		
	U	\$942	943	934	935	937	937		" painted
		=======================================			=======				markerb
		TC6024							4.DM) (D
Y1155. MT		\$938	938	979	979	1048	1048	CN	metalli
	R	\$938	938	979	979	1048	1048	MS	metalli
	U	\$1102	1103	1105	1105	1264	1269	SNA	satin a
NL		\$938	938	979	979	1048	1048	SNB	satin b
	R	\$938	938	979	979	1048	1048	SNC	satin c
	U	\$1102	1103	1105	1105	1269	1270		

NT	L	\$938	938	979	979	1048	1048
	R	\$938	938	979	979	1048	1048
	U	\$1102	1103	1105	1105	1264	1269
RL	L	\$938	938	979	979	1048	1048
	R	\$938	938	979	979	1048	1048
	U	\$1102	1103	1105	1105	1269	1270
RT	L	\$938	938	979	979	1048	1048
	R	\$938	938	979	979	1048	1048
	U	\$1102	1103	1105	1105	1264	1269

Step 8.	Material	
PHN	heathered nightfall	+\$0
PHO	heathered olive	+\$0
PLG	cool heathered grey	+\$0

Step 9	Step 9. Bracket Color Options					
For mounted on top of work surface (for benching applications) (T)						
98	studio white	+\$0				
BK	black	+\$0				
CRB	carbon	+\$0				
DN2	nightfall	+\$10				
OLF	olive	+\$10				

Step 1	10. Screen Accessories	
MB	24" painted metal markerboard (Y1124.DP)	+\$170
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Step	11. Screen Accessory Finish	
For no	ame taq holder (YT410) (NH)	
MS	metallic silver	+\$0

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)


CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Ambit™ Height Adjustable Table Screen, PET continued

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Ambit™ Height Adjustable Table Y1160. Screen, Metal



Product Information

Description

This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

Notes

Privacy panel actual width is 2" less than specified width.


Privacy screen (A) top edge is 13" above top of work surface.

Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1160.

Step 2. Table Type

MT Motia NT Nevi RT Renew

Step 3. Application

U right and left return screen, U screen

Step 4. Attachment Method

S attached on outside of work surface (for use with freestanding table)

Step 5. Height

A privacy (42" high)

Step 6. Width

48 48" wide54 54" wide60 60" wide

66 66" wide72" wide

Step 7. Table Depth

30 30" deep

Step 8. Screen Liner


M magnetic liner

N none

Prices for Steps 1-8.						
	SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
Y1160. MT U	\$1415	800	1431	816	1449	834
NT U	\$1415	800	1431	816	1449	834
RT U	\$1415	800	1431	816	1449	834

	SA6630M	SA6630N	SA7230M	SA7230N
Y1160. MT U	\$1483	868	1624	1009
NT U	\$1483	868	1624	1009
RT U	\$1483	868	1624	1009

Step 9	9. Surface Finish	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
DB3	glacier	+\$50
DN2	nightfall	+\$50
DR1	canyon	+\$50
G1	graphite	+\$0
OLF	olive	+\$50
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step :	10. Magnetic Screen Liner Finish	
For m	agnetic liner (M)	
Price	Category 4	+\$0
Step :	11. Screen Accessories	
NH	name tag holder (YT410)	+\$39
NN	none	+\$0
Step :	12. Screen Accessory Finish	
For no	ame tag holder (YT410) (NH)	
MS	metallic silver	+\$0



Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes


Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value. Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step	2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
54	54" wide				
60	60" wide				
66	66" wide				
72	72" wide				

Step 3. Cable Trough

N without added cable troughY with added cable trough

Step 4. Surface Material


 $\textbf{L} \hspace{1cm} \textbf{thermally-fused laminate top/thermoplastic edge} \\$

W veneer top/veneer edge

Prices for Steps 1-4.		
	L	W
Y1113. 24 N	\$267	472
Υ	\$474	699
30 N	\$291	529
Υ	\$537	800
36 N	\$317	587
Υ	\$583	880
42 N	\$343	645
Υ	\$641	972
48 N	\$368	705
Υ	\$700	1068
54 N	\$396	764
Υ	\$761	1160
60 N	\$421	820
Υ	\$820	1252
66 N	\$421	877
Υ	\$879	1345
72 N	\$455	935
Υ	\$936	1437

Step !	5. Finish	
For th	ermally-fused laminate top/thermoplastic	adaa (I.)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For ve	neer top/veneer edge (W)	
2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0

Step 6	. Edge Finish	
For the	rmally-fused laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information


Step 1.

Y1114. A

Step	. Width	
24	24" wide A	
30	30" wide A	
36	36" wide A	
42	42" wide A	
48	48" wide A	
54	54" wide A	
60	60" wide A	
66	66" wide A	
72	72" wide A	

Prices for Steps 1-2.	
Y1114. 24	\$243
30	\$266
36	\$288
42	\$304
48	\$324
54	\$364
60	\$383
66	\$404
72	\$420

Step 3. Fabric	
Price Category 4	+\$28



Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13^{1}/_{2}$ " or $17^{1}/_{2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54" wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):

Width—Yardage


24-0.90

30-1.10

36-1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Speci	fication Information
Step 1	
FT354.	A
Step 2	. Attachment Type
CL	Canvas Surface Attached, End of Run Left Handed 🖪
CR	Canvas Surface Attached, End of Run Right Handed A
Step 3.	. Height
42	42" high A
46	46" high A
	_

Step 7. Fabric	
Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$102
Price Category B	+\$378
Price Category C	+\$128
Price Category E	+\$203

36	36" wide A
Step 5	Surface Material
R	tackable fabric, horizontal A

Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$1105	1105	1143	1143	1176	1176
46	\$1163	1163	1208	1208	1256	1256
CR 42	\$1105	1105	1143	1143	1176	1176
46	\$1163	1163	1208	1208	1256	1256

Step 6	. Bracket Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
G1	graphite A	+\$0
SNA	satin aluminum 🛕	+\$10
SNB	satin bronze A	+\$10
SNC	satin carbon A	+\$10
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 4. Width

24" wide 🛕


30" wide 🛕

tackable fabric A

24

30

Т



Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13^{1/2}$ " or $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. $% \label{eq:compatible}% % \label{eq:compatible}%$

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54" wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):

Width-Yardage


24-0.90

30-1.10

36-1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Speci	fication Information
Step 1	
FT358.	
Step 2	. Attachment Type
CL	Canvas Surface Attached, End of Run Left Handed
CR	Canvas Surface Attached, End of Run Right Handed
Step 3	. Height
42	42" high
46	46" high

Step 7. Fabric	
Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$140
Price Category B	+\$68
Price Category C	+\$122
Price Category E	+\$203

Step 5. Surface Material R tackable fabric, horizontal

T tackable fabric

24" wide

30" wide

36" wide

Step 4. Width

24

30

36


Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$685	685	724	724	738	738
46	\$745	745	789	789	816	816
CR 42	\$685	685	724	724	738	738
46	\$745	745	789	789	816	816

Step 6	. Bracket Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Ambit" Shroud

Ambit™ Height Adjustable Table Leg Shroud

DV8SM. DV8SN. DV8SR.



Product Information

Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard heightadjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

M. Motia®

N. Nevi

R. Renew[™]

Step 3. Leg Type

C C-leg

Step 4. Depth

24" deep (23" surface size)

30 30" deep (29" surface size)

Step 5. Mechanism

E electric standard range

Step 6. Shroud Location

L left

R right

Step 7. Shroud Option Left

For left (L)

SL high-pressure laminate panel + metal wrapper

SM all metal

SW veneer panel + metal wrapper

Step 8. Shroud Option Right

For right (R)

SL high-pressure laminate panel + metal wrapper

SM all metal

SW veneer panel + metal wrapper

Ambit $^{\text{\tiny{TM}}}$ Height Adjustable Table Leg Shroud $_{\textit{continued}}$

Prices	for Steps 1-8.	
Step 9	D. Shroud Finish Left - Metal Wrapper	
Metal	lic Paint	
For all	metal (SM)	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand	Texture Paint	
For all	metal (SM)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Lamir	nate	
For hi	gh-pressure laminate panel + metal wrapp	er (SL)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Wood	d Veneer	
For v	eneer panel + metal wrapper (SW)	
2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit $^{\text{\tiny{TM}}}$ Height Adjustable Table Leg Shroud $_{\textit{continued}}$

Step 1	0. Edge Finish Left	
For hig	h-pressure laminate panel + metal wrapper (SL)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone (discontinuing)	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 11. Shroud Finish Left	
For high-pressure laminate panel + metal wrapper (SL) or veneer	
panel + metal wrapper (SW)	

Metall	ic Paint	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20
Stan 1	12. Shroud Cable Management Bezel	l oft
	ft (L) with high-pressure laminate pan	
	(SM), or veneer panel + metal wrappe	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BK	black	+\$0
DIC	Black	140
Step 1	13. Shroud Finish Right - Metal Wrapp	er
Metal	lic Paint	
For all	l metal (SM)	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand	Texture Paint	
For all	l metal (SM)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit $^{\text{\tiny{TM}}}$ Height Adjustable Table Leg Shroud $_{continued}$

For hi	gh-pressure laminate panel + metal wrappe	er (SL)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
	Veneer	
•	neer panel + metal wrapper (SW)	
2U	light brown walnut	+\$(
40 	dark brown walnut	+\$(
ET	clear on ash	+\$(
EU	oak on ash	+\$(
EV	walnut on ash	+\$(
EW	medium matte walnut	+\$(
OU	walnut	+\$0
UL	natural maple	+\$0

Step 1	4. Edge Finish Right	
For hig	gh-pressure laminate panel + metal wrapper (SL)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone (discontinuing)	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 15. Shroud Finish Right
For high-pressure laminate panel + metal wrapper (SL) or veneer
panel + metal wrapper (SW)

Metal	lic Paint	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table Leg Shroud *continued*

Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20
OLF	olive	+

Step 16. Shroud Cable Management Bezel Right For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey	+\$0
98	studio white	+\$0
BK	black	+\$0

Step 17. Tool Rail Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 18. Accessory Options Left

For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)

Α	None	+\$0
В	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
Н	YT715 - sm. shelf with bayou liner	+\$138
1	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
0	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)

Α	None	+\$0
В	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 19. Accessory Options Left Finish

For YT700 - bag hook (B), YT715 - small accessory shelf (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (I), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0

Step 20. Tool Rail Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 21. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

Α	None	+\$0
В	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
Н	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
Ε	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
0	YT715 - lg. shelf with charcoal liner	+\$297

Ambit $^{\text{\tiny{TM}}}$ Height Adjustable Table Leg Shroud $_{continued}$

For 24	4" deep (23" surface size) (24) with right (R) v	with Ubi work tool
attacl	hed (2)	
A	None	+\$0
В	YT700 - bag hook	+\$5
D	YT715 - small accessory shelf	+\$83
F	YT715 - sm. shelf with canyon liner	+\$138
Step :	22. Accessory Options Right Finish	
For Y	T700 - bag hook (B), YT715 - small accessory	shelf (D), YT715
- sm.	shelf with canyon liner (F), YT715 - sm. shelf	with pesto liner
(G), Y	7715 - sm. shelf with bayou liner (H), YT715	- sm. shelf with
greys	stone liner (I), YT715 - sm. shelf with charcoa	l liner (J), YT715 -
	accessory shelf - no liner (E), YT715 - lg. she	
	T715 - lg. shelf with pesto liner (L), YT715 - la	
liner ((M), YT715 - lg. shelf with greystone liner (N)), or YT715 - lg. shel
	charcoal liner (O)	
91	white	+\$
98	studio white	+\$
BK	black	+\$
G1	graphite	+\$
MS	metallic silver	+\$
Step :	23. Vertical Cable Management	
1	none	+\$(
3	shroud attached	+\$15
Step :	24. Vertical Cable Management Attachment	
For st	hroud attached (3)	
2	worksurface connected	+\$
3	horizontal cable trough connected	*
,		+5
	25. Vertical Cable Management Finish	+\$\(\)
		+\$

Nevi™ Sit-to-Stand Tables	
Ambit™ Height Adjustable Table Leg Shroud	page(s) 52
Ambit™ Height Adjustable Table Screen, Metal	43
Ambit™ Height Adjustable Table Screen, PET	39
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	32
Ambit™ Suspended Storage	15
Cable Management Channel	18
Cable Management Trough	19
Easy Access Height-Adjustable Vertical Cable Manager	21
External Cable Manager	17
Fabric Modesty Panel	47
Flat Edge Screen, Delineation	50
Height-Adjustable Vertical Cable Manager	20
Laminate Screen, Surface Attached	30
Modesty Panel	45
Pari Screen, Delineation	48
Pari Screen, Height Adjustable Tables	22
Personal Side Screen	25
Personal Side Screen, Rectangular	29
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	9
Surface-Attached Screen, Flat Edge	26
Table Base Kit - 2 Legs	13

DU11B.	External Cable Manager	page(s)	17
DU11S.			
DU15B.	Height-Adjustable Vertical Cable Manager		20
DU15S.			
DU16B.	Easy Access Height-Adjustable Vertical Cable Mana	ager	21
DU16S.			
DV8SM.	Ambit™ Height Adjustable Table Leg Shroud		52
DV8SN.			
DV8SR.			
DW6ACS	Rectangle Table with C-Foot		5
DW6ATS	Rectangle Table with T-Foot		9
DW7A.	Table Base Kit - 2 Legs		13
FT19C.	Cable Management Channel		18
	Cable Management Trough		19
FT354.	Pari Screen, Delineation		48
FT358.	Flat Edge Screen, Delineation		50
IH200.	Ambit™ Suspended Storage		15
Y1113.	Modesty Panel		45
Y1114.	Fabric Modesty Panel		47
Y1116.	Pari Screen, Height Adjustable Tables		22
Y1117.	Personal Side Screen		25
Y1118.	Surface-Attached Screen, Flat Edge		26
Y1119.	Personal Side Screen, Rectangular		29
Y1120.	Laminate Screen, Surface Attached		30
Y1150.	$\mbox{Ambit}^{\mbox{\tiny M}} \mbox{ Height Adjustable Table Screen, Thin Profile}$	e	
	Fabric		32
Y1155.	Ambit™ Height Adjustable Table Screen, PET		39
Y1160.	Ambit™ Height Adjustable Table Screen, Metal		43



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon A will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an A are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller May 2022

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, ®, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, lota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\mbox{\scriptsize SM}}$ Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP[™] is a trademark of Extron Electronics.

Alexander $\mathsf{Girard}^{\$}$ is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian $^{\otimes}$ is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

 $\mbox{\it Crypton}^{\circledast}$ is a registered trademark of $\mbox{\it Crypton}$, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

 $\mathsf{Extron}^{\$}$ is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

 $\mathsf{FLEXNET}^{\scriptscriptstyle\mathsf{TM}}$ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council $^{\otimes}$ is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC $^{\otimes}$ certified (FSC $^{\otimes}$ C102895).

 $\mathsf{FSC}^{\$}$ is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office

Holophane® is a registered trademark of Holophane.

Ingeo[™] is a trademark of Cargill Dow LLC.

 $iPad^{\scriptsize @}$ and Mac $mini^{\scriptsize @}$ are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis[®], Bombo[®], and Me Too[®] are registered trademarks of Magis S.p.A.

MicrobeCare[™] is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat[™] is a trademark of Dahti Seating, a division of ITW.

Valor[™] is among the trademarks owned by Nemschoff, Inc.