



Prices effective June 2, 2025

Published September 2025

## Nevi™ Sit-to-Stand Tables

<b>Introduction</b>	<b>page 2</b>
<b>Nevi™ Sit-to-Stand Tables</b>	<b>3</b>
Adjustable Height Tables	5
Sit-to-Stand Table Bases	13
Ambit™ Storage	15
Power and Data Support	17
Screens	22
Ambit™ Shroud	52
<b>Indices</b>	<b>59</b>
By Name	59
By Number	61
<b>Appendices</b>	
20-Day or Less/Assigned Lead-Time Order Information	
Central Palette Overview	
<b>For the latest materials information, refer to the Materials pages on <a href="https://www.hermanmiller.com">HermanMiller.com</a>.</b>	

**A Note on the Organization of This Book**

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

**Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.**

Information wraps from one column to the next and continues for as many pages as it needs to.

**Black bars are clues.**

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

**The index is presented two ways.**

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

**General Information**

This book is effective June 2, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit [www.HermanMiller.com](http://www.HermanMiller.com).

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

**20-Day or Less/Assigned Lead-Time Shipments**

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable Height Tables

Sit-to-Stand Table Bases

Ambit™ Storage


Power and Data Support

Screens

Ambit™ Shroud



# Nevi Rectangle Table with C-Foot DW6ACS



## Product Information

### Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Handsets available are a simple up/down touch switch or a programmable touch switch with memory positions. Adjustable width crossbeam included (adjustable for 48" to 72" worksurfaces). Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

### Notes

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.


Table crossbeam acts as the worksurface stiffener and adjusts to accommodate worksurfaces 48"-72" wide.

Floor to top-of-surface height adjustment range is 28"-46 1/2" for the electric standard range (E) option, and 22 1/2"-48 7/8" for the electric extended range (D) option.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

## Dimensions



## Specification Information

### Step 1.

**DW6AC**

### Step 2. Edge

**S.** squared-edge

### Step 3. Depth

**24** 24" deep (23" surface size)

**30** 30" deep (29" surface size)

### Step 4. Width

**48** 48" wide (46" surface size)

**54** 54" wide (52" surface size) **A**

**60** 60" wide (58" surface size)

**66** 66" wide (64" surface size) **A**

**72** 72" wide (70" surface size)

### Step 5. Surface Material

**J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™

**K** thermally-fused laminate top/universal edge with MicrobeCare™

**M** thermally-fused laminate top/thermoplastic edge

**T** thermally-fused laminate top/universal edge

**L** high-pressure laminate top/thermoplastic edge

**U** high-pressure laminate/universal edge **A**

**A** high-pressure laminate top/thermoplastic edge with MicrobeCare™ **A**

**C** high-pressure laminate top/universal edge with MicrobeCare™ **A**

### Step 6. Mechanism

*For 24" deep (23" surface size) (24)*

**E** electric standard range

**D** electric extended range

*For 30" deep (29" surface size) (30)*

**E** electric standard range

**D** electric extended range

### Step 7. Cross Beam

**WB** legs with cross beam

# Nevi Rectangle Table with C-Foot

continued

Nevi™ Adjustable Height Tables

Prices for Steps 1-7.						
		JEWB	JDWB	KEWB	KDWB	MEWB MDWB
DW6ACS.	24 48	\$2100	2292	2057	2245	2000 2193
	54	\$2172	2353	2129	2305	2071 2251
	60	\$2216	2394	2171	2345	2113 2295
	66	\$2274	2448	2228	2398	2172 2348
	72	\$2333	2501	2287	2451	2233 2401
	30 48	\$2180	2364	2137	2316	2081 2261
	54	\$2260	2439	2215	2389	2161 2340
	60	\$2309	2487	2262	2437	2210 2387
	66	\$2391	2556	2337	2504	2292 2458
	72	\$2455	2627	2405	2574	2357 2528
		TEWB	TDWB	LEWB	LDWB	UEWB UDWB
DW6ACS.	24 48	\$2000	2193	2043	2239	2043 2239
	54	\$2071	2251	2116	2300	2116 2300
	60	\$2113	2295	2158	2344	2158 2344
	66	\$2172	2348	2219	2399	2219 2399
	72	\$2233	2401	2281	2453	2281 2453
	30 48	\$2081	2261	2126	2310	2126 2310
	54	\$2161	2340	2208	2391	2208 2391
	60	\$2210	2387	2257	2439	2257 2439
	66	\$2285	2458	2341	2510	2333 2510
	72	\$2357	2528	2407	2582	2407 2582
				AEWB	ADWB	CEWB CDWB
DW6ACS.	24 48			\$2145	2341	2101 2294
	54			\$2219	2403	2174 2355
	60			\$2263	2446	2218 2396
	66			\$2322	2500	2276 2450
	72			\$2383	2555	2335 2503
	30 48			\$2227	2414	2182 2366
	54			\$2309	2491	2262 2441
	60			\$2359	2541	2311 2489
	66			\$2443	2611	2387 2558
	72			\$2507	2684	2457 2630

## Step 8. Switch Option

<b>STS</b>	simple up/down touch switch	+\$0
<b>SRM</b>	digital read out with memory <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$160

## Step 9. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>8Q</b>	folkstone grey (CP) <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HP</b>	light anigre <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP) <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBC</b>	walnut on ash (CP) <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBF</b>	neutral twill <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBJ</b>	graphite twill <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBQ</b>	white twill <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBR</b>	phantom ecru <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBS</b>	phantom cocoa <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBU</b>	medium matte walnut (CP) <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBV</b>	warm grey teak <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LT</b>	light tone <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LU</b>	soft white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>WL</b>	warm stone (CP) <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>WN</b>	warm grey neutral <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0

# Neve Rectangle Table with C-Foot

continued

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

## Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge <input type="checkbox"/>	+\$50
-----	---------------------------------------	-------

## Step 11. Base Finish

### Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Nevi Rectangle Table with C-Foot

continued

Nevi™ Adjustable Height Tables

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP) <span>A</span>	+\$0
91	white (CP) <span>A</span>	+\$0
98	studio white (CP) <span>A</span>	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) <span>A</span>	+\$0
WN	warm grey neutral <span>A</span>	+\$0
Step 12. Glides		
57	glides	+\$0





### Product Information

#### Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Handsets available are a simple up/down touch switch or a programmable touch switch with memory positions. Adjustable width crossbeam included (adjustable for 48" to 72" worksurfaces). Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

#### Notes

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.


Table crossbeam acts as the worksurface stiffener and adjusts to accommodate worksurfaces 48"-72" wide.

Floor to top-of-surface height adjustment range is 28"-46 1/2" for the electric standard range (E) option, and 22 1/2"-48 7/8" for the electric extended range (D) option.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

#### Dimensions



### Specification Information

#### Step 1.

**DW6AT**

#### Step 2. Edge

**S.** squared-edge

#### Step 3. Depth

**24** 24" deep (23" surface size)

**30** 30" deep (29" surface size)

#### Step 4. Width

**48** 48" wide (46" surface size)

**54** 54" wide (52" surface size) **A**

**60** 60" wide (58" surface size)

**66** 66" wide (64" surface size) **A**

**72** 72" wide (70" surface size)

#### Step 5. Surface Material

**A** high-pressure laminate top/thermoplastic edge with MicrobeCare™ **A**

**C** high-pressure laminate top/universal edge with MicrobeCare™ **A**

**L** high-pressure laminate top/thermoplastic edge

**U** high-pressure laminate/universal edge **A**

**J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™ **A**

**K** thermally-fused laminate top/universal edge with MicrobeCare™ **A**

**M** thermally-fused laminate top/thermoplastic edge

**T** thermally-fused laminate top/universal edge **A**

#### Step 6. Mechanism

##### For 24" deep (23" surface size) (24)

**E** electric standard range

**D** electric extended range **A**

##### For 30" deep (29" surface size) (30)

**E** electric standard range

**D** electric extended range **A**

#### Step 7. Cross Beam

**WB** legs with cross beam

# Nevi Rectangle Table with T-Foot

continued

Nevi™ Adjustable Height Tables

Prices for Steps 1-7.							
		AEWB	ADWB	CEWB	CDWB	LEWB	LDWB
DW6ATS.	24 48	\$2145	2341	2145	2341	2043	2239
	54	\$2219	2403	2219	2403	2116	2300
	60	\$2263	2446	2263	2446	2158	2344
	66	\$2322	2500	2322	2500	2219	2399
	72	\$2383	2555	2383	2555	2281	2453
	30 48	\$2227	2414	2227	2414	2126	2310
	54	\$2309	2491	2309	2491	2208	2391
	60	\$2359	2541	2359	2541	2257	2439
	66	\$2443	2611	2436	2611	2341	2510
	72	\$2507	2684	2507	2684	2407	2582
		UEWB	UDWB	JEWB	JDWB	KEWB	KDWB
DW6ATS.	24 48	\$2043	2239	2015	2200	2015	2200
	54	\$2116	2300	2084	2257	2084	2257
	60	\$2158	2344	2126	2297	2126	2297
	66	\$2219	2399	2181	2348	2181	2348
	72	\$2281	2453	2239	2400	2239	2400
	30 48	\$2126	2310	2092	2267	2092	2267
	54	\$2208	2391	2168	2339	2168	2339
	60	\$2257	2439	2215	2387	2215	2387
	66	\$2333	2510	2293	2453	2288	2453
	72	\$2407	2582	2356	2521	2356	2521
		MEWB	MDWB	TEWB	TDWB		
DW6ATS.	24 48	\$1918	2102	1918	2102		
	54	\$1987	2160	1987	2160		
	60	\$2029	2202	2029	2202		
	66	\$2084	2253	2084	2253		
	72	\$2143	2304	2143	2304		
	30 48	\$1996	2169	1996	2169		
	54	\$2074	2245	2074	2245		
	60	\$2121	2290	2121	2290		
	66	\$2199	2358	2192	2358		
	72	\$2261	2424	2261	2424		

## Step 8. Switch Option

STS	simple up/down touch switch	+\$0
SRM	digital read out with memory <input type="checkbox"/>	+\$160

## Step 9. Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP)	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

# Nevi Rectangle Table with T-Foot

continued

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

## Step 10. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) <span>A</span>	+\$0
91	white (CP)	+\$0
98	studio white (CP) <span>A</span>	+\$0
CL	cool grey neutral <span>A</span>	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light <span>A</span>	+\$0
HP	light anigre <span>A</span>	+\$0
LBA	clear on ash (CP) <span>A</span>	+\$0
LBB	oak on ash (CP) <span>A</span>	+\$0
LBC	walnut on ash (CP) <span>A</span>	+\$0
LBF	neutral twill <span>A</span>	+\$0
LBJ	graphite twill <span>A</span>	+\$0
LBQ	white twill <span>A</span>	+\$0
LBR	phantom ecru <span>A</span>	+\$0
LBS	phantom cocoa <span>A</span>	+\$0
LBU	medium matte walnut (CP) <span>A</span>	+\$0
LBV	warm grey teak <span>A</span>	+\$0
LU	soft white <span>A</span>	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) <span>A</span>	+\$0
WN	warm grey neutral <span>A</span>	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge <span>A</span>	+\$50
-----	-----------------------------	-------

## Step 11. Base Finish

### Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Nevi Rectangle Table with T-Foot


continued

Nevi™ Adjustable Height Tables

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP) <span>A</span>	+\$0
98	studio white (CP) <span>A</span>	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) <span>A</span>	+\$0
WN	warm grey neutral <span>A</span>	+\$0
Step 12. Glides		
57	glides	+\$0

# Nevi Table Base Kit - 2 Legs

DW7A.



## Product Information


### Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch or a programmable touch switch with memory positions. Adjustable width crossbeam included (adjustable for 48" to 72" worksurfaces). Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

### Notes

Height range of the electric standard range (E) option is 26.9"-45.4", and of the electric extended range (D) option is 21.4"-47.8". Range does not include thickness of worksurface.

### Dimensions



## Specification Information

### Step 1.

DW7A.

### Step 2. Depth

24	24" deep (23" surface size)
30	30" deep (29" surface size) <input type="checkbox"/>

### Step 3. Foot Type

C	C foot
T	T foot <input type="checkbox"/>

### Step 4. Mechanism

E	electric standard range <input type="checkbox"/>
D	electric extended range

### Prices for Steps 1-4.

	E	D
DW7A. 24 C	\$1552	1876
T	\$1552	1876
30 C	\$1584	1904
T	\$1584	1904

### Step 5. Switch Option

STS	simple up/down touch switch	+\$0
SRM	digital read out with memory <input type="checkbox"/>	+\$160

### Step 6. Base Finish

#### Metallic Paint

611	beige mist metallic (CP)	+\$30
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

#### Sand Texture Paint


UBK	ultra black (CP)	+\$0
-----	------------------	------

#### Smooth Paint

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Nevi™ Sit-to-Stand Table Bases

Step 7. Glides		
57	glides	+\$0



### Product Information

#### Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

#### Notes


Suspended units must be mounted on inside of table leg.

Small and large open units are not handed. Lock is always on right side.


Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.

See planning guide for additional information and for other height-adjustable table mounting capabilities.


### Dimensions



Large suspended storage



Open suspended storage



Small suspended storage


Specification Information	
Step 1.	
IH200.	
Step 2. Storage Type	
<b>C</b>	large suspended storage, lock
<b>K</b>	small suspended storage, lock
<b>L</b>	large suspended storage, no lock
<b>S</b>	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
<b>S</b>	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
<b>L</b>	drawer, door hinged left
<b>P</b>	drawer, open
<b>R</b>	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
<b>13</b>	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
<b>16</b>	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
<b>10</b>	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
<b>10</b>	10-1/4" wide
Step 6. Top Drawer Accessory	
<b>N</b>	none
Step 7. Bottom Accessory	
<b>N</b>	none

Prices for Steps 1-7.			
		1310NN	1610NN
IH200.	<b>C L</b>	—	\$1161
	<b>P</b>	—	\$894
	<b>R</b>	—	\$1161
	<b>K S</b>	\$614	—
	<b>L L</b>	—	\$1104
	<b>P</b>	—	\$834
	<b>R</b>	—	\$1104
	<b>S S</b>	\$557	—
Step 8. Finish			
<b>611</b>	beige mist metallic (CP)		+\$0
<b>613</b>	silver (CP)		+\$0
<b>SNA</b>	satin aluminum		+\$30
<b>SNB</b>	satin bronze		+\$30
<b>SNC</b>	satin carbon		+\$30
<b>8Q</b>	folkstone grey (CP)		+\$0
<b>91</b>	white (CP)		+\$0
<b>98</b>	studio white (CP)		+\$0
<b>DB3</b>	glacier		+\$20
<b>DN2</b>	nightfall		+\$20
<b>DR1</b>	canyon		+\$20
<b>G1</b>	graphite (CP)		+\$0
<b>OLF</b>	olive		+\$20
<b>UBK</b>	ultra black (CP)		+\$0
<b>WL</b>	warm stone (CP)		+\$0
<b>WN</b>	warm grey neutral		+\$0
Step 9. Door Pull Finish			
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>			
<b>8Q</b>	folkstone grey (CP)		+\$0
<b>98</b>	studio white (CP)		+\$0
<b>UBK</b>	ultra black (CP)		+\$0
Step 10. Lock			
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>			
<b>KA</b>	keyed alike		+\$0
<b>KC</b>	keyed differently, chrome		+\$0
<b>KD</b>	keyed differently, black		+\$0
<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>			
<b>NL</b>	no lock		+\$0




External Cable Manager

DU11B.  
DU11S.



Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions




Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B.
DU11S.
Step 3. Finish
Price Category 4
Price Category 5

Nevi™ Power and Data Support


Cable Management Channel

FT19C.




Product Information
Description
This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.
Dimensions

Specification Information
Step 1.
FT19C. <span>A</span>
Step 2. Width
08 8" wide <span>A</span>
40 40" wide <span>A</span>
Prices for Steps 1-2.
FT19C. 08 \$65
40 \$114




Cable Management Trough

FT199.




Product Information
Description
This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.
Dimensions

Specification Information
Step 1.
FT199. \$106



Height-Adjustable Vertical Cable Manager


DU15B.  
DU15S.



Product Information

Description


This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.



Specification Information			
Step 1.			
DU15 <span>A</span>			
Step 2. Attachment			
B.	cable tray attachment	<span>A</span>	
S.	worksurface attachment	<span>A</span>	
Step 3. Table Mechanism			
D	electric extended range		
E	electric standard range		
Prices for Steps 1-3.			
DU15B. D			\$178
E			\$178
DU15S. D			\$186
E			\$186
Step 4. Finish			
613	silver (CP)		+\$0
UBK	ultra black (CP)		+\$0
91	white (CP)		+\$0

## Easy Access Height-Adjustable Vertical Cable Manager

DU16B.  
DU16S.




### Product Information

#### Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

#### Dimensions



### Specification Information

#### Step 1.

**DU16** ☐

#### Step 2. Attachment

**B.** cable tray attachment ☐

**S.** worksurface attachment ☐

#### Step 3. Table Mechanism

**D** electric extended range ☐

**E** electric standard range ☐

#### Prices for Steps 1-3.

<b>DU16B. D</b>	\$217
<b>E</b>	\$217

<b>DU16S. D</b>	\$217
<b>E</b>	\$217

#### Step 4. Mesh Finish

<b>UBK</b> ultra black (CP) <input type="checkbox"/>	+\$0
--	------

<b>SY</b> silver grey <input type="checkbox"/>	+\$0
--	------

#### Step 5. Cable Cover Finish

##### Metallic Paint

<b>613</b> silver (CP) <input type="checkbox"/>	+\$0
---	------

##### Sand Texture Paint

<b>UBK</b> ultra black (CP) <input type="checkbox"/>	+\$0
--	------


<b>91</b> white (CP) <input type="checkbox"/>	+\$0
---	------

<b>98</b> studio white (CP) <input type="checkbox"/>	+\$0
--	------

<b>G1</b> graphite (CP) <input type="checkbox"/>	+\$0
--	------

Pari Screen, Height Adjustable  
Tables

Y1116.



Product Information

**Description**

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

**Notes**

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



# Pari Screen, Height Adjustable Tables *continued*

## Specification Information

Step 1.

Y1116. ☐

Step 2. Height

- A privacy (42" high) ☐
- B privacy & modesty (42" high/10" below surface) ☐
- C privacy (46" high) ☐
- D privacy & modesty (46" high/10" below surface) ☐
- E privacy (53" high) ☐
- F privacy & modesty (53" high/10" below surface) ☐

Step 3. Width

- 24 24" wide ☐
- 30 30" wide ☐
- 36 36" wide ☐
- 42 42" wide ☐
- 48 48" wide ☐
- 54 54" wide ☐
- 60 60" wide ☐
- 66 66" wide ☐
- 72 72" wide ☐

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R tackable fabric, horizontal ☐
- T tackable fabric ☐
- D tackable fabric, horizontal with MicrobeCare™ ☐
- E tackable fabric with MicrobeCare™ ☐

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R tackable fabric, horizontal ☐
- D tackable fabric, horizontal with MicrobeCare™ ☐

Prices for Steps 1-4.

	R	T	D	E
Y1116. A 24	\$583	583	655	655
30	\$676	676	746	746
36	\$702	702	774	774
42	\$744	744	817	817
48	\$771	771	844	844
54	\$847	—	918	—
60	\$910	—	982	—
66	\$972	—	1046	—
72	\$1026	—	1096	—

B 24	\$703	703	775	775
30	\$754	754	824	824
36	\$802	802	872	872
42	\$847	847	918	918
48	\$940	940	1011	1011
54	\$1057	—	1129	—
60	\$1085	—	1156	—
66	\$1166	—	1239	—
72	\$1196	—	1268	—
C 24	\$663	663	734	734
30	\$709	709	780	780
36	\$759	759	830	830
42	\$805	805	876	876
48	\$889	889	959	959
54	\$978	—	1048	—
60	\$1089	—	1160	—
66	\$1141	—	1212	—
72	\$1187	—	1257	—
D 24	\$851	851	921	921
30	\$896	896	967	967
36	\$944	944	1016	1016
42	\$991	991	1063	1063
48	\$1066	1066	1139	1139
54	\$1118	—	1189	—
60	\$1184	—	1255	—
66	\$1244	—	1315	—
72	\$1276	—	1347	—
E 24	\$871	871	942	942
30	\$918	918	989	989
36	\$965	965	1035	1035
42	\$1041	1041	1113	1113
48	\$1071	1071	1143	1143
54	\$1132	—	1205	—
60	\$1155	—	1227	—
66	\$1183	—	1254	—
72	\$1210	—	1282	—
F 24	\$959	959	1030	1030
30	\$1005	1005	1077	1077
36	\$1054	1054	1126	1126
42	\$1101	1101	1173	1173
48	\$1185	1185	1256	1256
54	\$1227	—	1297	—
60	\$1272	—	1343	—
66	\$1376	—	1446	—
72	\$1402	—	1473	—

Nevi™ Screens

# Pari Screen, Height Adjustable Tables *continued*

Step 5. Cable Trough		
<i>For privacy &amp; modesty (42" high/10" below surface) (B), privacy &amp; modesty (46" high/10" below surface) (D), or privacy &amp; modesty (53" high/10" below surface) (F)</i>		
NC	no cable way <input type="checkbox"/>	+\$0
CW	cable way <input type="checkbox"/>	+\$25


Step 6. Fabric		
	Price Category 1	+\$0
	Price Category 2	+\$23
	Price Category 3	+\$49
	Price Category 4	+\$96
	Price Category 5	+\$162
	Price Category B	+\$86
	Price Category C	+\$121
	Price Category E	+\$182

Nevi™ Screens



Personal Side Screen

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117. A

Step 2. Height

13      13" high A

Step 3. Surface Material

R      tackable fabric, horizontal A

T      tackable fabric A


Prices for Steps 1-3.

	R	T
Y1117. 13	\$522	522

Step 4. Fabric

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$28
Price Category 4	+\$53
Price Category 5	+\$90

Surface-Attached Screen, Flat Edge Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.  
Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.  
Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.  
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.  
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.  
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.  
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.  
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.  
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.  
Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.  
Attachment bracket finish is painted graphite.  
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



# Surface-Attached Screen, Flat Edge

continued

## Specification Information

Step 1.

Y1118. ☐ A

Step 2. Height

A privacy (42" high) ☐ A

B privacy & modesty (42" high/ 9" below surface) ☐ A

C privacy (46" high) ☐ A

D privacy & modesty (46" high/ 9" below surface) ☐ A

E privacy (53" high) ☐ A

F privacy & modesty (53" high/ 9" below surface) ☐ A

Step 3. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1118. A 24	\$406	406	477	477
30	\$438	438	510	510
36	\$522	522	594	594
42	\$562	562	633	633
48	\$602	602	672	672
54	\$639	—	710	—
60	\$694	—	765	—
66	\$726	—	798	—
72	\$774	—	845	—

B 24	\$505	505	575	575
30	\$544	544	616	616
36	\$583	583	655	655
42	\$624	624	695	695
48	\$656	656	729	729
54	\$692	—	762	—
60	\$715	—	786	—
66	\$780	—	852	—
72	\$838	—	910	—
C 24	\$506	506	578	578
30	\$558	558	629	629
36	\$600	600	671	671
42	\$660	660	732	732
48	\$740	740	810	810
54	\$779	—	851	—
60	\$871	—	942	—
66	\$916	—	986	—
72	\$982	—	1053	—
D 24	\$635	635	708	708
30	\$709	709	780	780
36	\$790	790	860	860
42	\$808	808	880	880
48	\$842	842	914	914
54	\$866	—	935	—
60	\$958	—	1029	—
66	\$1035	—	1108	—
72	\$1078	—	1150	—
E 24	\$690	690	760	760
30	\$699	699	770	770
36	\$718	718	789	789
42	\$844	844	916	916
48	\$873	873	945	945
54	\$895	—	966	—
60	\$935	—	1006	—
66	\$1020	—	1092	—
72	\$1086	—	1157	—
F 24	\$834	834	906	906
30	\$844	844	916	916
36	\$858	858	930	930
42	\$873	873	945	945
48	\$885	885	957	957
54	\$896	—	967	—
60	\$991	—	1063	—
66	\$1042	—	1114	—
72	\$1259	—	1330	—

Nevi™ Screens

Surface-Attached Screen, Flat Edge

continued

Step 5. Cable Trough  
*For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)*

NC	no cable way <input type="checkbox"/>	+\$0
CW	cable way <input type="checkbox"/>	+\$25


Step 6. Fabric		
Price Category 1		+\$0
Price Category 2		+\$25
Price Category 3		+\$59
Price Category 4		+\$112
Price Category 5		+\$146
Price Category B		+\$97
Price Category C		+\$133
Price Category E		+\$182

<i>For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)</i>		
Price Category 1		+\$0
Price Category 2		+\$25
Price Category 3		+\$59
Price Category 4		+\$112
Price Category 5		+\$146
Price Category B		+\$97
Price Category C		+\$133

Nevi™ Screens

## Personal Side Screen, Rectangular

Y1119.



## Product Information

## Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

## Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1 1/4" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

### Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

### Dimensions



### Specification Information

Step 1.

Y1119. 

A
---

### Step 2. Height

13 13" high

### Step 3. Surface Material

R	tackable fabric, horizontal	A
---	-----------------------------	---


T	tackable fabric	A
---	-----------------	---

## Prices for Steps 1-3.

	R	T
Y1119. 13	\$513	513

### Step 4. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$47
Price Category 5	+\$80



Product Information


Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.  
Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.  
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.  
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.  
Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.  
Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.  
Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

- 13A
- privacy (13 1/2" above worksurface)
- 13B
- privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

- 24
- 24" wide
- 30
- 30" wide
- 36
- 36" wide
- 42
- 42" wide
- 48
- 48" wide
- 54
- 54" wide
- 60
- 60" wide
- 66
- 66" wide
- 72
- 72" wide

Step 4. Surface Material

- L
- thermally-fused laminate
- U
- thermally-fused laminate/universal edge

Prices for Steps 1-4.

			L	U
Y1120. 13A	24		\$277	277
	30		\$295	295
	36		\$310	310
	42		\$324	324
	48		\$340	340
	54		\$354	354
	60		\$365	365
	66		\$377	377
	72		\$391	391
	13B 24		\$342	342
	30		\$360	360
	36		\$379	379
	42		\$399	399
	48		\$417	417
	54		\$432	432
	60		\$451	451
	66		\$463	463
	72		\$479	479

# Laminate Screen, Surface Attached

continued

## Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

<b>VTG</b>	vertical grain	+\$0
<b>HRG</b>	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

<b>HRG</b>	horizontal grain	+\$0
------------	------------------	------

## Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

<b>NC</b>	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11⅞" below worksurface) (13B)

<b>NC</b>	no cable way	+\$0
<b>CW</b>	cable way	+\$25

## Step 7. Surface Finish

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 8. Edge Finish

For thermally-fused laminate (L)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)


<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

Nevi™ Screens

Ambit™ Height Adjustable Table

Y1150.

Screen, Thin Profile Fabric



Product Information

Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.

For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.

For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42"-high Canvas datum line.


For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46"-high Canvas datum line.

For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53"-high Canvas datum line.

Side-attached (S) screens contain a center bracket.

Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

Dimensions



Specification Information

Step 1.

Y1150.

Step 2. Table Type

- |    |            |
|----|------------|
| MT | Motia      |
| NL | Nevi Link  |
| NT | Nevi       |
| RL | Renew Link |
| RT | Renew      |

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

- |   |  |
|---|--|
| L | left hand return                       |
| R | right hand return                      |
| S | back screen only                       |
| U | right and left return screen, U screen |

For Nevi Link (NL) or Renew Link (RL)

- |   |  |
|---|--|
| L | left hand return                       |
| R | right hand return                      |
| U | right and left return screen, U screen |

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)

- |   |   |
|---|---|
| S | attached on outside of work surface (for use with freestanding table) |
|---|---|

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- |   |   |
|---|---|
| S | attached on outside of work surface (for use with freestanding table) |
| T | mounted on top of work surface (for benching applications)            |

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- |   |  |
|---|--|
| T | mounted on top of work surface (for benching applications) |
|---|--|

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

- |   |  |
|---|--|
| A | privacy (42" high)                             |
| B | privacy & modesty (42" high/10" below surface) |
| C | privacy (46" high)                             |
| D | privacy & modesty (46" high/10" below surface) |
| E | privacy (53" high)                             |
| F | privacy & modesty (53" high/10" below surface) |



# Ambit™ Height Adjustable Table

## Screen, Thin Profile Fabric *continued*

For mounted on top of work surface (for benching applications) (T)

<b>A</b>	privacy (42" high)
<b>C</b>	privacy (46" high)
<b>E</b>	privacy (53" high)

### Step 6. Width

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

<b>36</b>	36" wide
<b>42</b>	42" wide
<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

### Step 7. Table Depth

For left hand return (L), right hand return (R), or right and left return screen, U screen (U)

<b>24</b>	24" deep
<b>30</b>	30" deep

For back screen only (S)

<b>00</b>	no depth selection needed
-----------	---------------------------

### Step 8. Surface Material

<b>R</b>	tackable fabric, horizontal
----------	-----------------------------

### Prices for Steps 1-8.

			SA3600R	SA4200R	SA4800R	SA4824R	SA4830R	SA5400R
<b>Y1150.</b>	<b>MT</b>	<b>L</b>	—	—	—	\$835	848	—
		<b>R</b>	—	—	—	\$835	835	—
		<b>S</b>	—	—	\$590	—	—	627
		<b>U</b>	—	—	—	\$1117	1117	—
	<b>NT</b>	<b>L</b>	—	—	—	\$835	835	—
		<b>R</b>	—	—	—	\$835	835	—
		<b>S</b>	—	—	\$590	—	—	627
		<b>U</b>	—	—	—	\$1117	1117	—
	<b>RT</b>	<b>L</b>	—	—	—	\$835	835	—
		<b>R</b>	—	—	—	\$835	835	—
		<b>S</b>	\$513	551	590	—	—	627
		<b>U</b>	—	—	—	\$1117	1117	—

Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

Nevi™ Screens

		SA5424R	SA5430R	SA6000R	SA6024R	SA6030R	SA6600R
Y1150.	MT	L	\$897	919	—	937	972 —
		R	\$897	919	—	937	972 —
		S	—	—	\$680	—	713
		U	\$1201	1231	—	1250	1297 —
	NT	L	\$897	919	—	937	972 —
		R	\$897	919	—	937	972 —
		S	—	—	\$680	—	713
		U	\$1201	1231	—	1250	1297 —
	RT	L	\$897	919	—	937	972 —
		R	\$897	919	—	937	972 —
		S	—	—	\$680	—	713
		U	\$1201	1231	—	1250	1297 —
		SA6624R	SA6630R	SA7200R	SA7224R	SA7230R	SB3600R
Y1150.	MT	L	\$968	1017	—	1011	1071 —
		R	\$968	1017	—	1011	1071 —
		S	—	—	\$759	—	—
		U	\$1294	1358	—	1352	1433 —
	NT	L	\$968	1017	—	1011	1071 —
		R	\$968	1017	—	1011	1071 —
		S	—	—	\$759	—	—
		U	\$1294	1358	—	1352	1433 —
	RT	L	\$968	1017	—	1011	1071 —
		R	\$968	1017	—	1011	1071 —
		S	—	—	\$759	—	571
		U	\$1294	1358	—	1352	1433 —
		SB4200R	SB4800R	SB4824R	SB4830R	SB5400R	SB5424R
Y1150.	MT	L	—	—	\$860	901	— 923
		R	—	—	\$860	860	— 923
		S	—	\$644	—	—	678 —
		U	—	—	\$1151	1151	— 1236
	NT	L	—	—	\$860	860	— 923
		R	—	—	\$860	860	— 923
		S	—	\$644	—	—	678 —
		U	—	—	\$1151	1151	— 1236
	RT	L	—	—	\$860	860	— 923
		R	—	—	\$860	860	— 923
		S	\$611	644	—	—	678 —
		U	—	—	\$1151	1151	— 1236
		SB5430R	SB6000R	SB6024R	SB6030R	SB6600R	SB6624R
Y1150.	MT	L	\$946	—	961	997	— 995
		R	\$946	—	961	997	— 995
		S	—	\$701	—	—	765 —
		U	\$1266	—	1285	1331	— 1329

		NT	L	\$946	—	961	997	—	995
		R	\$946	—	961	997	—	995	
		S	—	\$701	—	—	765	—	
		U	\$1266	—	1285	1331	—	1329	
		RT	L	\$946	—	961	997	—	995
		R	\$946	—	961	997	—	995	
		S	—	\$701	—	—	765	—	
		U	\$1266	—	1285	1331	—	1329	
				SB6630R	SB7200R	SB7224R	SB7230R	SC3600R	SC4200R
Y1150.	MT	L	\$1042	—	1036	1098	—	—	
		R	\$1042	—	1036	1098	—	—	
		S	—	\$823	—	—	—	—	
		U	\$1392	—	1385	1468	—	—	
	NT	L	\$1042	—	1036	1098	—	—	
		R	\$1042	—	1036	1098	—	—	
		S	—	\$823	—	—	—	—	
		U	\$1392	—	1385	1468	—	—	
	RT	L	\$1042	—	1036	1098	—	—	
		R	\$1042	—	1036	1098	—	—	
		S	—	\$823	—	—	588	647	
		U	\$1392	—	1385	1468	—	—	
				SC4800R	SC4824R	SC4830R	SC5400R	SC5424R	SC5430R
Y1150.	MT	L	—	\$960	960	—	1024	1047	
		R	—	\$960	960	—	1024	1047	
		S	\$726	—	—	764	—	—	
		U	—	\$1285	1285	—	1369	1398	
	NT	L	—	\$960	960	—	1024	1047	
		R	—	\$960	960	—	1024	1047	
		S	\$726	—	—	764	—	—	
		U	—	\$1285	1285	—	1369	1398	
	RT	L	—	\$960	960	—	1024	1047	
		R	—	\$960	960	—	1024	1047	
		S	\$726	—	—	764	—	—	
		U	—	\$1285	1285	—	1369	1398	
				SC6000R	SC6024R	SC6030R	SC6600R	SC6624R	SC6630R
Y1150.	MT	L	—	\$1062	1097	—	1094	1141	
		R	—	\$1062	1097	—	1094	1141	
		S	\$854	—	—	898	—	—	
		U	—	\$1419	1465	—	1463	1527	
NT	L	—	\$1062	1097	—	1094	1141		
		R	—	\$1062	1097	—	1094	1141	
		S	\$854	—	—	898	—	—	
		U	—	\$1419	1465	—	1463	1527	

Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

	RT	L	—	\$1062	1097	—	1094	1141
		R	—	\$1062	1097	—	1094	1141
		S	\$854	—	—	898	—	—
		U	—	\$1419	1465	—	1463	1527
			SC7200R	SC7224R	SC7230R	SD3600R	SD4200R	SD4800R
Y1150.	MT	L	—	\$1136	1199	—	—	—
		R	—	\$1136	1199	—	—	—
		S	\$962	—	—	—	—	825
		U	—	\$1519	1602	—	—	—
	NT	L	—	\$1136	1199	—	—	—
		R	—	\$1136	1199	—	—	—
		S	\$962	—	—	—	—	825
		U	—	\$1519	1602	—	—	—
	RT	L	—	\$1136	1199	—	—	—
		R	—	\$1136	1199	—	—	—
		S	\$962	—	—	776	793	825
		U	—	\$1519	1602	—	—	—
			SD4824R	SD4830R	SD5400R	SD5424R	SD5430R	SD6000R
Y1150.	MT	L	\$977	977	—	1040	1062	—
		R	\$977	977	—	1040	1062	—
		S	—	—	\$848	—	—	940
		U	\$1308	1308	—	1391	1421	—
	NT	L	\$977	977	—	1040	1062	—
		R	\$977	977	—	1040	1062	—
		S	—	—	\$848	—	—	940
		U	\$1308	1308	—	1391	1421	—
	RT	L	\$977	977	—	1040	1062	—
		R	\$977	977	—	1040	1062	—
		S	—	—	\$848	—	—	940
		U	\$1308	1308	—	1391	1421	—
			SD6024R	SD6030R	SD6600R	SD6624R	SD6630R	SD7200R
Y1150.	MT	L	\$1077	1112	—	1110	1158	—
		R	\$1077	1112	—	1110	1158	—
		S	—	—	\$1017	—	—	1058
		U	\$1441	1488	—	1486	1549	—
	NT	L	\$1077	1112	—	1110	1158	—
		R	\$1077	1112	—	1110	1158	—
		S	—	—	\$1017	—	—	1058
		U	\$1441	1488	—	1486	1549	—
	RT	L	\$1077	1112	—	1110	1158	—
		R	\$1077	1112	—	1110	1158	—
		S	—	—	\$1017	—	—	1058
		U	\$1441	1488	—	1486	1549	—

		SD7224R	SD7230R	SE3600R	SE4200R	SE4800R	SE4824R
Y1150.	MT	L	\$1153	1214	—	—	1043
		R	\$1153	1214	—	—	1043
		S	—	—	—	\$856	—
		U	\$1541	1624	—	—	1396
	NT	L	\$1153	1214	—	—	1043
		R	\$1153	1214	—	—	1043
		S	—	—	—	\$856	—
		U	\$1541	1624	—	—	1396
	RT	L	\$1153	1214	—	—	1043
		R	\$1153	1214	—	—	1043
		S	—	—	\$704	827	856
		U	\$1541	1624	—	—	1396
		SE4830R	SE5400R	SE5424R	SE5430R	SE6000R	SE6024R
Y1150.	MT	L	\$1043	—	1106	1129	—
		R	\$1043	—	1106	1129	—
		S	—	\$878	—	—	917
		U	\$1396	—	1480	1509	—
	NT	L	\$1043	—	1106	1129	—
		R	\$1043	—	1106	1129	—
		S	—	\$878	—	—	917
		U	\$1396	—	1480	1509	—
	RT	L	\$1043	—	1106	1129	—
		R	\$1043	—	1106	1129	—
		S	—	\$878	—	—	917
		U	\$1396	—	1480	1509	—
		SE6030R	SE6600R	SE6624R	SE6630R	SE7200R	SE7224R
Y1150.	MT	L	\$1179	—	1177	1223	—
		R	\$1179	—	1177	1223	—
		S	—	\$1000	—	—	1065
		U	\$1577	—	1574	1638	—
	NT	L	\$1179	—	1177	1223	—
		R	\$1179	—	1177	1223	—
		S	—	\$1000	—	—	1065
		U	\$1577	—	1574	1638	—
	RT	L	\$1179	—	1177	1223	—
		R	\$1179	—	1177	1223	—
		S	—	\$1000	—	—	1065
		U	\$1577	—	1574	1638	—
		SE7230R	SF3600R	SF4200R	SF4800R	SF4824R	SF4830R
Y1150.	MT	L	\$1281	—	—	—	1128
		R	\$1281	—	—	—	1128
		S	—	—	—	\$869	—
		U	\$1713	—	—	—	1507

Nevi™ Screens

Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

Nevi™ Screens

NT	L	\$1281	—	—	—	1128	1128
	R	\$1281	—	—	—	1128	1128
	S	—	—	—	\$869	—	—
	U	\$1713	—	—	—	1507	1507
RT	L	\$1281	—	—	—	1128	1128
	R	\$1281	—	—	—	1128	1128
	S	—	\$843	848	869	—	—
	U	\$1713	—	—	—	1507	1507

		SF5400R	SF5424R	SF5430R	SF6000R	SF6024R	SF6030R	
Y1150.	MT	L	—	\$1192	1212	—	1229	1265
		R	—	\$1192	1212	—	1229	1265
		S	\$879	—	—	974	—	—
		U	—	\$1592	1622	—	1641	1688
	NT	L	—	\$1192	1212	—	1229	1265
		R	—	\$1192	1212	—	1229	1265
		S	\$879	—	—	974	—	—
		U	—	\$1592	1622	—	1641	1688
	RT	L	—	\$1192	1212	—	1229	1265
		R	—	\$1192	1212	—	1229	1265
		S	\$879	—	—	974	—	—
		U	—	\$1592	1622	—	1641	1688

		SF6600R	SF6624R	SF6630R	SF7200R	SF7224R	SF7230R	
Y1150.	MT	L	—	\$1261	1309	—	1304	1364
		R	—	\$1261	1309	—	1304	1364
		S	\$1023	—	—	1236	—	—
		U	—	\$1686	1749	—	1741	1825
	NT	L	—	\$1261	1309	—	1304	1364
		R	—	\$1261	1309	—	1304	1364
		S	\$1023	—	—	1236	—	—
		U	—	\$1686	1749	—	1741	1825
	RT	L	—	\$1261	1309	—	1304	1364
		R	—	\$1261	1309	—	1304	1364
		S	\$1023	—	—	1236	—	—
		U	—	\$1686	1749	—	1741	1825

		TA4824R	TA4830R	TA5424R	TA5430R	TA6024R	TA6030R
Y1150. MT	L	\$835	835	897	919	937	972
	R	\$835	835	897	919	937	972
	U	\$1117	1117	1201	1231	1250	1297
NL	L	\$835	835	897	919	937	972
	R	\$835	835	897	919	937	972
	U	\$1117	1117	1201	1231	1250	1297
NT	L	\$835	835	897	919	937	972
	R	\$835	835	897	919	937	972
	U	\$1117	1117	1201	1231	1250	1297

RL	L	\$835	835	897	919	937	972
	R	\$835	835	897	919	937	972
	U	\$1117	1117	1201	1231	1250	1297
RT	L	\$835	835	897	919	937	972
	R	\$835	835	897	919	937	972
	U	\$1117	1117	1201	1231	1250	1297

		TA6624R	TA6630R	TA7224R	TA7230R	TC4824R	TC4830R	
Y1150.	MT	L	\$968	1017	1011	1071	960	960
		R	\$968	1017	1011	1071	960	960
		U	\$1294	1358	1352	1433	1285	1285
	NL	L	\$968	1017	1011	1071	960	960
		R	\$968	1017	1011	1071	960	960
		U	\$1294	1358	1352	1433	1285	1285
	NT	L	\$968	1017	1011	1071	960	960
		R	\$968	1017	1011	1071	960	960
		U	\$1294	1358	1352	1433	1285	1285
	RL	L	\$968	1017	1011	1071	960	960
		R	\$968	1017	1011	1071	960	960
		U	\$1294	1358	1352	1433	1285	1285
	RT	L	\$968	1017	1011	1071	960	960
		R	\$968	1017	1011	1071	960	960
		U	\$1294	1358	1352	1433	1285	1285

			TC5424R	TC5430R	TC6024R	TC6030R	TC6624R	TC6630R
Y1150.	MT	L	\$1024	1047	1062	1097	1094	1141
		R	\$1024	1047	1062	1097	1094	1141
		U	\$1369	1398	1419	1465	1463	1527
	NL	L	\$1024	1047	1062	1097	1094	1141
		R	\$1024	1047	1062	1097	1094	1141
		U	\$1369	1398	1419	1465	1463	1527
	NT	L	\$1024	1047	1062	1097	1094	1141
		R	\$1024	1047	1062	1097	1094	1141
		U	\$1369	1398	1419	1465	1463	1527
	RL	L	\$1024	1047	1062	1097	1094	1141
		R	\$1024	1047	1062	1097	1094	1141
		U	\$1369	1398	1419	1465	1463	1527
	RT	L	\$1024	1047	1062	1097	1094	1141
		R	\$1024	1047	1062	1097	1094	1141
		U	\$1369	1398	1419	1465	1463	1527

		TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R	
Y1150.	MT	L	\$1136	1199	1043	1043	1106	1129
		R	\$1136	1199	1043	1043	1106	1129
		U	\$1519	1602	1396	1396	1480	1509

Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

<b>NL</b>	<b>L</b>	\$1136	1199	1043	1043	1106	1129
	<b>R</b>	\$1136	1199	1043	1043	1106	1129
	<b>U</b>	\$1519	1602	1396	1396	1480	1509
<b>NT</b>	<b>L</b>	\$1136	1199	1043	1043	1106	1129
	<b>R</b>	\$1136	1199	1043	1043	1106	1129
	<b>U</b>	\$1519	1602	1396	1396	1480	1509
<b>RL</b>	<b>L</b>	\$1136	1199	1043	1043	1106	1129
	<b>R</b>	\$1136	1199	1043	1043	1106	1129
	<b>U</b>	\$1519	1602	1396	1396	1480	1509
<b>RT</b>	<b>L</b>	\$1136	1199	1043	1043	1106	1129
	<b>R</b>	\$1136	1199	1043	1043	1106	1129
	<b>U</b>	\$1519	1602	1396	1396	1480	1509

		TE6024R	TE6030R	TE6624R	TE6630R	TE7224R	TE7230R
<b>Y1150. MT</b>	<b>L</b>	\$1143	1179	1177	1223	1219	1281
	<b>R</b>	\$1143	1179	1177	1223	1219	1281
	<b>U</b>	\$1530	1577	1574	1638	1630	1713
<b>NL</b>	<b>L</b>	\$1143	1179	1177	1223	1219	1281
	<b>R</b>	\$1143	1179	1177	1223	1219	1281
	<b>U</b>	\$1530	1577	1574	1638	1630	1713
<b>NT</b>	<b>L</b>	\$1143	1179	1177	1223	1219	1281
	<b>R</b>	\$1143	1179	1177	1223	1219	1281
	<b>U</b>	\$1530	1577	1574	1638	1630	1713
<b>RL</b>	<b>L</b>	\$1143	1179	1177	1223	1219	1281
	<b>R</b>	\$1143	1179	1177	1223	1219	1281
	<b>U</b>	\$1530	1577	1574	1638	1630	1713
<b>RT</b>	<b>L</b>	\$1143	1179	1177	1223	1219	1281
	<b>R</b>	\$1143	1179	1177	1223	1219	1281
	<b>U</b>	\$1530	1577	1574	1638	1630	1713

Step 9. Fabric

Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$71
Price Category 4	+\$134
Price Category 5	+\$220
Price Category B	+\$120
Price Category C	+\$160
Price Category E	+\$220

Step 10. Corner Cover Options

*For mounted on top of work surface (for benching applications)*  
(T)

<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>DB3</b>	glacier	+\$10
<b>DN2</b>	nightfall	+\$10
<b>DR1</b>	canyon	+\$10
<b>G1</b>	graphite (CP)	+\$0
<b>OLF</b>	olive	+\$10
<b>WN</b>	warm grey	+\$0

Step 11. Bracket Color Options

*For mounted on top of work surface (for benching applications)*  
(T)

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$10
<b>DN2</b>	nightfall	+\$10
<b>DR1</b>	canyon	+\$10
<b>OLF</b>	olive	+\$10
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10

Step 12. Screen Accessories

<b>NN</b>	none	+\$0
<b>NH</b>	name tag holder (YT410)	+\$43
<b>MB</b>	24" painted metal markerboard (Y1124.DP)	+\$170
<b>ML</b>	30" painted metal markerboard (Y1124.DP)	+\$182
<b>DM</b>	24" writeable markerboard (Y1124.DM)	+\$238
<b>DL</b>	30" writeable markerboard (Y1124.DM)	+\$265

Step 13. Screen Accessory Finish

*For name tag holder (YT410) (NH)*

<b>613</b>	silver (CP)	+\$0
------------	-------------	------

# Ambit™ Height Adjustable Table

## Screen, Thin Profile Fabric *continued*

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10


For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Nevi™ Screens

# Ambit™ Height Adjustable Table Screen, PET

Y1155.




## Product Information

### Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.

### Dimensions



## Specification Information

### Step 1.

Y1155.

### Step 2. Table Type

MT	Motia
NL	Nevi Link
NT	Nevi
RL	Renew Link
RT	Renew

### Step 3. Application

#### For Motia (MT), Nevi (NT), or Renew (RT)

L	left hand return
R	right hand return
U	right and left return screen, U screen

#### For Nevi Link (NL) or Renew Link (RL)

L	left hand return
R	right hand return
U	right and left return screen, U screen

### Step 4. Attachment Method

#### For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S	attached on outside of work surface (for use with freestanding table)
T	mounted on top of work surface (for benching applications)

#### For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T	mounted on top of work surface (for benching applications)
---	--

### Step 5. Height

#### For attached on outside of work surface (for use with freestanding table) (S)

A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)

#### For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)

# Ambit™ Height Adjustable Table

## Screen, PET *continued*

Nevi™ Screens

Step 6. Width	
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth	
24	24" deep
30	30" deep

### Prices for Steps 1-7.

		SA4824	SA4830	SA5424	SA5430	SA6024	SA6030
Y1155. MT	L	\$946	946	968	968	1001	1001
	R	\$946	946	968	968	1001	1001
	U	\$1057	1057	1135	1135	1168	1168
	NT	L	\$946	946	968	968	1001
		R	\$946	946	968	968	1001
		U	\$1057	1057	1135	1135	1168
	RT	L	\$946	946	968	968	1001
		R	\$946	946	968	968	1001
		U	\$1057	1057	1135	1135	1168

		SA6624	SA6630	SA7224	SA7230	SB4824	SB4830
Y1155. MT	L	\$1024	1024	1047	1047	980	980
	R	\$1024	1024	1047	1047	980	980
	U	\$1279	1279	1613	1613	1279	1279
	NT	L	\$1024	1024	1047	1047	980
		R	\$1024	1024	1047	1047	980
		U	\$1279	1279	1613	1613	1279
	RT	L	\$1024	1024	1047	1047	980
		R	\$1024	1024	1047	1047	980
		U	\$1279	1279	1613	1613	1279

		SB5424	SB5430	SB6024	SB6030	SB6624	SB6630
Y1155. MT	L	\$1013	1013	1034	1034	1068	1068
	R	\$1013	1013	1034	1034	1068	1068
	U	\$1335	1335	1391	1391	1613	1613
	NT	L	\$1013	1013	1034	1034	1068
		R	\$1013	1013	1034	1034	1068
		U	\$1335	1335	1391	1391	1613
	RT	L	\$1013	1013	1034	1034	1068
		R	\$1013	1013	1034	1034	1068
		U	\$1335	1335	1391	1391	1613

		SB7224	SB7230	SC4824	SC4830	SC5424	SC5430
Y1155. MT	L	\$1091	1091	1001	1001	1024	1024
	R	\$1091	1091	1001	1001	1024	1024
	U	\$1693	1693	1335	1335	1391	1391
	NT	L	\$1091	1091	1001	1001	1024
		R	\$1091	1091	1001	1001	1024
		U	\$1693	1693	1335	1335	1391
	RT	L	\$1091	1091	1001	1001	1024
		R	\$1091	1091	1001	1001	1024
		U	\$1693	1693	1335	1335	1391

		SC6024	SC6030	SC6624	SC6630	SC7224	SC7230
Y1155. MT	L	\$1047	1047	1068	1068	1091	1091
	R	\$1047	1047	1068	1068	1091	1091
	U	\$1446	1446	1557	1557	1668	1668
	NT	L	\$1047	1047	1068	1068	1091
		R	\$1047	1047	1068	1068	1091
		U	\$1446	1446	1557	1557	1668
	RT	L	\$1047	1047	1047	1047	1091
		R	\$1047	1047	1047	1047	1091
		U	\$1446	1446	1557	1557	1668

		SD4824	SD4830	SD5424	SD5430	SD6024	SD6030
Y1155. MT	L	\$1441	1441	1452	1452	1502	1502
	R	\$1441	1441	1452	1452	1502	1502
	U	\$1557	1557	1668	1668	1779	1779
	NT	L	\$1441	1441	1452	1452	1502
		R	\$1441	1441	1452	1452	1502
		U	\$1557	1557	1668	1668	1779
	RT	L	\$1441	1441	1452	1452	1502
		R	\$1441	1441	1452	1452	1502
		U	\$1557	1557	1668	1668	1779

		SD6624	SD6630	SD7224	SD7230	TA4824	TA4830
Y1155. MT	L	\$1563	1563	1674	1674	848	849
	R	\$1563	1563	1674	1674	848	849
	U	\$2001	2001	2223	2223	898	899
	NL	L	—	—	—	\$848	849
		R	—	—	—	\$848	849
		U	—	—	—	\$898	899
	NT	L	\$1562	1563	1674	1674	848
		R	\$1563	1563	1674	1674	848
		U	\$2001	2001	2223	2223	898
	RL	L	—	—	—	\$848	849
		R	—	—	—	\$848	849
		U	—	—	—	\$898	899



Ambit™ Height Adjustable Table  
Screen, PET *continued*

<b>RT</b>	<b>L</b>	\$1563	1563	1674	1674	848	849
	<b>R</b>	\$1563	1563	1674	1674	848	849
	<b>U</b>	\$2001	2001	2223	2223	898	899

		TA5424	TA5430	TA6024	TA6030	TA6624	TA6630
Y1155. MT	L	\$856	856	890	890	930	930
	R	\$856	856	890	890	930	930
	U	\$902	902	1009	1010	1012	1012
NL	L	\$856	856	890	890	930	930
	R	\$856	856	890	890	930	930
	U	\$902	902	1009	1010	1012	1012
NT	L	\$856	856	890	890	930	930
	R	\$856	856	890	890	930	930
	U	\$902	902	1009	1010	1012	1012
RL	L	\$856	856	890	890	930	930
	R	\$856	856	890	890	930	930
	U	\$902	902	1009	1010	1012	1012
RT	L	\$856	856	890	890	930	930
	R	\$856	856	890	890	930	930
	U	\$902	902	1009	1010	1012	1012

		TA7224	TA7230	TC4824	TC4830	TC5424	TC5430
Y1155. MT	L	\$970	972	958	959	980	980
	R	\$970	972	958	959	980	980
	U	\$1018	1019	1009	1010	1012	1012
NL	L	\$970	972	958	959	980	980
	R	\$970	972	958	959	980	980
	U	\$1018	1019	1009	1010	1012	1012
NT	L	\$970	972	958	959	980	980
	R	\$970	972	958	959	980	980
	U	\$1018	1019	1009	1010	1012	1012
RL	L	\$970	972	958	958	980	980
	R	\$970	972	958	958	980	980
	U	\$1018	1019	1009	1010	1012	1012
RT	L	\$970	972	958	959	980	980
	R	\$970	972	958	959	980	980
	U	\$1018	1019	1009	1010	1012	1012

		TC6024	TC6030	TC6624	TC6630	TC7224	TC7230
Y1155. MT	L	\$1013	1013	1057	1057	1132	1132
	R	\$1013	1013	1057	1057	1132	1132
	U	\$1190	1192	1194	1194	1364	1371
NL	L	\$1013	1013	1057	1057	1132	1132
	R	\$1013	1013	1057	1057	1132	1132
	U	\$1190	1192	1194	1194	1371	1372

NT	L	\$1013	1013	1057	1057	1132	1132
	R	\$1013	1013	1057	1057	1132	1132
	U	\$1190	1192	1194	1194	1364	1371
RL	L	\$1013	1013	1057	1057	1132	1132
	R	\$1013	1013	1057	1057	1132	1132
	U	\$1190	1192	1194	1194	1371	1372
RT	L	\$1013	1013	1057	1057	1132	1132
	R	\$1013	1013	1057	1057	1132	1132
	U	\$1190	1192	1194	1194	1364	1371

Step 8. Material

<b>PHN</b>	heathered nightfall	+\$0
<b>PHO</b>	heathered olive	+\$0
<b>PLG</b>	cool heathered grey	+\$0

Step 9. Bracket Color Options

*For mounted on top of work surface (for benching applications)  
(T)*

<b>98</b>	studio white (CP)	+\$0
<b>CRB</b>	carbon (CP)	+\$0
<b>DN2</b>	nightfall	+\$10
<b>OLF</b>	olive	+\$10
<b>UBK</b>	ultra black (CP)	+\$0

Step 10. Screen Accessories

<b>MB</b>	24" painted metal markerboard (Y1124.DP)	+\$170
<b>NN</b>	none	+\$0
<b>NH</b>	name tag holder (YT410)	+\$43
<b>ML</b>	30" painted metal markerboard (Y1124.DP)	+\$182
<b>DM</b>	24" writeable markerboard (Y1124.DM)	+\$238
<b>DL</b>	30" writeable markerboard (Y1124.DM)	+\$265

Step 11. Screen Accessory Finish

*For name tag holder (YT410) (NH)*

<b>613</b>	silver (CP)	+\$0
------------	-------------	------

*For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)*

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10

Nevi™ Screens


Ambit™ Height Adjustable Table  
 Screen, PET *continued*

<i>For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Nevi™ Screens

# Ambit™ Height Adjustable Table Screen, Metal

Y1160.



## Product Information

### Description

This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

### Notes

Privacy panel actual width is 2" less than specified width.


Privacy screen (A) top edge is 13" above top of work surface.

Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Attachment bracket finish is painted graphite.

### Dimensions



## Specification Information

### Step 1.

**Y1160.**

### Step 2. Table Type

**MT** Motia  
**NT** Nevi  
**RT** Renew

### Step 3. Application

**U** right and left return screen, U screen

### Step 4. Attachment Method

**S** attached on outside of work surface (for use with freestanding table)

### Step 5. Height

**A** privacy (42" high)

### Step 6. Width

**48** 48" wide  
**54** 54" wide  
**60** 60" wide  
**66** 66" wide  
**72** 72" wide

### Step 7. Table Depth

**30** 30" deep

### Step 8. Screen Liner

**M** magnetic liner  
**N** none

### Prices for Steps 1-8.

		SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
<b>Y1160.</b>	<b>MT U</b>	\$1528	864	1545	881	1564	901
	<b>NT U</b>	\$1528	864	1545	881	1564	901
	<b>RT U</b>	\$1528	864	1545	881	1564	901

		SA6630M	SA6630N	SA7230M	SA7230N
<b>Y1160.</b>	<b>MT U</b>	\$1601	938	1753	1090
	<b>NT U</b>	\$1601	938	1753	1090
	<b>RT U</b>	\$1601	938	1753	1090

# Ambit™ Height Adjustable Table

## Screen, Metal *continued*

Nevi™ Screens

### Step 9. Surface Finish

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$60
<b>SNB</b>	satin bronze	+\$60
<b>SNC</b>	satin carbon	+\$60
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>DB3</b>	glacier	+\$50
<b>DN2</b>	nightfall	+\$50
<b>DR1</b>	canyon	+\$50
<b>G1</b>	graphite (CP)	+\$0
<b>OLF</b>	olive	+\$50
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 10. Magnetic Screen Liner Finish

*For magnetic liner (M)*

Price Category 4	+\$0
------------------	------

### Step 11. Screen Accessories

<b>NH</b>	name tag holder (YT410)	+\$39
<b>NN</b>	none	+\$0


### Step 12. Screen Accessory Finish

*For name tag holder (YT410) (NH)*

<b>613</b>	silver (CP)	+\$0
------------	-------------	------

# Modesty Panel

Y1113.



## Product Information

### Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

### Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

### Dimensions



## Specification Information

### Step 1.

Y1113.

### Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

### Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

### Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

### Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$290	511
		Y	\$513	755
	30	N	\$315	571
		Y	\$581	864
	36	N	\$343	634
		Y	\$630	951
	42	N	\$371	697
		Y	\$693	1050
	48	N	\$399	762
		Y	\$756	1154
	54	N	\$428	825
		Y	\$822	1252
	60	N	\$455	886
		Y	\$886	1352
	66	N	\$455	947
		Y	\$950	1452
	72	N	\$492	1010
		Y	\$1011	1552

## Step 5. Finish

*For thermally-fused laminate top/thermoplastic edge (L)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut	+\$0
<b>40</b>	dark brown walnut	+\$0
<b>UL</b>	natural maple	+\$0


## Step 6. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (L)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.



**Product Information**

**Description**


This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

**Notes**

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1114.** ☐ A

**Step 2. Width**

24	24" wide	<input type="checkbox"/> A
30	30" wide	<input type="checkbox"/> A
36	36" wide	<input type="checkbox"/> A
42	42" wide	<input type="checkbox"/> A
48	48" wide	<input type="checkbox"/> A
54	54" wide	<input type="checkbox"/> A
60	60" wide	<input type="checkbox"/> A
66	66" wide	<input type="checkbox"/> A
72	72" wide	<input type="checkbox"/> A


**Prices for Steps 1-2.**

<b>Y1114.</b>	<b>24</b>	<b>\$263</b>
	<b>30</b>	<b>\$288</b>
	<b>36</b>	<b>\$312</b>
	<b>42</b>	<b>\$329</b>
	<b>48</b>	<b>\$350</b>
	<b>54</b>	<b>\$393</b>
	<b>60</b>	<b>\$414</b>
	<b>66</b>	<b>\$437</b>
	<b>72</b>	<b>\$454</b>

**Step 3. Fabric**

**Price Category 4** **+\$28**

Nevi™ Screens



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions





**Specification Information**
**Step 1.**
**FT354.** ☐ A

**Step 2. Attachment Type**
**CL** Canvas Surface Attached, End of Run Left Handed ☐ A

**CR** Canvas Surface Attached, End of Run Right Handed ☐ A

**Step 3. Height**
**42** 42" high ☐ A

**46** 46" high ☐ A

**Step 4. Width**
**24** 24" wide ☐ A

**30** 30" wide ☐ A

**36** 36" wide ☐ A

**Step 5. Surface Material**
**R** tackable fabric, horizontal ☐ A

**T** tackable fabric ☐ A

**Prices for Steps 1-5.**

		<b>24R</b>	<b>24T</b>	<b>30R</b>	<b>30T</b>	<b>36R</b>	<b>36T</b>
<b>FT354. CL</b>	<b>42</b>	\$1178	1178	1219	1219	1254	1254
	<b>46</b>	\$1239	1239	1288	1288	1338	1338
	<b>CR 42</b>	\$1178	1178	1219	1219	1254	1254
	<b>46</b>	\$1239	1239	1288	1288	1338	1338

**Step 6. Bracket Finish**
**UBK** ultra black (CP) ☐ A +\$0

**8Q** folkstone grey (CP) ☐ A +\$0

**91** white (CP) ☐ A +\$0

**98** studio white (CP) ☐ A +\$0

**G1** graphite (CP) ☐ A +\$0

**SNA** satin aluminum ☐ A +\$10

**SNB** satin bronze ☐ A +\$10

**SNC** satin carbon ☐ A +\$10

**WL** warm stone (CP) ☐ A +\$0

**WN** warm grey neutral ☐ A +\$0

**Step 7. Fabric**

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48


Price Category 4 +\$84

Price Category 5 +\$102

Price Category B +\$378

Price Category C +\$128

Price Category E +\$203



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



# Flat Edge Screen, Delineation

continued

## Specification Information

### Step 1.

**FT358.**

### Step 2. Attachment Type

**CL** Canvas Surface Attached, End of Run Left Handed

**CR** Canvas Surface Attached, End of Run Right Handed

### Step 3. Height

**42** 42" high

**46** 46" high

### Step 4. Width

**24** 24" wide

**30** 30" wide

**36** 36" wide

### Step 5. Surface Material

**R** tackable fabric, horizontal

**T** tackable fabric

### Prices for Steps 1-5.

		<b>24R</b>	<b>24T</b>	<b>30R</b>	<b>30T</b>	<b>36R</b>	<b>36T</b>
<b>FT358. CL</b>	<b>42</b>	\$731	731	772	772	787	787
	<b>46</b>	\$795	795	841	841	870	870
	<b>CR 42</b>	\$731	731	772	772	787	787
	<b>46</b>	\$795	795	841	841	870	870

### Step 6. Bracket Finish


<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$140
Price Category B	+\$68
Price Category C	+\$122
Price Category E	+\$203

## Ambit™ Height Adjustable Table Leg Shroud

DV8SM.  
DV8SN.  
DV8SR.



### Product Information

#### Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

#### Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

### Dimensions



### Specification Information

#### Step 1.

#### DV8S

#### Step 2. Table Type

- M. Motia®  
N. Nevi  
R. Renew™

#### Step 3. Leg Type

- C C-leg

#### Step 4. Depth

- 24 24" deep (23" surface size)  
30 30" deep (29" surface size)

#### Step 5. Mechanism

- E electric standard range

#### Step 6. Shroud Location

- L left  
R right

#### Step 7. Shroud Option Left

#### For left (L)

- SL high-pressure laminate panel + metal wrapper  
SM all metal

#### For right (R)

- SL high-pressure laminate panel + metal wrapper  
SM all metal

#### Prices for Steps 1-7.

		ELSL	ELSM	ERSL	ERSM
DV8SM. C	24	\$1079	983	1079	983
	30	\$1079	983	1079	983
DV8SN. C	24	\$1079	983	1079	983
	30	\$1079	983	1079	983
DV8SR. C	24	\$1079	983	1079	983
	30	\$1079	983	1079	983

# Ambit™ Height Adjustable Table Leg Shroud *continued*

## Step 8. Shroud Finish Left - Metal Wrapper

### Metallic Paint

#### *For all metal (SM)*

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

### Sand Texture Paint

#### *For all metal (SM)*

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>G1</b>	graphite (CP)	+\$0
<b>OLF</b>	olive	+\$20
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Laminate

### *For high-pressure laminate panel + metal wrapper (SL)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Ambit™ Shroud

# Ambit™ Height Adjustable Table Leg

## Shroud *continued*

Ambit™ Shroud

### Step 9. Edge Finish Left

*For high-pressure laminate panel + metal wrapper (SL)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 10. Shroud Finish Left

*For high-pressure laminate panel + metal wrapper (SL)*

#### Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

#### Sand Texture Paint

<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

### Step 11. Shroud Cable Management Bezel Left

*For left (L) with high-pressure laminate panel + metal wrapper (SL) or all metal (SM)*

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

### Step 12. Shroud Finish Right - Metal Wrapper

#### Metallic Paint

*For all metal (SM)*

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

#### Sand Texture Paint

*For all metal (SM)*

<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

# Ambit™ Height Adjustable Table Leg Shroud *continued*

## For high-pressure laminate panel + metal wrapper (SL)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 13. Edge Finish Right

### For high-pressure laminate panel + metal wrapper (SL)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 14. Shroud Finish Right

### For high-pressure laminate panel + metal wrapper (SL)

#### Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

# Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

Sand Texture Paint		
<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

Step 15. Shroud Cable Management Bezel Right <i>For right (R) with high-pressure laminate panel + metal wrapper (SL) or all metal (SM)</i>		
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

Step 16. Tool Rail Left <i>For left (L) with high-pressure laminate panel + metal wrapper (SL) or all metal (SM)</i>		
<b>1</b>	none	+\$0
<b>2</b>	Ubi work tool attached	+\$95

Step 17. Accessory Options Left <i>For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)</i>		
<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf - no liner	+\$81
<b>C</b>	YT716 - document holder	+\$0
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138
<b>G</b>	YT715 - sm. shelf with pesto liner	+\$138
<b>H</b>	YT715 - sm. shelf with bayou liner	+\$138
<b>I</b>	YT715 - sm. shelf with greystone liner	+\$138
<b>J</b>	YT715 - sm. shelf with charcoal liner	+\$138
<b>E</b>	YT715 - large accessory shelf - no liner	+\$187
<b>K</b>	YT715 - lg. shelf with canyon liner	+\$297
<b>L</b>	YT715 - lg. shelf with pesto liner	+\$297
<b>M</b>	YT715 - lg. shelf with bayou liner	+\$297
<b>N</b>	YT715 - lg. shelf with greystone liner	+\$297
<b>O</b>	YT715 - lg. shelf with charcoal liner	+\$297

<i>For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)</i>		
<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf - no liner	+\$81
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish <i>For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)</i>		
<b>613</b>	silver (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0

Step 19. Tool Rail Right <i>For right (R) with high-pressure laminate panel + metal wrapper (SL) or all metal (SM)</i>		
<b>1</b>	none	+\$0
<b>2</b>	Ubi work tool attached	+\$95



# Ambit™ Height Adjustable Table Leg Shroud *continued*

## Step 20. Accessory Options Right

*For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)*

<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf - no liner	+\$81
<b>C</b>	YT716 - document holder	+\$0
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138
<b>G</b>	YT715 - sm. shelf with pesto liner	+\$138
<b>H</b>	YT715 - sm. shelf with bayou liner	+\$138
<b>I</b>	YT715 - sm. shelf with greystone liner	+\$138
<b>J</b>	YT715 - sm. shelf with charcoal liner	+\$138
<b>E</b>	YT715 - large accessory shelf - no liner	+\$187
<b>K</b>	YT715 - lg. shelf with canyon liner	+\$297
<b>L</b>	YT715 - lg. shelf with pesto liner	+\$297
<b>M</b>	YT715 - lg. shelf with bayou liner	+\$297
<b>N</b>	YT715 - lg. shelf with greystone liner	+\$297
<b>O</b>	YT715 - lg. shelf with charcoal liner	+\$297

*For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)*

<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf - no liner	+\$81
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138

## Step 21. Accessory Options Right Finish

*For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)*

<b>613</b>	silver (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0

## Step 22. Vertical Cable Management

<b>1</b>	none	+\$0
<b>3</b>	shroud attached	+\$156

## Step 23. Vertical Cable Management Attachment

*For shroud attached (3)*

<b>2</b>	worksurface connected	+\$0
<b>3</b>	horizontal cable trough connected	+\$0

## Step 24. Vertical Cable Management Finish

<b>UBK</b>	ultra black (CP)	+\$0
<b>SY</b>	silver grey	+\$0



## Index by Product Name

<b>Nevi™ Sit-to-Stand Tables</b>	
Ambit™ Height Adjustable Table Leg Shroud	page(s) 52
Ambit™ Height Adjustable Table Screen, Metal	43
Ambit™ Height Adjustable Table Screen, PET	39
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	32
Ambit™ Suspended Storage	15
Cable Management Channel	18
Cable Management Trough	19
Easy Access Height-Adjustable Vertical Cable Manager	21
External Cable Manager	17
Fabric Modesty Panel	47
Flat Edge Screen, Delineation	50
Height-Adjustable Vertical Cable Manager	20
Laminate Screen, Surface Attached	30
Modesty Panel	45
Nevi Rectangle Table with C-Foot	5
Nevi Rectangle Table with T-Foot	9
Nevi Table Base Kit - 2 Legs	13
Pari Screen, Delineation	48
Pari Screen, Height Adjustable Tables	22
Personal Side Screen	25
Personal Side Screen, Rectangular	29
Surface-Attached Screen, Flat Edge	26



## Index by Product Number



DU11B. External Cable Manager	page(s) 17
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	20
DU15S.	
DU16B. Easy Access Height-Adjustable Vertical Cable Manager	21
DU16S.	
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	52
DV8SN.	
DV8SR.	
DW6ACSNevi Rectangle Table with C-Foot	5
DW6ATS Nevi Rectangle Table with T-Foot	9
DW7A. Nevi Table Base Kit - 2 Legs	13
FT19C. Cable Management Channel	18
FT199. Cable Management Trough	19
FT354. Pari Screen, Delineation	48
FT358. Flat Edge Screen, Delineation	50
IH200. Ambit™ Suspended Storage	15
Y1113. Modesty Panel	45
Y1114. Fabric Modesty Panel	47
Y1116. Pari Screen, Height Adjustable Tables	22
Y1117. Personal Side Screen	25
Y1118. Surface-Attached Screen, Flat Edge	26
Y1119. Personal Side Screen, Rectangular	29
Y1120. Laminate Screen, Surface Attached	30
Y1150. Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	32
Y1155. Ambit™ Height Adjustable Table Screen, PET	39
Y1160. Ambit™ Height Adjustable Table Screen, Metal	43



## 20-Day or Less/Assigned Lead-Time Order Information

### 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

### Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

### Shipments and Delivery

Per Herman Miller Terms and Conditions.

### Changes and Cancellation

Per Herman Miller Terms and Conditions.





# Central Palette Overview

## Central Palette

### Program Overview

The Central Palette is the result of an intentional effort to integrate future design direction, field insights, and long-term business strategy. The palette provides a foundation of design continuity between Herman Miller and Knoll products, while each brand retains their distinct colors, materials, and finishes.

A centralized palette allows designers to create a greater variety of cross-branded premium workplace solutions at a variety of price points.

### Finishes

A consolidation of like colors focused in the neutral color space. Painted and plastic components within the palette meet consistent performance and aesthetic criteria, allowing for improved efficiency and reliability.

#### Paint & Plastic:

8Q Folkstone Grey  
91 White  
98 Studio White  
CRB Carbon  
G1 Graphite  
UBK Ultra Black  
WL Warm Stone

#### Metallics:

611 Beige Mist Metallic  
613 Silver

### Laminate

The following solid color and woodgrain laminates will be available in high pressure (HPL) and thermally fused (TFL) versions with coordinating edgbands to support both brands of products.

#### Solid Color:

8Q Folkstone Grey  
91 White  
98 Studio White  
UBK Ultra Black  
WL Warm Stone

#### Woodgrain:

125 Natural Maple  
126 Natural Cherry  
127 Walnut  
139 Light Ash  
140 Warm Ash  
LBA Clear on Ash \*  
LBB Oak on Ash \*  
LBC Walnut on Ash \*  
LBU Medium Matte Walnut

#### Matte:

NSD Celestial Grey  
NSJ Asteroid Grey  
NSK Nebula Black

\* HPL features a woodgrain textured surface; TFL (Melamine) has a smooth surface.

## Veneer

The following veneers will be available in aligned gloss and pore options across workspace products for Knoll and Herman Miller.

#### Techwood:

639 Light Cherry Techwood  
651 Soft Grey Techwood  
652 Whitened Quartered Oak Techwood  
658 Clear Techwood  
683 Soft Walnut Techwood  
684 Dark Umber Techwood

#### Natural Veneer & Premium Techwood:

008 Blonde Oak  
009 White Oak  
010 Golden Oak  
012 Oxford Walnut  
016 Umber on Oak  
017 Light Walnut  
021 Peacock Green Walnut  
653 Vivid Oak Techwood  
659 Brushed Teak Techwood  
660 White Maple Techwood  
670 Deep Rosewood Techwood

#### Premium Veneer:

070 Ebonized Oak

#### Gloss & Pore Options include:

A - low gloss/closed pore  
B - medium gloss/closed pore  
C - high gloss/closed pore  
D - low gloss/open pore  
E - medium gloss/open pore  
F - high gloss/open pore

## Textiles

Textiles are not yet part of the Central Palette program. Refer to the COM Database for Textiles approved on products from various MillerKnoll Brands.

For more information about our products and services or to see a list of dealers, please visit us at [HermanMiller.com](http://HermanMiller.com) or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

#### Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® **HermanMiller**, ●, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.