



GSA prices effective October 6, 2025
(based on June 2, 2025, commercial price list)
Published January 2026

Boa Tables

**General Services Administration
Federal Supply Service
Authorized Federal Supply Schedule Price List**

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2025—December 20, 2030

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	9M10018	\$9.10
SIN 337127:	TW113	\$6.18
SIN 339113H:	CR900NR	\$536.11

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour

Furniture Project Coordinator: \$49.00 per hour

Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
Boa Tables	73.8%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%

Contract Information

continued

Exclave	61.7%	Reconfiguration and Relocation Services
Fuld	59.7%	Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.
Geiger	53.0%	
Headway™ Tables	73.8%	
Intent Solution	58.7%	See * Additional Notes for Installation & Reconfiguration and Relocation Services.
Layout Studio®	60.7%	
Lighting	73.8%	
Lino	63.7%	
Meridian Lateral	67.3%	
Meridian Pedestals	64.2%	
Meridian Towers	62.7%	
Meridian Storage	62.7%	
Mirra 2	61.7%	
Motia Tables	73.8%	
NaughtOne	50.0%	
Nemschoff	54.91%	
Nevi™ Tables	73.8%	
Nevi Link	73.8%	
OE1 Boundary	72.8%	
OE1 Community Elements	61.7%	
OE1 Micro Packs	73.8%	
OE1 Storage	72.8%	
OE1 Tables and Benching	73.8%	
Overlay™	62.7%	
Plex® Lounge Furniture	59.5%	
Pronto Stacking Chair	57.7%	
Public Office Landscape	61.7%	
Renew™ Tables	73.8%	
Renew Link	73.8%	
Sayl	62.2%	
Setu	59.7%	
Spout Sit-to-Stand Table	73.8%	
Swoop Lounge Furniture	60.7%	
Thrive Portfolio	62.0%	
Thrive Portfolio-CBS Products Extension	62.0%	
Tu Lateral Files	74.3%	
Tu Pedestals	73.8%	
Tu Storage	74.3%	
Tu Towers	74.3%	
Tu Wood Cases	74.3%	
Tu Wood Cubbies	74.3%	
Tu Wood Credenzas	74.3%	
Tu Wood Pedestals	74.3%	
Tu Wood Towers	74.3%	
Valor™ Family	54.91%	
Verus	63.7%	
Zeph	60.2%	
Discount From List		
Services		
Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.		
Project Management		
Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.		
Furniture Project Manager: \$64.75 per hour		
Furniture Project Coordinator: \$49.00 per hour		
Build-Out Project Manager: \$80.00 per hour		
Discount From List		
Product Line		
Action Lab		
Compass System		
Co/Struc System		
Healthcare Carts		
Mora System		
Bedside Cabinets		
SIN 337127		
Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.		
SIN 33721P		
Packaged Office Furniture - Maximum Order \$250,000 (net).		
Includes packaged furniture solutions for customers needing to furnish an office.		
SIN 339113H		
Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.		
Product Line		
Nemschoff Healthcare Furniture		
54.91%		
7. Quantity Discounts		
Reference item #6.		
8. Payment Terms		
Net 30 days		
9. Foreign Items		
None		

Contract Information

continued

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

12. Ordering Address

- a. MillerKnoll Inc.
Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.
- b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

18. Terms and Conditions of Repair Parts

Not applicable

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

14. Warranty

MillerKnoll Inc. commercial warranty applies.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

16. Rental Maintenance and Repair Terms

Not applicable

22a. Special Attributes.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Contract Information

continued

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/ Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsel+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Contract Information

continued

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

	page 2
Introduction	3
Boa Tables	3
Rectangle	5
Oval	14
Boat	23
Teardrop	26
Tapered	35
Technology/Accessories	38
Indices	43
By Name	43
By Number	45
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Central Palette Overview	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective January 5, 2026, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.


Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $1/8$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments


All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.



Boa Table, Rectangle, Seated Height

BQ1AS BQ1AT



Product Information

Description

This rectangular seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 120" wide have 1-piece construction.

Laminate tops 132" to 168" wide have 2-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" to 168" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide to 168" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Rectangle, Seated Height

continued

Specification Information

Step 1.

BQ1A

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

29	29.5" high <input type="checkbox"/>	+\$0
----	-------------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0
54	54" deep <input type="checkbox"/>	+\$0
60	60" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5417
96	96" wide <input type="checkbox"/>	+\$5742
108	108" wide <input type="checkbox"/>	+\$6316
120	120" wide <input type="checkbox"/>	+\$6947

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$5579
96	96" wide <input type="checkbox"/>	+\$5914
108	108" wide <input type="checkbox"/>	+\$6505
120	120" wide <input type="checkbox"/>	+\$7156

For 54" deep (54)

108	108" wide <input type="checkbox"/>	+\$6700
120	120" wide <input type="checkbox"/>	+\$7371
132	132" wide <input type="checkbox"/>	+\$8255
144	144" wide <input type="checkbox"/>	+\$9246
156	156" wide <input type="checkbox"/>	+\$10355
168	168" wide <input type="checkbox"/>	+\$11598

For 60" deep (60)

108	108" wide <input type="checkbox"/>	+\$6901
120	120" wide <input type="checkbox"/>	+\$7592
132	132" wide <input type="checkbox"/>	+\$8503
144	144" wide <input type="checkbox"/>	+\$9523
156	156" wide <input type="checkbox"/>	+\$10666
168	168" wide <input type="checkbox"/>	+\$11946

Step 6. Surface Material

For squared-edge (S) with 84" wide (84), 96" wide (96), or 108" wide (108)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
U	high-pressure laminate/universal edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For squared-edge (S) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
U	high-pressure laminate/universal edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$2903
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$2990
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3140

For thin-edge (T) with 84" wide (84), 96" wide (96), or 108" wide (108)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

For thin-edge (T) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1744
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$6670
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$6870
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$7214

Step 7. Number of Cutouts

For 84" wide (84) or 96" wide (96)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 84" wide (84) or 96" wide (96) with 1 cutout (A)

C	center cutout <input type="checkbox"/>	+\$0
---	--	------

Boa Table, Rectangle, Seated Height

continued

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168) with 1 cutout (A) or 2 cutouts (B)

L	left cutout	<input type="checkbox"/> A	+\$0
R	right cutout	<input type="checkbox"/> A	+\$0

Step 9. Cutout #2 Location

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168) with 2 cutouts (B) with left cutout (L)

R	right cutout	<input type="checkbox"/> A	+\$0
---	--------------	----------------------------	------

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168) with 2 cutouts (B) with right cutout (R)

L	left cutout	<input type="checkbox"/> A	+\$0
---	-------------	----------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port	<input type="checkbox"/> A	+\$65
L5	cutout for logic Y1425 5 port	<input type="checkbox"/> A	+\$125
TB	cutout for technology bucket	<input type="checkbox"/> A	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port	<input type="checkbox"/> A	+\$65
L5	cutout for logic Y1425 5 port	<input type="checkbox"/> A	+\$125
TB	cutout for technology bucket	<input type="checkbox"/> A	+\$190

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

8Q	folkstone grey (CP)	<input type="checkbox"/> A	+\$0
91	white (CP)	<input type="checkbox"/> A	+\$0
98	studio white (CP)	<input type="checkbox"/> A	+\$0
LBA	clear on ash (CP)	<input type="checkbox"/> A	+\$0
LBB	oak on ash (CP)	<input type="checkbox"/> A	+\$0
LBC	walnut on ash (CP)	<input type="checkbox"/> A	+\$0
LBU	medium matte walnut (CP)	<input type="checkbox"/> A	+\$0
WL	warm stone (CP)	<input type="checkbox"/> A	+\$0

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
------	--	----------------------------	------

Top/Edge Finish

For natural veneer top/techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
012D	oxford walnut / low gloss / open pore (CP)	<input type="checkbox"/> A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
------	---	----------------------------	------

Step 13. Edge Finish

For 84" wide (84), 96" wide (96), 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168) with high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	<input type="checkbox"/> A	+\$0
91	white (CP)	<input type="checkbox"/> A	+\$0
98	studio white (CP)	<input type="checkbox"/> A	+\$0
LBA	clear on ash (CP)	<input type="checkbox"/> A	+\$0
LBB	oak on ash (CP)	<input type="checkbox"/> A	+\$0
LBC	walnut on ash (CP)	<input type="checkbox"/> A	+\$0
LBU	medium matte walnut (CP)	<input type="checkbox"/> A	+\$0
WL	warm stone (CP)	<input type="checkbox"/> A	+\$0

For 84" wide (84) or 96" wide (96) with high-pressure laminate/universal edge (U)

PLY	plywood edge	<input type="checkbox"/> A	+\$75
-----	--------------	----------------------------	-------

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), or 168" wide (168) with high-pressure laminate/universal edge (U)

PLY	plywood edge	<input type="checkbox"/> A	+\$150
-----	--------------	----------------------------	--------


Step 14. Base Finish

Metallic Paint

613	silver (CP)	<input type="checkbox"/> A	+\$0
-----	-------------	----------------------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	<input type="checkbox"/> A	+\$0
91	white (CP)	<input type="checkbox"/> A	+\$0
98	studio white (CP)	<input type="checkbox"/> A	+\$0
BK	black	<input type="checkbox"/> A	+\$0
DN2	nightfall	<input type="checkbox"/> A	+\$0
DR1	canyon	<input type="checkbox"/> A	+\$0
OLF	olive	<input type="checkbox"/> A	+\$0
WL	warm stone (CP)	<input type="checkbox"/> A	+\$0



Product Information

Description

This rectangular counter-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Rectangle, Counter Height *continued*

Specification Information

Step 1.

BQ1B

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

36	36" high <input type="checkbox"/>	+\$0
-----------	-----------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0

Step 5. Width

<i>For 42" deep (42)</i>		
84	84" wide <input type="checkbox"/>	+\$5579
96	96" wide <input type="checkbox"/>	+\$5914
108	108" wide <input type="checkbox"/>	+\$6505

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$5747
96	96" wide <input type="checkbox"/>	+\$6091
108	108" wide <input type="checkbox"/>	+\$6700

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
U	high-pressure laminate/universal edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

<i>For 84" wide (84) or 96" wide (96)</i>		
N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

<i>For 84" wide (84) or 96" wide (96) with 1 cutout (A)</i>		
C	center cutout <input type="checkbox"/>	+\$0

For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

<i>For 108" wide (108) with 2 cutouts (B) with left cutout (L)</i>		
R	right cutout <input type="checkbox"/>	+\$0

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Boa Table, Rectangle, Counter Height *continued*

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	+\$0
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	+\$0
012D	oxford walnut / low gloss / open pore (CP)	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	+\$0
------	---	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBU	medium matte walnut (CP)	+\$0
WL	warm stone (CP)	+\$0

For high-pressure laminate/universal edge (U)

PLY	plywood edge	+\$75
-----	--------------	-------

Step 14. Base Finish

Metallic Paint


613	silver (CP)	+\$0
-----	-------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DN2	nightfall	+\$0
DR1	canyon	+\$0
OLF	olive	+\$0
WL	warm stone (CP)	+\$0

Boa Table, Rectangle, Standing Height

BQ1CS
BQ1CT



Product Information

Description

This rectangular standing-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Rectangle, Standing Height *continued*

Specification Information		
Step 1.		
BQ1C	<input type="checkbox"/>	+\$0
Step 2. Edge		
S squared-edge	<input type="checkbox"/>	+\$0
T thin-edge	<input type="checkbox"/>	+\$0
Step 3. Height		
42 42" high	<input type="checkbox"/>	+\$0
Step 4. Depth		
42 42" deep	<input type="checkbox"/>	+\$0
48 48" deep	<input type="checkbox"/>	+\$0
Step 5. Width		
For 42" deep (42)		
84 84" wide	<input type="checkbox"/>	+\$5747
96 96" wide	<input type="checkbox"/>	+\$6091
108 108" wide	<input type="checkbox"/>	+\$6700
For 48" deep (48)		
84 84" wide	<input type="checkbox"/>	+\$5919
96 96" wide	<input type="checkbox"/>	+\$6274
108 108" wide	<input type="checkbox"/>	+\$6901
Step 6. Surface Material		
For squared-edge (S)		
L high-pressure laminate top/thermoplastic edge	<input type="checkbox"/>	+\$0
U high-pressure laminate/universal edge	<input type="checkbox"/>	+\$0
W natural veneer top/techwood/veneer edge	<input type="checkbox"/>	+\$1482
X natural veneer top/premium techwood/veneer edge	<input type="checkbox"/>	+\$1527
Z premium veneer top/veneer edge	<input type="checkbox"/>	+\$1603
For thin-edge (T)		
L high-pressure laminate top/thermoplastic edge	<input type="checkbox"/>	+\$1392
W natural veneer top/techwood/veneer edge	<input type="checkbox"/>	+\$3482
X natural veneer top/premium techwood/veneer edge	<input type="checkbox"/>	+\$3587
Z premium veneer top/veneer edge	<input type="checkbox"/>	+\$3766
Step 7. Number of Cutouts		
For 84" wide (84) or 96" wide (96)		
N no cutouts	<input type="checkbox"/>	+\$0
A 1 cutout	<input type="checkbox"/>	+\$0

For 108" wide (108)		
N no cutouts	<input type="checkbox"/>	+\$0
A 1 cutout	<input type="checkbox"/>	+\$0
B 2 cutouts	<input type="checkbox"/>	+\$0
Step 8. Cutout #1 Location		
For 84" wide (84) or 96" wide (96) with 1 cutout (A)		
C center cutout	<input type="checkbox"/>	+\$0
For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)		
L left cutout	<input type="checkbox"/>	+\$0
R right cutout	<input type="checkbox"/>	+\$0
Step 9. Cutout #2 Location		
For 108" wide (108) with 2 cutouts (B) with left cutout (L)		
R right cutout	<input type="checkbox"/>	+\$0
For 108" wide (108) with 2 cutouts (B) with right cutout (R)		
L left cutout	<input type="checkbox"/>	+\$0
Step 10. Technology Integration for Cutout #1		
For 1 cutout (A) or 2 cutouts (B)		
L3 cutout for logic Y1425 3 port	<input type="checkbox"/>	+\$65
L5 cutout for logic Y1425 5 port	<input type="checkbox"/>	+\$125
TB cutout for technology bucket	<input type="checkbox"/>	+\$190
Step 11. Technology Integration for Cutout #2		
For 2 cutouts (B)		
L3 cutout for logic Y1425 3 port	<input type="checkbox"/>	+\$65
L5 cutout for logic Y1425 5 port	<input type="checkbox"/>	+\$125
TB cutout for technology bucket	<input type="checkbox"/>	+\$190
Step 12.		
Top Finish		
For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)		
8Q folkstone grey (CP)	<input type="checkbox"/>	+\$0
91 white (CP)	<input type="checkbox"/>	+\$0
98 studio white (CP)	<input type="checkbox"/>	+\$0
LBA clear on ash (CP)	<input type="checkbox"/>	+\$0
LBB oak on ash (CP)	<input type="checkbox"/>	+\$0
LBC walnut on ash (CP)	<input type="checkbox"/>	+\$0
LBU medium matte walnut (CP)	<input type="checkbox"/>	+\$0
WL warm stone (CP)	<input type="checkbox"/>	+\$0

Boa Table, Rectangle, Standing Height *continued*

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	[\$]
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	[\$]
012D	oxford walnut / low gloss / open pore (CP)	[\$]

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	[\$]
------	---	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	[\$]
91	white (CP)	[\$]
98	studio white (CP)	[\$]
LBA	clear on ash (CP)	[\$]
LBB	oak on ash (CP)	[\$]
LBC	walnut on ash (CP)	[\$]
LBU	medium matte walnut (CP)	[\$]
WL	warm stone (CP)	[\$]

For high-pressure laminate/universal edge (U)

PLY	plywood edge	[\$]
-----	--------------	------


Step 14. Base Finish

Metallic Paint

613	silver (CP)	[\$]
-----	-------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	[\$]
91	white (CP)	[\$]
98	studio white (CP)	[\$]
BK	black	[\$]
DN2	nightfall	[\$]
DR1	canyon	[\$]
OLF	olive	[\$]
WL	warm stone (CP)	[\$]



Product Information

Description

This oval seated-height table comes in a squared- or thin-edge style with rounded corners and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Oval, Seated Height

continued

Specification Information

Step 1.

BQ2A

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

29	29.5" high <input type="checkbox"/>	+\$0
-----------	-------------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0
54	54" deep <input type="checkbox"/>	+\$0
60	60" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5417
96	96" wide <input type="checkbox"/>	+\$5742
108	108" wide <input type="checkbox"/>	+\$6316

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$5579
96	96" wide <input type="checkbox"/>	+\$5914
108	108" wide <input type="checkbox"/>	+\$6505

For 54" deep (54)

108	108" wide <input type="checkbox"/>	+\$6700
------------	------------------------------------	---------

For 60" deep (60)

108	108" wide <input type="checkbox"/>	+\$6901
------------	------------------------------------	---------

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

For 84" wide (84) or 96" wide (96)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 84" wide (84) or 96" wide (96) with 1 cutout (A)

C	center cutout <input type="checkbox"/>	+\$0
----------	--	------

For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 108" wide (108) with 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Boa Table, Oval, Seated Height

continued

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	<input checked="" type="checkbox"/>	+\$0
91	white (CP)	<input checked="" type="checkbox"/>	+\$0
98	studio white (CP)	<input checked="" type="checkbox"/>	+\$0
LBA	clear on ash (CP)	<input checked="" type="checkbox"/>	+\$0
LBB	oak on ash (CP)	<input checked="" type="checkbox"/>	+\$0
LBC	walnut on ash (CP)	<input checked="" type="checkbox"/>	+\$0
LBU	medium matte walnut (CP)	<input checked="" type="checkbox"/>	+\$0
WL	warm stone (CP)	<input checked="" type="checkbox"/>	+\$0

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	<input checked="" type="checkbox"/>	+\$0
------	--	-------------------------------------	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	<input checked="" type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP)	<input checked="" type="checkbox"/>	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	<input checked="" type="checkbox"/>	+\$0
------	---	-------------------------------------	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	<input checked="" type="checkbox"/>	+\$0
91	white (CP)	<input checked="" type="checkbox"/>	+\$0
98	studio white (CP)	<input checked="" type="checkbox"/>	+\$0
LBA	clear on ash (CP)	<input checked="" type="checkbox"/>	+\$0
LBB	oak on ash (CP)	<input checked="" type="checkbox"/>	+\$0
LBC	walnut on ash (CP)	<input checked="" type="checkbox"/>	+\$0
LBU	medium matte walnut (CP)	<input checked="" type="checkbox"/>	+\$0
WL	warm stone (CP)	<input checked="" type="checkbox"/>	+\$0


Step 14. Base Finish

Metallic Paint

613	silver (CP)	<input checked="" type="checkbox"/>	+\$0
-----	-------------	-------------------------------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	<input checked="" type="checkbox"/>	+\$0
91	white (CP)	<input checked="" type="checkbox"/>	+\$0
98	studio white (CP)	<input checked="" type="checkbox"/>	+\$0
BK	black	<input checked="" type="checkbox"/>	+\$0
DN2	nightfall	<input checked="" type="checkbox"/>	+\$0
DR1	canyon	<input checked="" type="checkbox"/>	+\$0
OLF	olive	<input checked="" type="checkbox"/>	+\$0
WL	warm stone (CP)	<input checked="" type="checkbox"/>	+\$0



Product Information

Description

This oval counter-height table comes in a squared- or thin-edge style with rounded corners and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Oval, Counter Height

continued

Specification Information

Step 1.

BQ2B

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

36	36" high <input type="checkbox"/>	+\$0
----	-----------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5747
96	96" wide <input type="checkbox"/>	+\$6091
108	108" wide <input type="checkbox"/>	+\$6700

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$5919
96	96" wide <input type="checkbox"/>	+\$6274
108	108" wide <input type="checkbox"/>	+\$6901

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

For 84" wide (84) or 96" wide (96)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 84" wide (84) or 96" wide (96) with 1 cutout (A)

C	center cutout <input type="checkbox"/>	+\$0
---	--	------

For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 108" wide (108) with 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
---	---------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
---	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Boa Table, Oval, Counter Height

continued

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	+\$0
------	--	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	+\$0
012D	oxford walnut / low gloss / open pore (CP)	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	+\$0
------	---	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBU	medium matte walnut (CP)	+\$0
WL	warm stone (CP)	+\$0


Step 14. Base Finish

Metallic Paint

613	silver (CP)	+\$0
-----	-------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DN2	nightfall	+\$0
DR1	canyon	+\$0
OLF	olive	+\$0
WL	warm stone (CP)	+\$0



Product Information

Description

This oval standing-height table comes in a squared- or thin-edge style with rounded corners and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Oval, Standing Height

continued

Specification Information

Step 1.

BQ2C

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

42	42" high <input type="checkbox"/>	+\$0
-----------	-----------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5919
96	96" wide <input type="checkbox"/>	+\$6274
108	108" wide <input type="checkbox"/>	+\$6901

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$6097
96	96" wide <input type="checkbox"/>	+\$6462
108	108" wide <input type="checkbox"/>	+\$7109

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

C	center cutout <input type="checkbox"/>	+\$0
----------	--	------

For 108" wide (108) with 1 cutout (A)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with left cutout (L)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

Step 10. Technology Integration for Cutout #1

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 12.

Top Finish

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Boa Table, Oval, Standing Height

continued

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	[\$]
-------------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	[\$]
012D	oxford walnut / low gloss / open pore (CP)	[\$]

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	[\$]
-------------	---	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	[\$]
91	white (CP)	[\$]
98	studio white (CP)	[\$]
LBA	clear on ash (CP)	[\$]
LBB	oak on ash (CP)	[\$]
LBC	walnut on ash (CP)	[\$]
LBU	medium matte walnut (CP)	[\$]
WL	warm stone (CP)	[\$]


Step 14. Base Finish

Metallic Paint

613	silver (CP)	[\$]
------------	-------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	[\$]
91	white (CP)	[\$]
98	studio white (CP)	[\$]
BK	black	[\$]
DN2	nightfall	[\$]
DR1	canyon	[\$]
OLF	olive	[\$]
WL	warm stone (CP)	[\$]



Product Information

Description

This boat-shaped seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

When specifying cutouts (A, B) in tables 120" to 168" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table.

No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Boat, Seated Height

continued

Specification Information

Step 1.

BQ3A

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

29	29.5" high <input type="checkbox"/>	+\$0
-----------	-------------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0
54	54" deep <input type="checkbox"/>	+\$0
60	60" deep <input type="checkbox"/>	+\$0

Step 5. Width

<i>For 42" deep (42)</i>		
120	120" wide <input type="checkbox"/>	+\$6947

For 48" deep (48)

120	120" wide <input type="checkbox"/>	+\$7156
------------	------------------------------------	---------

For 54" deep (54)

120	120" wide <input type="checkbox"/>	+\$7371
132	132" wide <input type="checkbox"/>	+\$8255
144	144" wide <input type="checkbox"/>	+\$9246
156	156" wide <input type="checkbox"/>	+\$10355
168	168" wide <input type="checkbox"/>	+\$11598

For 60" deep (60)

120	120" wide <input type="checkbox"/>	+\$7582
132	132" wide <input type="checkbox"/>	+\$8503
144	144" wide <input type="checkbox"/>	+\$9523
156	156" wide <input type="checkbox"/>	+\$10666
168	168" wide <input type="checkbox"/>	+\$11946

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$2903
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$2990
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3140

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1744
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$6670
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$6870
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$7214

Step 7. Number of Cutouts

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

For 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Boa Table, Boat, Seated Height

continued

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
------	--	------

Step 13. Edge Finish


For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Step 14. Base Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/>	+\$0
-----	--------------------------------------	------



Product Information

Description

This teardrop-shaped seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Teardrop, Seated Height

continued

Specification Information

Step 1.

BQ4A

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

29	29.5" high <input type="checkbox"/>	+\$0
-----------	-------------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0
54	54" deep <input type="checkbox"/>	+\$0
60	60" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5417
96	96" wide <input type="checkbox"/>	+\$5742
108	108" wide <input type="checkbox"/>	+\$6316

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$5579
96	96" wide <input type="checkbox"/>	+\$5914
108	108" wide <input type="checkbox"/>	+\$6505

For 54" deep (54)

108	108" wide <input type="checkbox"/>	+\$6700
------------	------------------------------------	---------

For 60" deep (60)

108	108" wide <input type="checkbox"/>	+\$6901
------------	------------------------------------	---------

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

For 84" wide (84) or 96" wide (96)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 84" wide (84) or 96" wide (96) with 1 cutout (A)

C	center cutout <input type="checkbox"/>	+\$0
----------	--	------

For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 108" wide (108) with 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Boa Table, Teardrop, Seated Height

continued

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
------	--	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0


Step 14. Base Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/>	+\$0
-----	--------------------------------------	------

Sand Texture Paint

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
DN2	nightfall <input type="checkbox"/>	+\$0
DR1	canyon <input type="checkbox"/>	+\$0
OLF	olive <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0



Product Information

Description

This teardrop-shaped counter-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $1\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Teardrop, Counter Height

continued

Specification Information

Step 1.

BQ4B

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

36	36" high <input type="checkbox"/>	+\$0
----	-----------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5747
96	96" wide <input type="checkbox"/>	+\$6091
108	108" wide <input type="checkbox"/>	+\$6700

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$5919
96	96" wide <input type="checkbox"/>	+\$6274
108	108" wide <input type="checkbox"/>	+\$6901

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

For 84" wide (84) or 96" wide (96)		
N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 84" wide (84) or 96" wide (96) with 1 cutout (A)

C	center cutout <input type="checkbox"/>	+\$0
---	--	------

For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 108" wide (108) with 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
---	---------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
---	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Boa Table, Teardrop, Counter Height

continued

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	+\$0
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	+\$0
012D	oxford walnut / low gloss / open pore (CP)	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	+\$0
------	---	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBU	medium matte walnut (CP)	+\$0
WL	warm stone (CP)	+\$0


Step 14. Base Finish

Metallic Paint

613	silver (CP)	+\$0
-----	-------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DN2	nightfall	+\$0
DR1	canyon	+\$0
OLF	olive	+\$0
WL	warm stone (CP)	+\$0



Product Information

Description

This teardrop-shaped standing-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 84" to 108" wide have 1-piece construction.

Veneer tops 84" to 96" wide have 1-piece construction.

Veneer tops 108" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

Cutout will be in the center when specifying 1 cutout (A) in tables 84" to 96" wide.

When specifying cutouts (A, B) in tables 108" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Teardrop, Standing Height

continued

Specification Information

Step 1.

BQ4C

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

42	42" high <input type="checkbox"/>	+\$0
-----------	-----------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0

Step 5. Width

For 42" deep (42)

84	84" wide <input type="checkbox"/>	+\$5919
96	96" wide <input type="checkbox"/>	+\$6274
108	108" wide <input type="checkbox"/>	+\$6901

For 48" deep (48)

84	84" wide <input type="checkbox"/>	+\$6097
96	96" wide <input type="checkbox"/>	+\$6462
108	108" wide <input type="checkbox"/>	+\$7109

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$1482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$1527
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$1603

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1392
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$3482
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$3587
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3766

Step 7. Number of Cutouts

For 84" wide (84) or 96" wide (96)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0

For 108" wide (108)

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 84" wide (84) or 96" wide (96) with 1 cutout (A)

C	center cutout <input type="checkbox"/>	+\$0
----------	--	------

For 108" wide (108) with 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 108" wide (108) with 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

For 108" wide (108) with 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Boa Table, Teardrop, Standing Height

continued

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP)	+\$0
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP)	+\$0
012D	oxford walnut / low gloss / open pore (CP)	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP)	+\$0
------	---	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBU	medium matte walnut (CP)	+\$0
WL	warm stone (CP)	+\$0


Step 14. Base Finish

Metallic Paint

613	silver (CP)	+\$0
-----	-------------	------

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DN2	nightfall	+\$0
DR1	canyon	+\$0
OLF	olive	+\$0
WL	warm stone (CP)	+\$0



Product Information

Description

This tapered seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate specific Herman Miller power options, ordered separately. Table comes with $\frac{1}{2}$ " leveling glides. Shipped knocked down.

Notes

Laminate tops 120" wide have 1-piece construction.

Laminate tops 132" to 168" wide have 2-piece construction.

Veneer tops 120" to 168" wide have 2-piece construction.

All tables are supported by 4 column legs inset from the edge. See planning guide for leg placement and clearances.

When specifying cutouts (A, B) in tables 120" to 168" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are $1\frac{1}{4}$ " thick.


Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions and the Headway™ technology bucket (DP5B.). See planning guide for specific units that fit in the table.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

See planning guide for additional information.

Dimensions



Boa Table, Tapered, Seated Height

continued

Specification Information

Step 1.

BQ5A

Step 2. Edge

S	squared-edge <input type="checkbox"/>	+\$0
T	thin-edge <input type="checkbox"/>	+\$0

Step 3. Height

29	29.5" high <input type="checkbox"/>	+\$0
-----------	-------------------------------------	------

Step 4. Depth

42	42" deep <input type="checkbox"/>	+\$0
48	48" deep <input type="checkbox"/>	+\$0
54	54" deep <input type="checkbox"/>	+\$0
60	60" deep <input type="checkbox"/>	+\$0

Step 5. Width

<i>For 42" deep (42)</i>		
120	120" wide <input type="checkbox"/>	+\$6947

For 48" deep (48)

120	120" wide <input type="checkbox"/>	+\$7156
------------	------------------------------------	---------

For 54" deep (54)

120	120" wide <input type="checkbox"/>	+\$7371
132	132" wide <input type="checkbox"/>	+\$8255
144	144" wide <input type="checkbox"/>	+\$9246
156	156" wide <input type="checkbox"/>	+\$10355
168	168" wide <input type="checkbox"/>	+\$11598

For 60" deep (60)

120	120" wide <input type="checkbox"/>	+\$7592
132	132" wide <input type="checkbox"/>	+\$8503
144	144" wide <input type="checkbox"/>	+\$9523
156	156" wide <input type="checkbox"/>	+\$10666
168	168" wide <input type="checkbox"/>	+\$11946

Step 6. Surface Material

For squared-edge (S)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$0
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$2903
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$2990
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$3140

For thin-edge (T)

L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>	+\$1744
W	natural veneer top/techwood/veneer edge <input type="checkbox"/>	+\$6670
X	natural veneer top/premium techwood/veneer edge <input type="checkbox"/>	+\$6870
Z	premium veneer top/veneer edge <input type="checkbox"/>	+\$7214

Step 7. Number of Cutouts

N	no cutouts <input type="checkbox"/>	+\$0
A	1 cutout <input type="checkbox"/>	+\$0
B	2 cutouts <input type="checkbox"/>	+\$0

Step 8. Cutout #1 Location

For 1 cutout (A) or 2 cutouts (B)

L	left cutout <input type="checkbox"/>	+\$0
R	right cutout <input type="checkbox"/>	+\$0

Step 9. Cutout #2 Location

For 2 cutouts (B) with left cutout (L)

R	right cutout <input type="checkbox"/>	+\$0
----------	---------------------------------------	------

For 2 cutouts (B) with right cutout (R)

L	left cutout <input type="checkbox"/>	+\$0
----------	--------------------------------------	------

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

L3	cutout for logic Y1425 3 port <input type="checkbox"/>	+\$65
L5	cutout for logic Y1425 5 port <input type="checkbox"/>	+\$125
TB	cutout for technology bucket <input type="checkbox"/>	+\$190

Boa Table, Tapered, Seated Height

continued

Step 12.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

652D	whitened quartered oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
------	---	------

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
------	--	------

Step 13. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0


Step 14. Base Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/>	+\$0
-----	--------------------------------------	------

Sand Texture Paint

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
DN2	nightfall <input type="checkbox"/>	+\$0
DR1	canyon <input type="checkbox"/>	+\$0
OLF	olive <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0



Product Information

Description




This tech bucket is grommet mounted in Headway™ cabinet-base and Y-base tables to conceal cords off the table surface. It can be customized with faceplates to accommodate hard-wired power and data needs. It has 4 pass-through openings for data cords to be routed into the bucket. Lid opens toward either side of the table and pivots 95° from closed to open allowing easy access to the bucket. Bucket is black. Lid comes in a choice of finishes.

Notes

Tech bucket has knockouts at both ends to allow for data faceplates. See planning guide for specific knockout dimensions.

For Chicago power, specify the tech bucket and hardwire in a junction box. A licensed electrician must wire junction box to the building's electrical supply.

Dimensions




Specification Information

Step 1.

DP5B.	\$767
-------	-------

Step 2. Lid Finish

91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0



Product Information

Description


This power module mounts inside of the tech bucket. It comes with 4 AC simplex receptacles and has the option of 4 USB (2 Type-A, 2 Type-C). The module is powered using a standard power cord with plug end. Power module finish is black. Product is UL Listed. Attachment hardware included.

Notes


USB Type-A ports supply up to 10 watts of power, and USB Type-C ports supply up to 15 watts of power for charging most devices such as tablets and phones. Smart Power Sharing limits Type-A port to 5 watts when USB-C port is in use.

Order the tech bucket (DP5B.) separately.

Dimensions



4 AC Simplex Receptacles



4 AC Simplex Receptacles, 4 USB

Specification Information

Step 1.

DP6B.

Step 2. Configuration

A 4 AC simplex receptacles

B 4 AC simplex receptacles, 4 USB (2 Type-A, 2 Type C)


Step 3. Cord Length

15 15' long

24 24' long

Prices for Steps 1-3.

	15	24
DP6B. A	\$715	815
B	\$1549	1655



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)



4 simplex receptacles with 1 powered USB A/C combo (I)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

- H** 2 simplex receptacles, 1 powered USB A/C Combo
- I** 4 simplex receptacles, 1 powered USB A/C Combo
- E** 3 simplex receptacles
- F** 5 simplex receptacles

Step 3. Power Type

- A** power cord with plug end
- C** IEC connector for Renew Tables

Step 4. Cord Length

For power cord with plug end (A)

- 03** 3' cord
- 06** 6' cord
- 10** 10' cord
- 20** 20' cord

For IEC connector for Renew Tables (C)

- 03** 3' cord

Prices for Steps 1-4.

		03	06	10	20
Y1425.	H A	\$943	943	958	974
	C	\$958	—	—	—
I	A	\$1092	1092	1110	1126
	C	\$1110	—	—	—
E	A	\$726	726	740	753
	C	\$740	—	—	—
F	A	\$876	876	892	909
	C	\$892	—	—	—

Step 5. Finish

- 613** silver (CP) +\$0
- 91** white (CP) +\$0
- 98** studio white (CP) +\$0
- G1** graphite (CP) +\$0
- UBK** ultra black (CP) +\$0

Index by Product Name

Boa Tables

Boa Table, Boat, Seated Height	page(s) 23
Boa Table, Oval, Counter Height	17
Boa Table, Oval, Seated Height	14
Boa Table, Oval, Standing Height	20
Boa Table, Rectangle, Counter Height	8
Boa Table, Rectangle, Seated Height	5
Boa Table, Rectangle, Standing Height	11
Boa Table, Tapered, Seated Height	35
Boa Table, Teardrop, Counter Height	29
Boa Table, Teardrop, Seated Height	26
Boa Table, Teardrop, Standing Height	32
Headway™ Power Module for Tech Bucket	39
Headway™ Tech Bucket	38
Logic G1000 Grommet Mounted Electrical Distributor	40

Index by Product Number

BQ1AS	Boa Table, Rectangle, Seated Height	page(s) 5
BQ1AT		
BQ1BS	Boa Table, Rectangle, Counter Height	8
BQ1BT		
BQ1CS	Boa Table, Rectangle, Standing Height	11
BQ1CT		
BQ2AS	Boa Table, Oval, Seated Height	14
BQ2AT		
BQ2BS	Boa Table, Oval, Counter Height	17
BQ2BT		
BQ2CS	Boa Table, Oval, Standing Height	20
BQ2CT		
BQ3AS	Boa Table, Boat, Seated Height	23
BQ3AT		
BQ4AS	Boa Table, Teardrop, Seated Height	26
BQ4AT		
BQ4BS	Boa Table, Teardrop, Counter Height	29
BQ4BT		
BQ4CS	Boa Table, Teardrop, Standing Height	32
BQ4CT		
BQ5AS	Boa Table, Tapered, Seated Height	35
BQ5AT		
DP5B.	Headway™ Tech Bucket	38
DP6B.	Headway™ Power Module for Tech Bucket	39
Y1425.	Logic G1000 Grommet Mounted Electrical Distributor	40

20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:
(616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Central Palette Overview

GSA

Central Palette

Program Overview

The Central Palette is the result of an intentional effort to integrate future design direction, field insights, and long-term business strategy. The palette provides a foundation of design continuity between Herman Miller and Knoll products, while each brand retains their distinct colors, materials, and finishes.

A centralized palette allows designers to create a greater variety of cross-branded premium workplace solutions at a variety of price points.

Finishes

A consolidation of like colors focused in the neutral color space. Painted and plastic components within the palette meet consistent performance and aesthetic criteria, allowing for improved efficiency and reliability.

Paint & Plastic:

8Q Folkstone Grey
91 White
98 Studio White
CRB Carbon
G1 Graphite
UBK Ultra Black
WL Warm Stone

Metallics:

611 Beige Mist Metallic
613 Silver

Laminate

The following solid color and woodgrain laminates will be available in high pressure (HPL) and thermally fused (TFL) versions with coordinating edgbands to support both brands of products.

Solid Color:

8Q Folkstone Grey
91 White
98 Studio White
UBK Ultra Black
WL Warm Stone

Woodgrain:

125 Natural Maple
126 Natural Cherry
127 Walnut
139 Light Ash
140 Warm Ash
LBA Clear on Ash *

Matte:

NSD Celestial Grey
NSJ Asteroid Grey
NSK Nebula Black

LBB Oak on Ash *

LBC Walnut on Ash *
LBU Medium Matte Walnut

Veneer

The following veneers will be available in aligned gloss and pore options across workspace products for Knoll and Herman Miller.

Techwood:

639 Light Cherry Techwood
651 Soft Grey Techwood
652 Whitened Quartered Oak Techwood
658 Clear Techwood
683 Soft Walnut Techwood
684 Dark Umber Techwood

Natural Veneer & Premium Techwood:

008 Blonde Oak
009 White Oak
010 Golden Oak
012 Oxford Walnut
016 Umber on Oak
017 Light Walnut
021 Peacock Green Walnut
653 Vivid Oak Techwood
659 Brushed Teak Techwood
660 White Maple Techwood
670 Deep Rosewood Techwood

Premium Veneer:

070 Ebonized Oak

Gloss & Pore Options include:

A - low gloss/closed pore
B - medium gloss/closed pore
C - high gloss/closed pore
D - low gloss/open pore
E - medium gloss/open pore
F - high gloss/open pore

Textiles

Textiles are not yet part of the Central Palette program.

Refer to the COM Database for Textiles approved on products from various MillerKnoll Brands.

* HPL features a woodgrain textured surface; TFL (Melamine) has a smooth surface.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2026 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—
Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

[®] HermanMiller, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

[™] AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf[®] is a registered trademark of Wilsonart International.

Corian[®] is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET[™] is a trademark of Milliken & Company.

Floor Saver Glide[®] is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council[®] is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC[®] certified (FSC[®] C102895).

FSC[®] is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare[™] is a trademark of Parasol Medical LLC.

Microsoft[®] and Natural[®] Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles[®] is a registered trademark of Place Textiles.