



GSA prices effective October 7, 2024
(based on July 1, 2024, commercial price list)
Published September 2025

Conference Room and Multipurpose Tables Everywhere™ Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour
 Furniture Project Coordinator: \$49.00 per hour
 Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Pronta Stacking Chair	57.7%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Spout Sit-to-Stand Table	73.8%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour
 Furniture Project Coordinator: \$49.00 per hour
 Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

12. Ordering Address

- a. MillerKnoll Inc.
Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.
- b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

14. Warranty

MillerKnoll Inc. commercial warranty applies.

15. Export Packing Charge

Prices supplied on request.

16. Rental Maintenance and Repair Terms

Not applicable

17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation. Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

18. Terms and Conditions of Repair Parts

Not applicable

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

22a. Special Attributes.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Contract Information

continued

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/ Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Contract Information

continued

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HIP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Everywhere™ Tables	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	88
Standing-Height Tables	92
Occasional Tables	102
Screens	112
Power and Data Support	126
Accessories	143
Indices	175
By Name	175
By Number	177
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
Central Palette Overview	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Standard-Height Tables

Standard-Height Table Legs and Bases

Standing-Height Tables

Occasional Tables


Screens

Power and Data Support

Accessories

Everywhere™ Rectangular Table

DT1AE.
DT1AS.
DT1AT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

18" depth available with square edge only.

C-leg and D-leg cannot be used with either the 18" deep or 36" deep tops.

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center at approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.







Note: UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Everywhere™ Rectangular Table

continued

Everywhere™ Standard-Height Tables

Specification Information

Step 1.

DT1A

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

For squared-edge (S.)

- 18 18" deep
- 24 24" deep
- 30 30" deep
- 36 36" deep

For thin-edge (T.) or eased-edge (E.)

- 24 24" deep
- 30 30" deep
- 36 36" deep

Step 4. Width

For 18" deep (18)

- 48 48" wide
- 60 60" wide
- 72 72" wide

For 24" deep (24) or 30" deep (30)

- 36 36" wide
- 42 42" wide
- 48 48" wide
- 54 54" wide
- 60 60" wide
- 66 66" wide
- 72 72" wide

For 36" deep (36)

- 42 42" wide
- 48 48" wide
- 54 54" wide
- 60 60" wide
- 66 66" wide
- 72 72" wide

Step 5. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- T thermally-fused laminate top/universal edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge
- A high-pressure laminate top/thermoplastic edge with MicrobeCare™ A
- J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A
- C high-pressure laminate top/universal edge with MicrobeCare™ A
- K thermally-fused laminate top/universal edge with MicrobeCare™ A

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 6. Leg Type

For 18" deep (18) or 36" deep (36)

- P post leg
- T T-leg
- A T-leg with height adjustment

For 24" deep (24) or 30" deep (30)

- P post leg
- T T-leg
- A T-leg with height adjustment
- C C-leg
- D C-leg with height adjustment

Prices for Steps 1-6.

	LP	LT	LA	LC	LD	NP
DT1AS. 18 48	\$1114	1442	1805	—	—	1392
60	\$1222	1586	1983	—	—	1537
72	\$1320	1712	2141	—	—	1664

Everywhere™ Rectangular Table

continued

Everywhere™ Standard-Height Tables

36	42	—	—	\$1796	2161	2540	—
48	—	—	—	\$1842	2194	2583	—
54	—	—	—	\$1990	2350	2733	—
60	—	—	—	\$2056	2417	2837	—
66	—	—	—	\$2330	2897	3308	—
72	—	—	—	\$2441	3212	3710	—
		WD	XP	XT	XA	XC	XD
DT1AS. 18	48	—	\$1462	1911	2396	—	—
	60	—	\$1614	2107	2639	—	—
	72	—	\$1747	2279	2854	—	—
24	36	\$2130	1462	1911	2396	1911	2396
	42	\$2242	1538	2010	2519	2010	2519
	48	\$2358	1617	2109	2647	2109	2647
	54	\$2506	1715	2238	2810	2238	2810
	60	\$2660	1821	2374	2979	2374	2979
	66	\$2849	1950	2543	3187	2543	3187
	72	\$3054	2087	2724	3413	2724	3413
30	36	\$2220	1524	1989	2495	1989	2495
	42	\$2333	1597	2088	2619	2088	2619
	48	\$2455	1685	2197	2753	2197	2753
	54	\$2606	1783	2331	2919	2331	2919
	60	\$2768	1894	2472	3098	2472	3098
	66	\$2970	2029	2647	3320	2647	3320
	72	\$3181	2178	2830	3552	2830	3552
36	42	—	\$2029	2430	2847	—	—
	48	—	\$2079	2466	2894	—	—
	54	—	\$2242	2638	3059	—	—
	60	—	\$2314	2711	3173	—	—
	66	—	\$2616	3239	3692	—	—
	72	—	\$2737	3586	4134	—	—
		ZP	ZT	ZA	ZC	ZD	PP
DT1AS. 18	48	\$1637	2140	2684	—	—	1212
	60	\$1808	2360	2956	—	—	1334
	72	\$1957	2552	3196	—	—	1438
24	36	\$1637	2140	2684	2140	2684	1212
	42	\$1723	2251	2821	2251	2821	1271
	48	\$1811	2362	2965	2362	2965	1335
	54	\$1921	2507	3147	2507	3147	1412
	60	\$2040	2659	3336	2659	3336	1498
	66	\$2184	2848	3569	2848	3569	1601
	72	\$2337	3051	3823	3051	3823	1715

30	36	\$1707	2228	2794	2228	2794	1256
42	—	\$1789	2339	2933	2339	2933	1323
48	—	\$1887	2461	3083	2461	3083	1389
54	—	\$1997	2611	3269	2611	3269	1466
60	—	\$2121	2769	3470	2769	3470	1558
66	—	\$2272	2965	3718	2965	3718	1666
72	—	\$2439	3170	3978	3170	3978	1782
36	42	\$2272	2722	3189	—	—	1441
48	—	\$2328	2762	3241	—	—	1462
54	—	\$2511	2955	3426	—	—	1596
60	—	\$2592	3036	3554	—	—	1625
66	—	\$2930	3628	4135	—	—	1651
72	—	\$3065	4016	4630	—	—	1672
		PT	PA	PC	PD	AP	AT
DT1AS. 18	48	\$1570	1963	—	—	1220	1549
	60	\$1729	2158	—	—	1329	1693
	72	\$1866	2325	—	—	1427	1818
24	36	\$1570	1963	1570	1963	1207	1534
	42	\$1651	2057	1651	2057	1263	1610
	48	\$1732	2163	1732	2163	1331	1697
	54	\$1834	2293	1834	2293	1406	1796
	60	\$1945	2426	1945	2426	1482	1893
	66	\$2082	2597	2082	2597	1579	2018
	72	\$2223	2777	2223	2777	1685	2154
30	36	\$1632	2041	1632	2041	1248	1593
	42	\$1715	2145	1715	2145	1306	1671
	48	\$1801	2248	1801	2248	1384	1762
	54	\$1905	2381	1905	2381	1459	1860
	60	\$2023	2524	2023	2524	1540	1966
	66	\$2163	2700	2163	2700	1638	2094
	72	\$2311	2890	2311	2890	1746	2231
36	42	\$1852	2326	—	—	1416	1798
	48	\$1838	2351	—	—	1450	1800
	54	\$1980	2483	—	—	1574	1927
	60	\$2005	2508	—	—	1600	1950
	66	\$2158	2734	—	—	1684	2125
	72	\$2330	2930	—	—	1784	2252
		AA	AC	AD	JP	JT	JA
DT1AS. 18	48	\$1912	—	—	1139	1447	1786
	60	\$2090	—	—	1241	1582	1953
	72	\$2247	—	—	1335	1699	2099

Everywhere™ Rectangular Table

continued

24	36	\$1896	1534	1896	1128	1434	1773
42		\$1986	1610	1986	1180	1504	1856
48		\$2094	1697	2094	1243	1586	1957
54		\$2209	1796	2209	1313	1677	2065
60		\$2337	1893	2337	1385	1768	2183
66		\$2495	2018	2495	1476	1886	2331
72		\$2660	2154	2660	1574	2013	2486
30	36	\$1966	1593	1966	1166	1488	1837
42		\$2063	1671	2063	1220	1562	1928
48		\$2172	1762	2172	1293	1646	2030
54		\$2298	1860	2298	1363	1738	2147
60		\$2427	1966	2427	1440	1837	2269
66		\$2589	2094	2589	1531	1957	2418
72		\$2765	2231	2765	1630	2085	2584
36	42	\$2234	—	—	1323	1679	2089
48		\$2268	—	—	1355	1681	2119
54		\$2391	—	—	1470	1801	2235
60		\$2412	—	—	1496	1822	2254
66		\$2646	—	—	1573	1986	2474
72		\$2805	—	—	1668	2105	2621
		JC	JD	CP	CT	CA	CC
DT1AS. 18	48	—	—	\$1220	1549	1912	—
	60	—	—	\$1329	1693	2090	—
	72	—	—	\$1427	1818	2247	—
24	36	\$1434	1773	1207	1534	1896	1534
42		\$1504	1856	1263	1610	1986	1610
48		\$1586	1957	1331	1697	2094	1697
54		\$1677	2065	1406	1796	2209	1796
60		\$1768	2183	1482	1893	2337	1893
66		\$1886	2331	1579	2018	2495	2018
72		\$2013	2486	1685	2154	2660	2154
30	36	\$1488	1837	1248	1593	1966	1593
42		\$1562	1928	1306	1671	2063	1671
48		\$1646	2030	1384	1762	2172	1762
54		\$1738	2147	1459	1860	2298	1860
60		\$1837	2269	1540	1966	2427	1966
66		\$1957	2418	1638	2094	2589	2094
72		\$2085	2584	1746	2231	2765	2231
36	42	—	—	\$1416	1798	2234	—
48		—	—	\$1450	1800	2268	—
54		—	—	\$1574	1927	2391	—
60		—	—	\$1600	1950	2412	—
66		—	—	\$1684	2125	2646	—
72		—	—	\$1784	2252	2805	—

		CD	KP	KT	KA	KC	KD
DT1AS. 18	48	—	\$1139	1447	1786	—	—
	60	—	\$1241	1582	1953	—	—
	72	—	\$1335	1699	2099	—	—
24	36	\$1896	1128	1434	1773	1434	1773
42		\$1986	1180	1504	1856	1504	1856
48		\$2094	1243	1586	1957	1586	1957
54		\$2209	1313	1677	2065	1677	2065
60		\$2337	1385	1768	2183	1768	2183
66		\$2495	1476	1886	2331	1886	2331
72		\$2660	1574	2013	2486	2013	2486
30	36	\$1966	1166	1488	1837	1488	1837
42		\$2063	1220	1562	1928	1562	1928
48		\$2172	1293	1646	2030	1646	2030
54		\$2298	1363	1738	2147	1738	2147
60		\$2427	1440	1837	2269	1837	2269
66		\$2589	1531	1957	2418	1957	2418
72		\$2765	1630	2085	2584	2085	2584
36	42	—	\$1323	1679	2089	—	—
48		—	\$1355	1681	2119	—	—
54		—	\$1470	1801	2235	—	—
60		—	\$1496	1822	2254	—	—
66		—	\$1573	1986	2474	—	—
72		—	\$1668	2105	2621	—	—
		TC	TD	WP	WT	WA	WC
DT1AT. 24	36	—	—	\$1540	2032	2556	2032
	42	—	—	\$1618	2134	2689	2134
	48	—	—	\$1707	2247	2827	2247
	54	—	—	\$1814	2385	3003	2385
	60	—	—	\$1929	2529	3189	2529
	66	—	—	\$2068	2715	3419	2715
	72	—	—	\$2219	2914	3664	2914
30	36	—	—	\$1601	2111	2664	2111
42		—	—	\$1685	2220	2801	2220
48		—	—	\$1779	2337	2942	2337
54		—	—	\$1888	2482	3128	2482
60		—	—	\$2007	2638	3320	2638
66		—	—	\$2157	2827	3560	2827
72		—	—	\$2311	3031	3815	3031
36	42	—	—	\$2157	2590	3048	—
48		—	—	\$2210	2631	3102	—
54		—	—	\$2391	2817	3278	—
60		—	—	\$2468	2901	3405	—
66		—	—	\$2795	3470	3968	—
72		—	—	\$2924	3854	4450	—

Everywhere™ Standard-Height Tables

Everywhere™ Rectangular Table

continued

Everywhere™ Standard-Height Tables

		WD	XP	XT	XA	XC	XD	
DT1AT. 24	36	\$2556	1747	2288	2864	2288	2864	
	42	\$2689	1832	2400	3010	2400	3010	
	48	\$2827	1931	2524	3163	2524	3163	
	54	\$3003	2049	2676	3356	2676	3356	
	60	\$3189	2175	2835	3561	2835	3561	
	66	\$3419	2328	3039	3814	3039	3814	
	72	\$3664	2494	3258	4083	3258	4083	
	30	36	\$2664	1814	2375	2983	2375	2983
		42	\$2801	1907	2495	3134	2495	3134
		48	\$2942	2010	2624	3289	2624	3289
		54	\$3128	2129	2783	3493	2783	3493
		60	\$3320	2261	2955	3704	2955	3704
		66	\$3560	2426	3163	3969	3163	3969
		72	\$3815	2595	3386	4249	3386	4249
36	42	—	\$2426	2902	3405	—	—	
	48	—	\$2483	2946	3465	—	—	
	54	—	\$2683	3151	3658	—	—	
	60	—	\$2768	3243	3798	—	—	
	66	—	\$3127	3869	4417	—	—	
	72	—	\$3269	4292	4948	—	—	
			ZP	ZT	ZA	ZC	ZD	PP
DT1AT. 24	36	\$1957	2563	3208	2563	3208	1289	
	42	\$2052	2688	3371	2688	3371	1354	
	48	\$2163	2827	3543	2827	3543	1419	
	54	\$2295	2997	3759	2997	3759	1501	
	60	\$2436	3175	3988	3175	3988	1597	
	66	\$2607	3404	4272	3404	4272	1707	
	72	\$2793	3649	4573	3649	4573	1825	
	30	36	\$2032	2660	3341	2660	3341	1339
		42	\$2136	2794	3510	2794	3510	1408
		48	\$2251	2939	3684	2939	3684	1477
		54	\$2384	3117	3912	3117	3912	1565
		60	\$2532	3310	4148	3310	4148	1658
		66	\$2717	3543	4445	3543	4445	1771
		72	\$2906	3792	4759	3792	4759	1895
36	42	\$2717	3250	3814	—	—	1534	
	48	\$2781	3300	3881	—	—	1556	
	54	\$3005	3529	4097	—	—	1698	
	60	\$3100	3632	4254	—	—	1732	
	66	\$3502	4333	4947	—	—	1793	
	72	\$3661	4807	5542	—	—	1932	

		PT	PA	PC	PD	AP	AT	
DT1AT. 24	36	\$1674	2090	1674	2090	—	—	
	42	\$1756	2192	1756	2192	—	—	
	48	\$1842	2303	1842	2303	—	—	
	54	\$1952	2441	1952	2441	—	—	
	60	\$2072	2583	2072	2583	—	—	
	66	\$2215	2767	2215	2767	—	—	
	72	\$2368	2959	2368	2959	—	—	
	30	36	\$1739	2173	1739	2173	—	—
		42	\$1825	2280	1825	2280	—	—
		48	\$1916	2394	1916	2394	—	—
		54	\$2035	2537	2035	2537	—	—
		60	\$2155	2689	2155	2689	—	—
		66	\$2303	2874	2303	2874	—	—
		72	\$2463	3077	2463	3077	—	—
36	42	\$1973	2481	—	—	—	—	
	48	\$1957	2503	—	—	—	—	
	54	\$2109	2645	—	—	—	—	
	60	\$2139	2670	—	—	—	—	
	66	\$2228	2977	—	—	—	—	
	72	\$2498	3126	—	—	—	—	
			ZP	ZT	ZA	ZC	ZD	PP
DT1AE. 24	36	—	—	—	—	—	\$1289	
	42	—	—	—	—	—	\$1354	
	48	—	—	—	—	—	\$1419	
	54	—	—	—	—	—	\$1501	
	60	—	—	—	—	—	\$1597	
	66	—	—	—	—	—	\$1707	
	72	—	—	—	—	—	\$1825	
	30	36	—	—	—	—	—	\$1339
		42	—	—	—	—	—	\$1408
		48	—	—	—	—	—	\$1477
		54	—	—	—	—	—	\$1565
		60	—	—	—	—	—	\$1658
		66	—	—	—	—	—	\$1771
		72	—	—	—	—	—	\$1895
36	42	—	—	—	—	—	\$1534	
	48	—	—	—	—	—	\$1556	
	54	—	—	—	—	—	\$1698	
	60	—	—	—	—	—	\$1732	
	66	—	—	—	—	—	\$1807	
	72	—	—	—	—	—	\$1938	

Everywhere™ Rectangular Table

continued

		PT	PA	PC	PD	AP	AT
DT1AE. 24	36	\$1674	2090	1674	2090	—	—
	42	\$1756	2192	1756	2192	—	—
	48	\$1842	2303	1842	2303	—	—
	54	\$1952	2441	1952	2441	—	—
	60	\$2072	2583	2072	2583	—	—
	66	\$2215	2767	2215	2767	—	—
	72	\$2368	2959	2368	2959	—	—
	30 36	\$1739	2173	1739	2173	—	—
	42	\$1825	2280	1825	2280	—	—
	48	\$1916	2394	1916	2394	—	—
	54	\$2035	2537	2035	2537	—	—
	60	\$2155	2689	2155	2689	—	—
	66	\$2303	2874	2303	2874	—	—
	72	\$2463	3077	2463	3077	—	—
	36 42	\$1973	2481	—	—	—	—
	48	\$1957	2503	—	—	—	—
	54	\$2109	2645	—	—	—	—
	60	\$2139	2670	—	—	—	—
	66	\$2350	3001	—	—	—	—
	72	\$2512	3126	—	—	—	—

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Rectangular Table

continued

Everywhere™ Standard-Height Tables

Top Finish

For thermally-fused laminate top/thermoplastic edge (M), thermally-fused laminate top/universal edge (T), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For matte high-pressure laminate top/thermoplastic edge (N)

NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For natural veneer top/techwood/veneer edge (W)

639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0

652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0
652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0

Everywhere™ Rectangular Table

continued

009A	white oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009B	white oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070C	ebonized oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
070E	ebonized oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
070F	ebonized oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Rectangular Table

continued

Everywhere™ Standard-Height Tables

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish

Metallic Paint

For post leg (P), T-leg (T), or C-leg (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), T-leg (T), or C-leg (C)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P), T-leg (T), or C-leg (C)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), T-leg (T), or C-leg (C)

CD	polished aluminum	+\$110
----	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Rectangular Table

continued

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Step 10. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Step 11. Grommets

For squared-edge (S.) with 18" deep (18)

NTG	no grommet	+\$0
------------	------------	------

For squared-edge (S.) with 24" deep (24), or 30" deep (30)

NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

For squared-edge (S.) with 36" deep (36)


NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

For thin-edge (T.) or eased-edge (E.) with 24" deep (24), or 30" deep (30), or 36" deep (36)

NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Everywhere™ Square Table

DT1BE.
DT1BS.
DT1BT.



Everywhere™ Standard-Height Tables

Product Information

Description

This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg/base options and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

48" tops available only with post leg option for optimum stability.

42" top (4242) with 4-column base (X) available only with glides. Casters are not compatible with this top/base combination.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.





UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Specification Information

Step 1.

DT1B

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth/Width

- 3030** 30" deep x 30" wide
- 3636** 36" deep x 36" wide
- 4242** 42" deep x 42" wide
- 4848** 48" deep x 48" wide

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- U high-pressure laminate/universal edge
- T thermally-fused laminate top/universal edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge
- J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A
- K thermally-fused laminate top/universal edge with MicrobeCare™ A

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 5. Leg/Base Type

For 30" deep x 30" wide (3030)

- P post leg
- X 4-column base
- S single-column base A

For 36" deep x 36" wide (3636)

- P post leg
- X 4-column base
- S single-column base A

For 42" deep x 42" wide (4242)

- P post leg
- X 4-column base

For 48" deep x 48" wide (4848)

- P post leg

Prices for Steps 1-5.

		P	X	S
DT1BS. 3030	L	\$1059	1370	1168
	N	\$1373	1796	1519
	M	\$991	1283	1094
	U	\$1059	1370	1168
	T	\$991	1283	1094
	W	\$1263	1666	1402
	X	\$1442	1886	1595
	Z	\$1615	2112	1786
	P	\$1151	1495	1271
	J	\$1070	1361	1175
K	\$1070	1361	1175	
3636	L	\$1268	1643	1399
	N	\$1656	2159	1835
	M	\$1188	1539	1311
	U	\$1268	1643	1399
	T	\$1188	1539	1311
	W	\$1533	2013	1704
	X	\$1739	2267	1927
	Z	\$1948	2539	2158
	P	\$1383	1790	1522
	J	\$1266	1618	1390
K	\$1266	1618	1390	
4242	L	\$1455	1888	—
	N	\$1906	2486	—
	M	\$1364	1768	—
	U	\$1455	1888	—
	T	\$1364	1768	—
	W	\$1771	2325	—
	X	\$2001	2610	—
	Z	\$2241	2923	—
	P	\$1583	2054	—
	J	\$1443	1848	—
K	\$1443	1848	—	

Everywhere™ Square Table *continued*

Everywhere™ Standard-Height Tables

4848	L	\$1629	—	—
	N	\$2228	—	—
	M	\$1526	—	—
	U	\$1629	—	—
	T	\$1526	—	—
	W	\$2079	—	—
	X	\$2339	—	—
	Z	\$2620	—	—
	P	\$1772	—	—
	J	\$1626	—	—
	K	\$2154	—	—
			P	X
DT1BT. 3030	W	\$1515	1999	1684
	X	\$1719	2251	1905
	Z	\$1925	2521	2134
	P	\$1228	1594	1354
3636	W	\$1838	2416	2041
	X	\$2075	2710	2297
	Z	\$2324	3035	2573
	P	\$1468	1904	1620
4242	W	\$2124	2793	—
	X	\$2389	3125	—
	Z	\$2676	3500	—
	P	\$1685	2190	—
4848	W	\$2493	—	—
	X	\$2795	—	—
	Z	\$3130	—	—
	P	\$1889	—	—
			P	X
DT1BE. 3030	P	\$1228	1594	1354
3636	P	\$1468	1904	1620
4242	P	\$1685	2190	—
4848	P	\$1889	—	—

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M), thermally-fused laminate top/universal edge (T), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0

652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0
652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0

Everywhere™ Square Table *continued*

Everywhere™ Standard-Height Tables

009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0
009C	white oak / high gloss / closed pore (CP) A	+\$0
009D	white oak / low gloss / open pore (CP) A	+\$0
009E	white oak / medium gloss / open pore (CP) A	+\$0
009F	white oak / high gloss / open pore (CP) A	+\$0
010A	golden oak / low gloss / closed pore (CP) A	+\$0
010B	golden oak / medium gloss / closed pore (CP) A	+\$0
010C	golden oak / high gloss / closed pore (CP) A	+\$0
010D	golden oak / low gloss / open pore (CP) A	+\$0
010E	golden oak / medium gloss / open pore (CP) A	+\$0
010F	golden oak / high gloss / open pore (CP) A	+\$0
012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
012D	oxford walnut / low gloss / open pore (CP) A	+\$0
012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
012F	oxford walnut / high gloss / open pore (CP) A	+\$0
016A	umber on oak / low gloss / closed pore (CP) A	+\$0
016B	umber on oak / medium gloss / closed pore (CP) A	+\$0
016C	umber on oak / high gloss / closed pore (CP) A	+\$0
016D	umber on Oak / low gloss / open pore (CP) A	+\$0
016E	umber on oak / medium gloss / open pore (CP) A	+\$0
016F	umber on oak / high gloss / open pore (CP) A	+\$0
017A	light walnut / low gloss / closed pore (CP) A	+\$0
017B	light walnut / medium gloss / closed pore (CP) A	+\$0
017C	light walnut / high gloss / closed pore (CP) A	+\$0
017D	light walnut / low gloss / open pore (CP) A	+\$0
017E	light walnut / medium gloss / open pore (CP) A	+\$0
017F	light walnut / high gloss / open pore (CP) A	+\$0
021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0
021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0
021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0
021D	peacock green walnut / low gloss / open pore (CP) A	+\$0
021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0
021F	peacock green walnut / high gloss / open pore (CP) A	+\$0
653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0
653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0
653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0
653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0
653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0
653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0
659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0

659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0
659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

For post leg (P) or single-column base (S)

20	casters	+\$0
57	glides	+\$0

For 4-column base (X)


20	casters	+\$0
57	glides	+\$0

For 4-column base (X)

57	glides	+\$0
-----------	--------	------

Everywhere™ Round Table

DT1CE.
DT1CS.
DT1CT.



Everywhere™ Standard-Height Tables

Product Information

Description

This round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

48" and 60" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.





UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Specification Information

Step 1.

DT1C

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Diameter

- 30** 30" diameter
- 36** 36" diameter
- 42** 42" diameter
- 48** 48" diameter
- 60** 60" diameter

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge
- J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 5. Leg/Base Type

For 30" diameter (30) or 36" diameter (36)

- P post leg
- X 4-column base
- S single-column base A

For 42" diameter (42)

- P post leg
- X 4-column base

For 48" diameter (48) or 60" diameter (60)

- P post leg

Prices for Steps 1-5.

	P	X	S
DT1CS. 30 L	\$1220	1590	1351
N	\$1573	2054	1739
M	\$1133	1475	1254
W	\$1453	1913	1612
X	\$1652	2157	1826
Z	\$1850	2416	2045
P	\$1323	1719	1462
J	\$1212	1554	1334
36 L	\$1470	1903	1550
N	\$1573	2474	2097
M	\$1364	1765	1439
W	\$1453	2314	1954
X	\$1652	2598	2202
Z	\$1850	2910	2466
P	\$1586	2054	1675
J	\$1443	1844	1517
42 L	\$1683	2090	—
N	\$2186	2853	—
M	\$1562	1938	—
W	\$2039	2675	—
X	\$2295	2996	—
Z	\$2570	3356	—
P	\$1820	2259	—
J	\$1641	2017	—
48 L	\$1883	—	—
N	\$2553	—	—
M	\$1747	—	—
W	\$2389	—	—
X	\$2681	—	—
Z	\$3003	—	—
P	\$2040	—	—
J	\$1845	—	—

Everywhere™ Round Table *continued*

Everywhere™ Standard-Height Tables

60	L	\$2057	—	—
	N	\$2792	—	—
	M	\$1908	—	—
	W	\$2617	—	—
	X	\$2932	—	—
	Z	\$3284	—	—
	P	\$2220	—	—
	J	\$2008	—	—
			P	X
DT1CT. 30	W	\$1744	2297	1937
	X	\$1971	2580	2184
	Z	\$2208	2890	2446
	P	\$1408	1830	1556
36	W	\$1744	2777	2347
	X	\$1971	3107	2634
	Z	\$2208	3480	2950
	P	\$1687	2190	1784
42	W	\$2444	3209	—
	X	\$2742	3583	—
	Z	\$3071	4013	—
	P	\$1941	2408	—
48	W	\$2866	—	—
	X	\$3206	—	—
	Z	\$3591	—	—
	P	\$2170	—	—
60	W	\$3136	—	—
	X	\$3502	—	—
	Z	\$3922	—	—
	P	\$2364	—	—
			P	X
DT1CE. 30	P	\$1408	1830	1556
36	P	\$1687	2190	1784
42	P	\$1941	2408	—
48	P	\$2170	—	—
60	P	\$2364	—	—

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Round Table *continued*

Everywhere™ Standard-Height Tables

009C	white oak / high gloss / closed pore (CP) A	+\$0
009D	white oak / low gloss / open pore (CP) A	+\$0
009E	white oak / medium gloss / open pore (CP) A	+\$0
009F	white oak / high gloss / open pore (CP) A	+\$0
010A	golden oak / low gloss / closed pore (CP) A	+\$0
010B	golden oak / medium gloss / closed pore (CP) A	+\$0
010C	golden oak / high gloss / closed pore (CP) A	+\$0
010D	golden oak / low gloss / open pore (CP) A	+\$0
010E	golden oak / medium gloss / open pore (CP) A	+\$0
010F	golden oak / high gloss / open pore (CP) A	+\$0
012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
012D	oxford walnut / low gloss / open pore (CP) A	+\$0
012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
012F	oxford walnut / high gloss / open pore (CP) A	+\$0
016A	umber on oak / low gloss / closed pore (CP) A	+\$0
016B	umber on oak / medium gloss / closed pore (CP) A	+\$0
016C	umber on oak / high gloss / closed pore (CP) A	+\$0
016D	umber on Oak / low gloss / open pore (CP) A	+\$0
016E	umber on oak / medium gloss / open pore (CP) A	+\$0
016F	umber on oak / high gloss / open pore (CP) A	+\$0
017A	light walnut / low gloss / closed pore (CP) A	+\$0
017B	light walnut / medium gloss / closed pore (CP) A	+\$0
017C	light walnut / high gloss / closed pore (CP) A	+\$0
017D	light walnut / low gloss / open pore (CP) A	+\$0
017E	light walnut / medium gloss / open pore (CP) A	+\$0
017F	light walnut / high gloss / open pore (CP) A	+\$0
021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0
021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0
021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0
021D	peacock green walnut / low gloss / open pore (CP) A	+\$0
021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0
021F	peacock green walnut / high gloss / open pore (CP) A	+\$0
653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0
653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0
653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0
653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0
653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0
653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0
659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0
659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0

659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satın aluminum	+\$30
SNB	satın bronze	+\$30
SNC	satın carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Oval Table

DT1DE.
DT1DS.
DT1DT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes





When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1D

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

- 30 30" deep
- 36 36" deep
- 42 42" deep

Step 4. Width

For 30" deep (30)

- 48 48" wide
- 60 60" wide

For 36" deep (36)

- 60 60" wide
- 72 72" wide

For 42" deep (42)

- 72 72" wide
- 84 84" wide

Step 5. Surface Material

For squared-edge (S.)

- M thermally-fused laminate top/thermoplastic edge
- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Everywhere™ Oval Table *continued*

Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

- P post leg
- G double 3-column base, spanner

For 72" wide (72) or 84" wide (84)

- P post leg
- E double 3-column base
- G double 3-column base, spanner

Prices for Steps 1-6.

	MP	ME	MG	LP	LE	LG
DT1DS. 30 48	\$1325	—	2181	1442	—	2374
60	\$1432	—	2357	1557	—	2564
36 60	\$1588	—	2616	1728	—	2846
72	\$1825	3098	3009	1985	3369	3273
42 72	\$1953	3316	3218	2124	3606	3501
84	\$2010	3408	3306	2187	3706	3596

	NP	NE	NG	WP	WE	WG
DT1DS. 30 48	\$2140	—	3556	1995	—	3347
60	\$2315	—	3845	2162	—	3622
36 60	\$2576	—	4272	2411	—	4030
72	\$2965	5068	4920	2782	4790	4649
42 72	\$3178	5426	5269	2986	5132	4982
84	\$3268	5578	5420	3072	5277	5126

	XP	XE	XG	ZP	ZE	ZG
DT1DS. 30 48	\$2247	—	3734	2517	—	4182
60	\$2431	—	4037	2723	—	4521
36 60	\$2705	—	4486	3030	—	5024
72	\$3113	5321	5166	3487	5960	5786
42 72	\$3337	5697	5532	3737	6381	6196
84	\$3431	5857	5691	3843	6560	6374

	PP	PE	PG
DT1DS. 30 48	\$1548	—	2552
60	\$1672	—	2753
36 60	\$1853	—	3056
72	\$2134	3620	3515
42 72	\$2282	3870	3758
84	\$2347	3980	3863

	NP	NE	NG	WP	WE	WG
DT1DT. 30 48	—	—	—	\$2394	—	4014
60	—	—	—	\$2591	—	4342

36 60	—	—	—	\$2894	—	4836	
72	—	—	—	\$3342	5746	5580	
42 72	—	—	—	\$3585	6159	5977	
84	—	—	—	\$3681	6335	6149	
		XP	XE	XG	ZP	ZE	ZG
DT1DT. 30 48	\$2686	—	4468	3008	—	5004	
60	\$2903	—	4829	3251	—	5408	
36 60	\$3236	—	5372	3624	—	6017	
72	\$3729	6372	6191	4176	7137	6934	
42 72	\$3996	6827	6627	4476	7646	7422	
84	\$4101	7020	6817	4593	7862	7635	

	PP	PE	PG
DT1DT. 30 48	\$1648	—	2713
60	\$1780	—	2927
36 60	\$1975	—	3254
72	\$2271	3854	3740
42 72	\$2429	4121	4001
84	\$2500	4238	4113

	PP	PE	PG
DT1DE. 30 48	\$1648	—	2713
60	\$1780	—	2927
36 60	\$1975	—	3254
72	\$2271	3854	3740
42 72	\$2429	4121	4001
84	\$2500	4238	4113

Everywhere™ Standard-Height Tables

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone A	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For matte high-pressure laminate top/thermoplastic edge (N)

NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For natural veneer top/techwood/veneer edge (W)

639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0	009C	white oak / high gloss / closed pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0	009D	white oak / low gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0	009E	white oak / medium gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0	009F	white oak / high gloss / open pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0	010A	golden oak / low gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0	010B	golden oak / medium gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0	010C	golden oak / high gloss / closed pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0	010D	golden oak / low gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0	010E	golden oak / medium gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0	010F	golden oak / high gloss / open pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0	012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0	012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0	012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0	012D	oxford walnut / low gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0	012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
684A	dark umber techwood / low gloss / closed pore (CP) A	+\$0	012F	oxford walnut / high gloss / open pore (CP) A	+\$0
684B	dark umber techwood / medium gloss / closed pore (CP) A	+\$0	016A	umber on oak / low gloss / closed pore (CP) A	+\$0
684C	dark umber techwood / high gloss / closed pore (CP) A	+\$0	016B	umber on oak / medium gloss / closed pore (CP) A	+\$0
684D	dark umber techwood / low gloss / open pore (CP) A	+\$0	016C	umber on oak / high gloss / closed pore (CP) A	+\$0
684E	dark umber techwood / medium gloss / open pore (CP) A	+\$0	016D	umber on Oak / low gloss / open pore (CP) A	+\$0
684F	dark umber techwood / high gloss / open pore (CP) A	+\$0	016E	umber on oak / medium gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50	016F	umber on oak / high gloss / open pore (CP) A	+\$0
40	dark brown walnut A	+\$50	017A	light walnut / low gloss / closed pore (CP) A	+\$0
CHD	noble cherry	+\$50	017B	light walnut / medium gloss / closed pore (CP) A	+\$0
ET	clear on ash A	+\$50	017C	light walnut / high gloss / closed pore (CP) A	+\$0
EU	oak on ash A	+\$50	017D	light walnut / low gloss / open pore (CP) A	+\$0
EV	walnut on ash A	+\$50	017E	light walnut / medium gloss / open pore (CP) A	+\$0
EW	medium matte walnut A	+\$50	017F	light walnut / high gloss / open pore (CP) A	+\$0
UL	natural maple A	+\$50	021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0
WHN	natural white oak	+\$50	021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0
<hr/>					
Top/Edge Finish					
<i>For natural veneer top/premium techwood/veneer edge (X)</i>					
008A	blonde oak / low gloss / closed pore (CP) A	+\$0	021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0	021D	peacock green walnut / low gloss / open pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0	021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0	021F	peacock green walnut / high gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0	653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0	653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0	653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0	653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0
			653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0
			653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0
			659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0
			659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0

659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone A	+\$0
LU	soft white	+\$0
SG	slate grey	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white A	+\$0

Step 9. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
------------	------------------	------


Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Everywhere™ D-Shaped Table

DT1EE.
DT1ES.
DT1ET.



Everywhere™ Standard-Height Tables

Product Information

Description

This D-shaped table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

Thin edge and eased edge tops available only with 30" deep surfaces.

T-leg and T-leg with height adjustment cannot be used with 18" deep tops.

Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.

Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.



Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.


For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.


Dimensions



P



T



A



Everywhere™ D-Shaped Table

continued

Specification Information

Step 1.

DT1E

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Depth/Width

For thin-edge (T.) or eased-edge (E.)

3060 30" deep x 60" wide

For squared-edge (S.)

1836 18" deep x 36" wide

2448 24" deep x 48" wide

3060 30" deep x 60" wide

Step 4. Surface Material

For squared-edge (S.)

- L** high-pressure laminate top/thermoplastic edge
- N** matte high-pressure laminate top/thermoplastic edge A
- M** thermally-fused laminate top/thermoplastic edge
- W** natural veneer top/techwood/veneer edge A
- X** natural veneer top/premium techwood/veneer edge A
- Z** premium veneer top/veneer edge A
- P** painted Formcoat® top/edge

For thin-edge (T.)

- W** natural veneer top/techwood/veneer edge A
- X** natural veneer top/premium techwood/veneer edge A
- Z** premium veneer top/veneer edge A
- P** painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 5. Leg Type

For 18" deep x 36" wide (1836)

- P** post leg

For 30" deep x 60" wide (3060) or 24" deep x 48" wide (2448)

- P** post leg
- T** T-leg
- A** T-leg with height adjustment

Prices for Steps 1-5.

		P	T	A	
DT1ES. 1836	L	\$1140	—	—	
	N	\$1362	—	—	
	M	\$1060	—	—	
	W	\$1252	—	—	
	X	\$1430	—	—	
	Z	\$1602	—	—	
	P	\$1236	—	—	
	2448	L	\$1368	2145	2596
		N	\$1641	2431	3076
		M	\$1271	1992	2412
W		\$1518	2273	2888	
X		\$1723	2553	3230	
Z		\$1930	2859	3618	
3060	L	\$1573	2464	2980	
	N	\$1891	2815	3561	
	M	\$1461	2290	2768	
	W	\$1757	2639	3351	
	X	\$1986	2956	3739	
	Z	\$2224	3311	4188	
	P	\$1700	2665	3226	
		P	T	A	
DT1ET. 3060	W	\$2104	3168	4022	
	X	\$2367	3537	4477	
	Z	\$2651	3961	5014	
	P	\$1808	2840	3435	
		P	T	A	
DT1EE. 3060	P	\$1808	2840	3435	

Everywhere™ D-Shaped Table

continued

Everywhere™ Standard-Height Tables

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For matte high-pressure laminate top/thermoplastic edge (N)

NSD	matte celestial grey (CP)	<input type="checkbox"/> A	+\$0
NSJ	matte asteroid grey (CP)	<input type="checkbox"/> A	+\$0
NSK	matte nebula black (CP)	<input type="checkbox"/> A	+\$0

Top/Edge Finish: Wood Veneer

For natural veneer top/techwood/veneer edge (W)

639A	light cherry techwood / low gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
639D	light cherry techwood / low gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
639F	light cherry techwood / high gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
651D	soft grey techwood / low gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
651F	soft grey techwood / high gloss / open pore (CP)	<input type="checkbox"/> A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP)	<input type="checkbox"/> A	+\$0

Everywhere™ D-Shaped Table

continued

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0	009A	white oak / low gloss / closed pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0	009B	white oak / medium gloss / closed pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0	009C	white oak / high gloss / closed pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0	009D	white oak / low gloss / open pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0	009E	white oak / medium gloss / open pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0	009F	white oak / high gloss / open pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0	010A	golden oak / low gloss / closed pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0	010B	golden oak / medium gloss / closed pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0	010C	golden oak / high gloss / closed pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0	010D	golden oak / low gloss / open pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0	010E	golden oak / medium gloss / open pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0	010F	golden oak / high gloss / open pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0	012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0	012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0	012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
684A	dark umber techwood / low gloss / closed pore (CP) A	+\$0	012D	oxford walnut / low gloss / open pore (CP) A	+\$0
684B	dark umber techwood / medium gloss / closed pore (CP) A	+\$0	012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
684C	dark umber techwood / high gloss / closed pore (CP) A	+\$0	012F	oxford walnut / high gloss / open pore (CP) A	+\$0
684D	dark umber techwood / low gloss / open pore (CP) A	+\$0	016A	umber on oak / low gloss / closed pore (CP) A	+\$0
684E	dark umber techwood / medium gloss / open pore (CP) A	+\$0	016B	umber on oak / medium gloss / closed pore (CP) A	+\$0
684F	dark umber techwood / high gloss / open pore (CP) A	+\$0	016C	umber on oak / high gloss / closed pore (CP) A	+\$0
A2	white ash A	+\$0	016D	umber on Oak / low gloss / open pore (CP) A	+\$0
OU	walnut A	+\$0	016E	umber on oak / medium gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50	016F	umber on oak / high gloss / open pore (CP) A	+\$0
40	dark brown walnut A	+\$50	017A	light walnut / low gloss / closed pore (CP) A	+\$0
CHD	noble cherry	+\$50	017B	light walnut / medium gloss / closed pore (CP) A	+\$0
ET	clear on ash A	+\$50	017C	light walnut / high gloss / closed pore (CP) A	+\$0
EU	oak on ash A	+\$50	017D	light walnut / low gloss / open pore (CP) A	+\$0
EV	walnut on ash A	+\$50	017E	light walnut / medium gloss / open pore (CP) A	+\$0
EW	medium matte walnut A	+\$50	017F	light walnut / high gloss / open pore (CP) A	+\$0
UL	natural maple A	+\$50	021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0
WHN	natural white oak	+\$50	021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0
<hr/>			021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0
Top/Edge Finish			021D	peacock green walnut / low gloss / open pore (CP) A	+\$0
For natural veneer top/premium techwood/veneer edge (X)			021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0
008A	blonde oak / low gloss / closed pore (CP) A	+\$0	021F	peacock green walnut / high gloss / open pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0	653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0	653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0	653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0	653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0	653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0
			653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0
			659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0

Everywhere™ D-Shaped Table

continued

Everywhere™ Standard-Height Tables

659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0
659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg Finish

Metallic Paint

For post leg (P) or T-leg (T)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P) or T-leg (T)

UBK	ultra black (CP)	+\$0
------------	------------------	------

Everywhere™ D-Shaped Table

continued

Smooth Paint

For post leg (P) or T-leg (T)

8Q	folkstone grey (CP)	+ \$0
91	white (CP)	+ \$0
98	studio white (CP)	+ \$0
CL	cool grey neutral	+ \$0
G1	graphite (CP)	+ \$0
HF	inner tone light	+ \$0
LU	soft white	+ \$0
MT	medium tone	+ \$0
SG	slate grey	+ \$0
WL	warm stone (CP)	+ \$0
WN	warm grey neutral	+ \$0

For post leg (P) or T-leg (T)

CD	polished aluminum	+ \$110
-----------	-------------------	---------

Metallic Paint

For T-leg with height adjustment (A)

EH	metallic bronze	+ \$0
SNA	satın aluminum	+ \$30
SNB	satın bronze	+ \$30
SNC	satın carbon	+ \$30

Smooth Paint

For T-leg with height adjustment (A)

8Q	folkstone grey (CP)	+ \$0
91	white (CP)	+ \$0
98	studio white (CP)	+ \$0
CL	cool grey neutral	+ \$0
G1	graphite (CP)	+ \$0
HF	inner tone light	+ \$0
LU	soft white	+ \$0
MT	medium tone	+ \$0
SG	slate grey	+ \$0
WL	warm stone (CP)	+ \$0
WN	warm grey neutral	+ \$0

For T-leg with height adjustment (A)


611	beige mist metallic (CP)	+ \$0
613	silver (CP)	+ \$0
CD	polished aluminum	+ \$110

Step 9. Casters/Glides

20	casters	+ \$0
57	glides	+ \$0

Everywhere™ Soft Rectangle - Meeting Table

DT1FE.
DT1FS.
DT1FT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1F

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

- 30 30" deep
- 36 36" deep
- 42 42" deep

Step 4. Width

For 30" deep (30)

- 48 48" wide
- 60 60" wide

For 36" deep (36)

- 60 60" wide
- 72 72" wide

For 42" deep (42)

- 72 72" wide
- 84 84" wide

Step 5. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Everywhere™ Soft Rectangle -
Meeting Table *continued*

Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

P	post leg
G	double 3-column base, spanner
T	T-leg
A	T-leg with height adjustment

For 72" wide (72) or 84" wide (84)

P	post leg
E	double 3-column base
G	double 3-column base, spanner

Prices for Steps 1-6.

	LP	LE	LG	LT	LA	NP
DT1FS. 30 48	\$1658	—	2732	2334	2912	2456
60	\$1791	—	2948	2552	3356	2651
36 60	\$1985	—	3273	2880	2940	2953
72	\$2285	3878	3763	—	—	3404
42 84	\$2514	4257	4136	—	—	3748
72	\$2444	4146	4025	—	—	3643
	NE	NG	NT	NA	MP	ME
DT1FS. 30 48	—	\$4080	3731	3716	1524	—
60	—	\$4410	4061	4274	1646	—
36 60	—	\$4907	4557	3846	1825	—
72	\$5822	5651	—	—	2101	3565
42 84	\$6409	6219	—	—	2310	3914
72	\$6232	6050	—	—	2248	3811
	MG	MT	MA	WP	WE	WG
DT1FS. 30 48	\$2510	2146	2677	2296	—	3847
60	\$2711	2346	3085	2483	—	4162
36 60	\$3009	2648	2701	2771	—	4636
72	\$3460	—	—	3201	5510	5347
42 84	\$3802	—	—	3530	6070	5889
72	\$3700	—	—	3430	5901	5727
	WT	WA	XP	XE	XG	XT
DT1FS. 30 48	\$3480	3466	2579	—	4284	3918
60	\$3795	3999	2784	—	4631	4264
36 60	\$4269	3590	3101	—	5152	4785
72	—	—	\$3574	6113	5934	—
42 84	—	—	\$3935	6729	6530	—
72	—	—	\$3825	6544	6353	—

		XA	ZP	ZE	ZG	ZT	ZA
DT1FS. 30 48		\$3902	2888	—	4798	4388	4370
60		\$4488	3118	—	5187	4776	5027
36 60		\$4038	3473	—	5770	5359	4523
72		—	\$4003	6847	6646	—	—
42 84		—	\$4407	7536	7314	—	—
72		—	\$4284	7329	7115	—	—
		PP	PE	PG	PT	PA	
DT1FS. 30 48		\$1776	—	2927	2508	3130	
60		\$1919	—	3160	2741	3603	
36 60		\$2130	—	3514	3089	3156	
72		\$2451	4159	4039	—	—	
42 84		\$2697	4571	4438	—	—	
72		\$2623	4450	4321	—	—	
		MG	MT	MA	WP	WE	WG
DT1FT. 30 48		—	—	—	\$2752	—	4614
60		—	—	—	\$2982	—	4991
36 60		—	—	—	\$3323	—	5560
72		—	—	—	\$3839	6609	6413
42 84		—	—	—	\$4237	7282	7066
72		—	—	—	\$4119	7079	6872
		WT	WA	XP	XE	XG	XT
DT1FT. 30 48		\$4173	4159	3116	—	5165	4680
60		\$4553	4798	3369	—	5580	5098
36 60		\$5118	4306	3744	—	6206	5719
72		—	—	\$4312	7358	7143	—
42 84		—	—	\$4750	8099	7861	—
72		—	—	\$4620	7876	7648	—
		XA	ZP	ZE	ZG	ZT	ZA
DT1FT. 30 48		\$4664	3490	—	5785	5242	5224
60		\$5367	3773	—	6250	5710	6011
36 60		\$4826	4193	—	6951	6405	5405
72		—	\$4829	8241	8000	—	—
42 84		—	\$5320	9071	8804	—	—
72		—	\$5174	8821	8566	—	—
		PP	PE	PG	PT	PA	
DT1FT. 30 48		\$1892	—	3119	4000	4994	
60		\$2043	—	3369	4373	5749	
36 60		\$2270	—	3738	4932	5041	
72		\$2613	4430	4300	—	—	
42 84		\$2871	4874	4728	—	—	
72		\$2793	4737	4602	—	—	

Everywhere™ Standard-Height Tables

Everywhere™ Soft Rectangle -
Meeting Table *continued*

Everywhere™ Standard-Height Tables

	PP	PE	PG	PT	PA
DT1FE. 30 48	\$1892	—	3119	2670	3334
60	\$2043	—	3369	2919	3835
36 60	\$2270	—	3738	3290	3360
72	\$2613	4430	4300	—	—
42 84	\$2871	4874	4728	—	—
72	\$2793	4737	4602	—	—

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)				+\$0
126	natural cherry (CP)				+\$0
127	walnut (CP)				+\$0
139	light ash (CP)				+\$0
140	warm ash (CP)				+\$0
UBK	ultra black (CP)				+\$0
76	light brown walnut				+\$0
91	white (CP)				+\$0
98	studio white (CP)				+\$0
8Q	folkstone grey (CP)				+\$0
CL	cool grey neutral				+\$0
HF	inner tone light				+\$0
HP	light anigre				+\$0
LBA	clear on ash (CP)				+\$0
LBR	phantom ecru				+\$0
LBS	phantom cocoa				+\$0
LBU	medium matte walnut (CP)				+\$0
LBV	warm grey teak				+\$0
LBB	oak on ash (CP)				+\$0
LBC	walnut on ash (CP)				+\$0
LBF	neutral twill				+\$0
LBJ	graphite twill				+\$0
LBQ	white twill				+\$0
LT	light tone				+\$0
LU	soft white				+\$0
WL	warm stone (CP)				+\$0
WN	warm grey neutral				+\$0
X1	chalk white				+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For matte high-pressure laminate top/thermoplastic edge (N)

NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish

For natural veneer top/techwood/veneer edge (W)

639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0
652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0

Everywhere™ Soft Rectangle -
Meeting Table *continued*

652E	whitened quartered oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
658A	clear techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
658B	clear techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
658C	clear techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
658D	clear techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
658E	clear techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
658F	clear techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
684A	dark umber techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
684B	dark umber techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
684C	dark umber techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
684D	dark umber techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
684E	dark umber techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
684F	dark umber techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
2U	light brown walnut <input type="checkbox"/>	+\$85	017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
40	dark brown walnut <input type="checkbox"/>	+\$85	017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
CHD	noble cherry	+\$85	017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
ET	clear on ash <input type="checkbox"/>	+\$85	017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
EU	oak on ash <input type="checkbox"/>	+\$85	017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
EV	walnut on ash <input type="checkbox"/>	+\$85	017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
EW	medium matte walnut <input type="checkbox"/>	+\$85	021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
UL	natural maple <input type="checkbox"/>	+\$85	021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
WHN	natural white oak	+\$85	021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
<hr/>			021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
Top/Edge Finish			021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
<i>For natural veneer top/premium techwood/veneer edge (X)</i>			021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
008A	blonde oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
008B	blonde oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
008C	blonde oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
008D	blonde oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
008E	blonde oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
008F	blonde oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
009A	white oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009B	white oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0

Everywhere™ Soft Rectangle -
Meeting Table *continued*

Everywhere™ Standard-Height Tables

659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0
X1	chalk white	+\$0

Step 9. Leg/Base Finish

Metallic Paint

For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Everywhere™ Soft Rectangle -
Meeting Table *continued*

Sand Texture Paint
For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint
For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint
For T-leg with height adjustment (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint
For T-leg with height adjustment (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For T-leg with height adjustment (A)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Step 10. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Step 11. Grommets

NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Everywhere™ Video Oval - Meeting Table

DT1GE.
DT1GS.
DT1GT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally and front to back.

For optimum viewing, video camera should be placed 42" from large end of table.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1G

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

42 42" deep

Step 4. Width

72 72" wide
84 84" wide

Step 5. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 6. Leg/Base Type

- E double 3-column base
- G double 3-column base, spanner

Prices for Steps 1-6.

	LE	LG	NE	NG	ME	MG
DT1GS. 42 72	\$4216	4093	6319	6135	3835	3723
84	\$4329	4205	6496	6307	3938	3826

Everywhere™ Video Oval - Meeting
Table *continued*

	WE	WG	XE	XG	ZE	ZG		
DT1GS. 42 72	\$5951	5775	6635	6442	7431	7215		
84	\$6120	5939	6821	6622	7640	7417		
							PE	PG
DT1GS. 42 72					\$4486	4357		
84					\$4610	4476		
	WE	WG	XE	XG	ZE	ZG		
DT1GT. 42 72	\$7138	6929	7941	7711	8894	8636		
84	\$7343	7126	8166	7928	9146	8879		
							PE	PG
DT1GT. 42 72					\$5495	5337		
84					\$5646	5481		
							PE	PG
DT1GE. 42 72					\$4776	4641		
84					\$4916	4768		

Step 7.		
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Everywhere™ Video Oval - Meeting
Table *continued*

Everywhere™ Standard-Height Tables

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Video Oval - Meeting
Table *continued*

009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070C	ebonized oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
070E	ebonized oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
070F	ebonized oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Video Oval - Meeting
Table *continued*

Everywhere™ Standard-Height Tables

Step 8. Edge Finish		
<i>For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg/Base Finish		
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
UBK	ultra black (CP)	+\$0


Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Everywhere™ Concave Rectangle

DT1HE.
DT1HS.
DT1HT.




Product Information

Description
This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Height-adjustable legs have a 5" range in 1" increments.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.
Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.
Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.
For additional details on available edge options see Appendices.
For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.
UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

Dimensions



Specification Information

Step 1.

DT1H

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

- 30 30" deep
- 36 36" deep

Step 4. Width

- 60 60" wide
- 66 66" wide
- 72 72" wide

Step 5. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 6. Leg Type

For 30" deep (30)

- P post leg
- T T-leg
- A T-leg with height adjustment
- C C-leg
- D D-leg

Everywhere™ Concave Rectangle

continued

Everywhere™ Standard-Height Tables

For 36" deep (36)

P post leg
 T T-leg
 A T-leg with height adjustment

Prices for Steps 1-6.

		LP	LT	LA	LC	LD	NP
DT1HS. 30	60	\$1929	2505	3124	2505	3124	2413
	66	\$2068	2684	3351	2684	3351	2590
	72	\$2204	2865	3576	2865	3576	2768
36	60	\$2046	2594	3151	—	—	2501
	66	\$2152	2734	3446	—	—	2677
	72	\$2260	2875	3741	—	—	2851

		NT	NA	NC	ND	MP	MT
DT1HS. 30	60	\$3145	3851	3145	3936	1771	2300
	66	\$3374	4137	3374	4222	1898	2464
	72	\$3601	4423	3601	4508	2023	2631
36	60	\$3230	3938	—	—	1879	2382
	66	\$3459	4226	—	—	1976	2510
	72	\$3685	4513	—	—	2075	2640

		MA	MC	MD	WP	WT	WA
DT1HS. 30	60	\$2868	2300	2868	2222	2921	3676
	66	\$3077	2464	3077	2391	3139	3949
	72	\$3284	2631	3284	2561	3356	4222
36	60	\$2893	—	—	2306	3002	3759
	66	\$3164	—	—	2474	3221	4034
	72	\$3436	—	—	2640	3436	4308

		WC	WD	XP	XT	XA	XC
DT1HS. 30	60	\$2921	3676	2534	3302	4044	3302
	66	\$3139	3949	2720	3543	4344	3543
	72	\$3356	4222	2906	3781	4644	3781
36	60	—	—	\$2626	3392	4135	—
	66	—	—	\$2811	3632	4437	—
	72	—	—	\$2994	3869	4739	—

		XD	ZP	ZT	ZA	ZC	ZD
DT1HS. 30	60	\$4133	2838	3698	4529	3698	4629
	66	\$4433	3046	3968	4865	3968	4965
	72	\$4733	3255	4235	5201	4235	5301
36	60	—	\$2941	3799	4631	—	—
	66	—	\$3148	4068	4969	—	—
	72	—	\$3353	4333	5308	—	—

		PP	PT	PA	PC	PD
DT1HS. 30	60	\$2069	2684	3351	2684	3351
	66	\$2215	2876	3595	2876	3595
	72	\$2363	3071	3835	3071	3835
36	60	\$2194	2779	3380	—	—
	66	\$2308	2932	3695	—	—
	72	\$2425	3081	4014	—	—

		MA	MC	MD	WP	WT	WA
DT1HT. 30	60	—	—	—	\$2664	3499	4412
	66	—	—	—	\$2866	3761	4740
	72	—	—	—	\$3071	4025	5066
36	60	—	—	—	\$2765	3600	4513
	66	—	—	—	\$2968	3864	4836
	72	—	—	—	\$3171	4127	5165

		WC	WD	XP	XT	XA	XC
DT1HT. 30	60	\$3499	4412	3020	3939	4942	3939
	66	\$3761	4740	3242	4226	5304	4226
	72	\$4025	5066	3467	4517	5662	4517
36	60	—	—	\$3131	4049	5054	—
	66	—	—	\$3354	4340	5409	—
	72	—	—	\$3577	4629	5771	—

		XD	ZP	ZT	ZA	ZC	ZD
DT1HT. 30	60	\$4942	3382	4412	5535	4412	5535
	66	\$5304	3631	4733	5940	4733	5940
	72	\$5662	3883	5059	6341	5059	6341
36	60	—	\$3507	4535	5660	—	—
	66	—	\$3756	4861	6058	—	—
	72	—	\$4006	5184	6464	—	—

		PP	PT	PA	PC	PD
DT1HT. 30	60	\$2203	2857	3572	2857	3572
	66	\$2360	3063	3826	3063	3826
	72	\$2517	3269	4084	3269	4084
36	60	\$2333	2963	3599	—	—
	66	\$2460	3122	3936	—	—
	72	\$2580	3282	4273	—	—

		PP	PT	PA	PC	PD
DT1HE. 30	60	\$2203	2857	3572	2857	3572
	66	\$2360	3063	3826	3063	3826
	72	\$2517	3269	4084	3269	4084
36	60	\$2333	2963	3599	—	—
	66	\$2460	3122	3936	—	—
	72	\$2580	3282	4273	—	—

Everywhere™ Concave Rectangle

continued

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For matte high-pressure laminate top/thermoplastic edge (N)

NSD	matte celestial grey (CP) <input type="checkbox"/>	+\$0
NSJ	matte asteroid grey (CP) <input type="checkbox"/>	+\$0
NSK	matte nebula black (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish: Wood Veneer

For natural veneer top/techwood/veneer edge (W)

639A	light cherry techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
639D	light cherry techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
639F	light cherry techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
651D	soft grey techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
651F	soft grey techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0

Everywhere™ Concave Rectangle

continued

Everywhere™ Standard-Height Tables

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0	009C	white oak / high gloss / closed pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0	009D	white oak / low gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0	009E	white oak / medium gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0	009F	white oak / high gloss / open pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0	010A	golden oak / low gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0	010B	golden oak / medium gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0	010C	golden oak / high gloss / closed pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0	010D	golden oak / low gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0	010E	golden oak / medium gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0	010F	golden oak / high gloss / open pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0	012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0	012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0	012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0	012D	oxford walnut / low gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0	012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0	012F	oxford walnut / high gloss / open pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0	016A	umber on oak / low gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0	016B	umber on oak / medium gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0	016C	umber on oak / high gloss / closed pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0	016D	umber on Oak / low gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0	016E	umber on oak / medium gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$85	016F	umber on oak / high gloss / open pore (CP) A	+\$0
40	dark brown walnut A	+\$85	017A	light walnut / low gloss / closed pore (CP) A	+\$0
CHD	noble cherry	+\$85	017B	light walnut / medium gloss / closed pore (CP) A	+\$0
ET	clear on ash	+\$85	017C	light walnut / high gloss / closed pore (CP) A	+\$0
EU	oak on ash	+\$85	017D	light walnut / low gloss / open pore (CP) A	+\$0
EV	walnut on ash	+\$85	017E	light walnut / medium gloss / open pore (CP) A	+\$0
EW	medium matte walnut A	+\$85	017F	light walnut / high gloss / open pore (CP) A	+\$0
UL	natural maple A	+\$85	021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0
WHN	natural white oak	+\$85	021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0
<hr/>			021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0
Top/Edge Finish			021D	peacock green walnut / low gloss / open pore (CP) A	+\$0
For natural veneer top/premium techwood/veneer edge (X)			021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0
008A	blonde oak / low gloss / closed pore (CP) A	+\$0	021F	peacock green walnut / high gloss / open pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0	653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0	653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0	653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0	653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0	653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0	653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0	659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0
			659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Concave Rectangle

continued

659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish

Metallic Paint

For post leg (P), T-leg (T), C-leg (C), or D-leg (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), T-leg (T), C-leg (C), or D-leg (D)

UBK	ultra black (CP)	+\$0
------------	------------------	------

Everywhere™ Concave Rectangle

continued

Everywhere™ Standard-Height Tables

Smooth Paint		
<i>For post leg (P), T-leg (T), C-leg (C), or D-leg (D)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

<i>For post leg (P), T-leg (T), C-leg (C), or D-leg (D)</i>		
CD	polished aluminum	+\$110

Metallic Paint		
<i>For T-leg with height adjustment (A)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint		
<i>For T-leg with height adjustment (A)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


<i>For T-leg with height adjustment (A)</i>		
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Everywhere™ Soft Square Table

DT1JE.
DT1JS.
DT1JT.



Product Information

Description

This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


42" and 48" tops are available only with post legs for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Specification Information

Step 1.

DT1J

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth/Width

- 3030 30" deep x 30" wide
- 3636 36" deep x 36" wide
- 4242 42" deep x 42" wide
- 4848 48" deep x 48" wide

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 5. Leg/Base Type

For 30" deep x 30" wide (3030) or 36" deep x 36" wide (3636)

- P post leg
- S single-column base A

For 42" deep x 42" wide (4242)

- P post leg

For 48" deep x 48" wide (4848)

- P post leg

Everywhere™ Soft Square Table

continued

Everywhere™ Standard-Height Tables

Prices for Steps 1-5.

		P	S
DT1JS. 3030	L	\$1263	1393
	N	\$1649	1820
	M	\$1162	1282
	W	\$1493	1656
	X	\$1731	1911
	Z	\$1939	2140
	P	\$1355	1497
3636	L	\$1516	1670
	N	\$1979	2187
	M	\$1394	1538
	W	\$1808	2006
	X	\$2078	2296
	Z	\$2327	2572
	P	\$1625	1793
4242	L	\$1737	—
	N	\$2276	—
	M	\$1598	—
	W	\$2091	—
	X	\$2390	—
	Z	\$2677	—
	P	\$1868	—
4848	L	\$1947	—
	N	\$2653	—
	M	\$1792	—
	W	\$2451	—
	X	\$2786	—
	Z	\$3120	—
	P	\$2091	—
		P	S
DT1JT. 3030	W	\$1788	1983
	X	\$2056	2271
	Z	\$2303	2544
	P	\$1446	1597
3636	W	\$2167	2408
	X	\$2473	2738
	Z	\$2770	3067
	P	\$1733	1911
4242	W	\$2508	—
	X	\$2849	—
	Z	\$3191	—
	P	\$1986	—

4848	W	\$2937	—
	X	\$3320	—
	Z	\$3718	—
	P	\$2226	—
		P	S
DT1JE. 3030	P	\$1446	1597
3636	P	\$1733	1911
4242	P	\$1986	—
4848	P	\$2226	—

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Everywhere™ Soft Square Table

continued

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Standard-Height Tables

Everywhere™ Soft Square Table

continued

Everywhere™ Standard-Height Tables

009C	white oak / high gloss / closed pore (CP) A	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
009D	white oak / low gloss / open pore (CP) A	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
009E	white oak / medium gloss / open pore (CP) A	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
009F	white oak / high gloss / open pore (CP) A	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
010A	golden oak / low gloss / closed pore (CP) A	+\$0	660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
010B	golden oak / medium gloss / closed pore (CP) A	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
010C	golden oak / high gloss / closed pore (CP) A	+\$0	660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
010D	golden oak / low gloss / open pore (CP) A	+\$0	660D	white maple techwood / low gloss / open pore (CP) A	+\$0
010E	golden oak / medium gloss / open pore (CP) A	+\$0	660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
010F	golden oak / high gloss / open pore (CP) A	+\$0	660F	white maple techwood / high gloss / open pore (CP) A	+\$0
012A	oxford walnut / low gloss / closed pore (CP) A	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
012C	oxford walnut / high gloss / closed pore (CP) A	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
012D	oxford walnut / low gloss / open pore (CP) A	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
012E	oxford walnut / medium gloss / open pore (CP) A	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
012F	oxford walnut / high gloss / open pore (CP) A	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0
016A	umber on oak / low gloss / closed pore (CP) A	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) A	+\$0			
016C	umber on oak / high gloss / closed pore (CP) A	+\$0			
016D	umber on Oak / low gloss / open pore (CP) A	+\$0			
016E	umber on oak / medium gloss / open pore (CP) A	+\$0			
016F	umber on oak / high gloss / open pore (CP) A	+\$0			
017A	light walnut / low gloss / closed pore (CP) A	+\$0			
017B	light walnut / medium gloss / closed pore (CP) A	+\$0			
017C	light walnut / high gloss / closed pore (CP) A	+\$0			
017D	light walnut / low gloss / open pore (CP) A	+\$0			
017E	light walnut / medium gloss / open pore (CP) A	+\$0			
017F	light walnut / high gloss / open pore (CP) A	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) A	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) A	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0			
659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Soft Square Table

continued

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Tear Drop Table

DT1KE.
DT1KS.
DT1KT.



Everywhere™ Standard-Height Tables


Product Information

Description
This tear drop table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1K A

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Diameter

- 30** 30" diameter
- 36** 36" diameter

Step 4. Surface Material

For eased-edge (E.)

- P** painted Formcoat® top/edge

For thin-edge (T.)

- W** natural veneer top/techwood/veneer edge
- X** natural veneer top/premium techwood/veneer edge A
- Z** premium veneer top/veneer edge A
- P** painted Formcoat® top/edge

For squared-edge (S.)

- L** high-pressure laminate top/thermoplastic edge
- N** matte high-pressure laminate top/thermoplastic edge A
- M** thermally-fused laminate top/thermoplastic edge
- W** natural veneer top/techwood/veneer edge
- X** natural veneer top/premium techwood/veneer edge A
- Z** premium veneer top/veneer edge A
- P** painted Formcoat® top/edge

Step 5. Leg/Base Type

- S** single-column base A

Prices for Steps 1-5.

	S
DT1KS. 30 L	\$1460
N	\$1896
M	\$1346
W	\$1728
X	\$1991
Z	\$2230
P	\$1567

Everywhere™ Tear Drop Table

continued

36 L	\$1669
N	\$2284
M	\$1539
W	\$2099
X	\$2398
Z	\$2686
P	\$1796
	S
DT1KT. 30 W	\$2079
X	\$2376
Z	\$2661
P	\$1669
36 W	\$2516
X	\$2857
Z	\$3200
P	\$1913
	S
DT1KE. 30 P	\$1669
36 P	\$1913

Step 6.		
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Everywhere™ Tear Drop Table

continued

Everywhere™ Standard-Height Tables

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0

652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0
652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Tear Drop Table

continued

008C	blonde oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
008D	blonde oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
008E	blonde oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
008F	blonde oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009A	white oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
009B	white oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070C	ebonized oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
070E	ebonized oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
070F	ebonized oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Everywhere™ Tear Drop Table

continued

Everywhere™ Standard-Height Tables


Step 7. Edge Finish		
<i>For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish		
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
UBK	ultra black (CP)	+\$0

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Everywhere™ Classroom Curve Table

DT1LE.
DT1LS.
DT1LT.



Product Information

Description

This classroom table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.


Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.

Dimensions



Specification Information

Step 1.

DT1L

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

For squared-edge (S.)

- 18 18" deep
- 24 24" deep

For thin-edge (T.)

- 24 24" deep

For eased-edge (E.)

- 24 24" deep

Step 4. Width

For 18" deep (18)

- 60 60" wide

For 24" deep (24)

- 48 48" wide
- 60 60" wide

Step 5. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

Everywhere™ Classroom Curve Table

continued

Everywhere™ Standard-Height Tables

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg Type

For 18" deep (18)

P post leg

For 24" deep (24)

P post leg

T T-leg

A T-leg with height adjustment

Prices for Steps 1-6.

	LP	LT	LA	NP	NT	NA
--	----	----	----	----	----	----

DT1LS. 18 60	\$1641	—	—	2058	—	—
---------------------	--------	---	---	------	---	---

24 48	\$1642	2132	2669	2060	2686	3363
--------------	--------	------	------	------	------	------

60	\$1844	2399	2994	2322	3021	3785
-----------	--------	------	------	------	------	------

	MP	MT	MA	WP	WT	WA
--	----	----	----	----	----	----

DT1LS. 18 60	\$1513	—	—	1883	—	—
---------------------	--------	---	---	------	---	---

24 48	\$1514	1967	2462	1885	2483	3129
--------------	--------	------	------	------	------	------

60	\$1702	2213	2762	2135	2802	3532
-----------	--------	------	------	------	------	------

	XP	XT	XA	ZP	ZT	ZA
--	----	----	----	----	----	----

DT1LS. 18 60	\$2161	—	—	2420	—	—
---------------------	--------	---	---	------	---	---

24 48	\$2163	2820	3531	2423	3158	3955
--------------	--------	------	------	------	------	------

60	\$2438	3172	3974	2731	3553	4451
-----------	--------	------	------	------	------	------

	PP	PT	PA
--	----	----	----

DT1LS. 18 60	\$1767	—	—
---------------------	--------	---	---

24 48	\$1768	2298	2870
--------------	--------	------	------

60	\$1988	2580	3221
-----------	--------	------	------

	MP	MT	MA	WP	WT	WA
--	----	----	----	----	----	----

DT1LT. 24 48	—	—	—	\$2264	2981	3753
---------------------	---	---	---	--------	------	------

60	—	—	—	\$2559	3361	4237
-----------	---	---	---	--------	------	------

	XP	XT	XA	ZP	ZT	ZA
--	----	----	----	----	----	----

DT1LT. 24 48	\$2580	3368	4218	2890	3772	4724
---------------------	--------	------	------	------	------	------

60	\$2904	3786	4750	3252	4240	5320
-----------	--------	------	------	------	------	------

	PP	PT	PA
--	----	----	----

DT1LT. 24 48	\$1882	2447	3057
---------------------	--------	------	------

60	\$2117	2749	3430
-----------	--------	------	------

	PP	PT	PA
DT1LE. 24 48	\$1882	2447	3057
60	\$2117	2749	3430

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125 natural maple (CP) +\$0

126 natural cherry (CP) +\$0

127 walnut (CP) +\$0

139 light ash (CP) +\$0

140 warm ash (CP) +\$0

UBK ultra black (CP) +\$0

76 light brown walnut +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

8Q folkstone grey (CP) +\$0

CL cool grey neutral +\$0

HF inner tone light +\$0

HP light anigre +\$0

LBA clear on ash (CP) +\$0

LBR phantom ecru +\$0

LBS phantom cocoa +\$0

LBU medium matte walnut (CP) +\$0

LBV warm grey teak +\$0

LBB oak on ash (CP) +\$0

LBC walnut on ash (CP) +\$0

LBF neutral twill +\$0

LBJ graphite twill +\$0

LBQ white twill +\$0

LT light tone +\$0

LU soft white +\$0

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

X1 chalk white +\$0

Everywhere™ Classroom Curve Table

continued

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Classroom Curve Table

continued

Everywhere™ Standard-Height Tables

Step 8. Edge Finish		
<i>For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish		
Metallic Paint		
<i>For post leg (P) or T-leg (T)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
<i>For post leg (P) or T-leg (T)</i>		
UBK	ultra black (CP)	+\$0

Smooth Paint		
<i>For post leg (P) or T-leg (T)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

<i>For post leg (P) or T-leg (T)</i>		
CD	polished aluminum	+\$110

Metallic Paint		
<i>For T-leg with height adjustment (A)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Smooth Paint		
<i>For T-leg with height adjustment (A)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

<i>For T-leg with height adjustment (A)</i>		
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Everywhere™ Conference Corner Table

DT1ME.
DT1MS.
DT1MT.




Product Information

Description
This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tables have an additional (5th) leg for stability.
Additional ganging bracket kits (Y1338.) can be used with adjacent tables.
For additional details on available edge options see Appendices.

Dimensions



Specification Information

Step 1.

DT1M

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

- 24 24" deep
- 30 30" deep

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 5. Leg/Base Type

- P post leg

Prices for Steps 1-5.

	P
DT1MS. 24 L	\$1835
N	\$2367
M	\$1699
W	\$2178
X	\$2485
Z	\$2783
P	\$1985

Everywhere™ Conference Corner
Table *continued*

30 L	\$2204
N	\$2851
M	\$2041
W	\$2640
X	\$2994
Z	\$3353
P	\$2376
	P
DT1MT. 24 W	\$2613
X	\$2964
Z	\$3320
P	\$2110
30 W	\$3171
X	\$3577
Z	\$4006
P	\$2531
	P
DT1ME. 24 P	\$2110
30 P	\$2531

Step 6.		
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Everywhere™ Conference Corner
Table *continued*

Everywhere™ Standard-Height Tables

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Conference Corner
Table *continued*

009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP)	+\$0
070B	ebonized oak / medium gloss / closed pore (CP)	+\$0
070C	ebonized oak / high gloss / closed pore (CP)	+\$0
070D	ebonized oak / low gloss / open pore (CP)	+\$0
070E	ebonized oak / medium gloss / open pore (CP)	+\$0
070F	ebonized oak / high gloss / open pore (CP)	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Conference Corner
Table *continued*

Everywhere™ Standard-Height Tables


Step 7. Edge Finish		
<i>For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish		
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
UBK	ultra black (CP)	+\$0

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Everywhere™ Round Corner Table

DT1NE.
DT1NS.
DT1NT.



Product Information

Description

This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tables have an additional (5th) leg for stability.



3 36" deep tables ganged together make an 84" diameter table.

Additional ganging bracket kits (Y1338.), sold separately, can be used to ensure proper alignment with adjacent tables.

For additional details on available edge options see Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Specification Information

Step 1.

DT1N

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Depth

- 24** 24" deep
- 30** 30" deep
- 36** 36" deep

Step 4. Surface Material

For squared-edge (S.)

- L** high-pressure laminate top/thermoplastic edge
- N** matte high-pressure laminate top/thermoplastic edge A
- M** thermally-fused laminate top/thermoplastic edge
- W** natural veneer top/techwood/veneer edge A
- X** natural veneer top/premium techwood/veneer edge A
- Z** premium veneer top/veneer edge A
- P** painted Formcoat® top/edge

For thin-edge (T.)

- W** natural veneer top/techwood/veneer edge A
- X** natural veneer top/premium techwood/veneer edge A
- Z** premium veneer top/veneer edge A
- P** painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 5. Leg/Base Type

- P** post leg

Prices for Steps 1-5.

	P
DT1NS. 24 L	\$1837
N	\$2367
M	\$1699
W	\$2178
X	\$2485
Z	\$2783
P	\$1985

Everywhere™ Round Corner Table

continued

Everywhere™ Standard-Height Tables

30 L	\$2206
N	\$2851
M	\$2040
W	\$2640
X	\$2994
Z	\$3353
P	\$2376
36 L	\$2572
N	\$3340
M	\$2379
W	\$3107
X	\$3507
Z	\$3928
P	\$2772
P	
DT1NT. 24 W	\$2613
X	\$2964
Z	\$3320
P	\$2110
30 W	\$3171
X	\$3577
Z	\$4006
P	\$2531
36 W	\$3726
X	\$4187
Z	\$4689
P	\$2954
P	
DT1NE. 24 P	\$2110
30 P	\$2531
36 P	\$2954

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Everywhere™ Round Corner Table

continued

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Standard-Height Tables

Everywhere™ Round Corner Table

continued

Everywhere™ Standard-Height Tables

009C	white oak / high gloss / closed pore (CP) A	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
009D	white oak / low gloss / open pore (CP) A	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
009E	white oak / medium gloss / open pore (CP) A	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
009F	white oak / high gloss / open pore (CP) A	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
010A	golden oak / low gloss / closed pore (CP) A	+\$0	660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
010B	golden oak / medium gloss / closed pore (CP) A	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
010C	golden oak / high gloss / closed pore (CP) A	+\$0	660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
010D	golden oak / low gloss / open pore (CP) A	+\$0	660D	white maple techwood / low gloss / open pore (CP) A	+\$0
010E	golden oak / medium gloss / open pore (CP) A	+\$0	660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
010F	golden oak / high gloss / open pore (CP) A	+\$0	660F	white maple techwood / high gloss / open pore (CP) A	+\$0
012A	oxford walnut / low gloss / closed pore (CP) A	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
012C	oxford walnut / high gloss / closed pore (CP) A	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
012D	oxford walnut / low gloss / open pore (CP) A	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
012E	oxford walnut / medium gloss / open pore (CP) A	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
012F	oxford walnut / high gloss / open pore (CP) A	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0
016A	umber on oak / low gloss / closed pore (CP) A	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) A	+\$0			
016C	umber on oak / high gloss / closed pore (CP) A	+\$0			
016D	umber on Oak / low gloss / open pore (CP) A	+\$0			
016E	umber on oak / medium gloss / open pore (CP) A	+\$0			
016F	umber on oak / high gloss / open pore (CP) A	+\$0			
017A	light walnut / low gloss / closed pore (CP) A	+\$0			
017B	light walnut / medium gloss / closed pore (CP) A	+\$0			
017C	light walnut / high gloss / closed pore (CP) A	+\$0			
017D	light walnut / low gloss / open pore (CP) A	+\$0			
017E	light walnut / medium gloss / open pore (CP) A	+\$0			
017F	light walnut / high gloss / open pore (CP) A	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) A	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) A	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0			
659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Round Corner Table

continued

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Flip-Top Rectangular Table

DT5AE.
DT5AS.
DT5AT.



Product Information




Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has 2 paddles under the front edge that allow the surface to flip up, minimizing space for storage when not in use. The table has T-legs and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

- Thin edge and eased edge tops not available with 18" deep surfaces.
- Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.
- Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.
- Multiple tables can be nested for storage when surface is flipped up. First table in nest requires 23" of floor space. All additional tables require only 9" of additional space.
- Table top overhangs the base by 2 3/4" on each end.
- For additional details on available edge options see Appendices.
- Only fabric modesty panel (Y1114.) will enable flip top table to fold as intended. It is the recommended modesty panel for use with flip top tables. It is full length and folds out of the way for table storage.
- For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.
- UL listed when used with Connect single circuit electrical product (Y137x.) with T-leg (T) option.
- MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.
- MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.
- MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Everywhere™ Flip-Top Rectangular
Table *continued*

Specification Information

Step 1.
DT5A

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

For squared-edge (S.)

- 18 18" deep
- 24 24" deep
- 30 30" deep

For eased-edge (E.)

- 24 24" deep
- 30 30" deep

For thin-edge (T.)

- 24 24" deep
- 30 30" deep

Step 4. Width

- 48 48" wide
- 60 60" wide
- 72 72" wide

Step 5. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- U high-pressure laminate/universal edge
- T thermally-fused laminate top/universal edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge
- A high-pressure laminate top/thermoplastic edge with MicrobeCare™ A
- J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A
- C high-pressure laminate top/universal edge with MicrobeCare™ A
- K thermally-fused laminate top/universal edge with MicrobeCare™ A

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 6. Leg Type

- T T-leg

Prices for Steps 1-6.

		LT	NT	MT	UT	TT	WT
DT5AS. 18	48	\$2181	2677	2043	2181	2043	2507
	60	\$2290	2816	2144	2290	2144	2640
	72	\$2405	2955	2252	2405	2252	2773
24	48	\$2227	2731	2086	2227	2086	2559
	60	\$2338	2876	2190	2338	2190	2697
	72	\$2453	3016	2298	2453	2298	2831
30	48	\$2362	2896	2213	2362	2213	2716
	60	\$2571	3159	2409	2571	2409	2968
	72	\$2700	3317	2529	2700	2529	3118

		XT	ZT	PT	AT	JT	CT
DT5AS. 18	48	\$2811	3148	2379	2286	2141	2286
	60	\$2957	3312	2496	2392	2242	2392
	72	\$3103	3475	2619	2509	2351	2509
24	48	\$2868	3212	2427	2331	2183	2331
	60	\$3020	3382	2551	2442	2287	2442
	72	\$3167	3547	2674	2557	2395	2557
30	48	\$3041	3406	2569	2464	2308	2464
	60	\$3317	3715	2802	2678	2508	2678
	72	\$3483	3901	2941	2805	2628	2805

							KT
DT5AS. 18	48						\$2141
	60						\$2242
	72						\$2351
24	48						\$2183
	60						\$2287
	72						\$2395
30	48						\$2308
	60						\$2508
	72						\$2628

Everywhere™ Flip-Top Rectangular
Table *continued*

Everywhere™ Standard-Height Tables

		LT	NT	MT	UT	TT	WT
DT5AT. 24	48	—	—	—	—	—	\$3068
	60	—	—	—	—	—	\$3232
	72	—	—	—	—	—	\$3396
	30 48	—	—	—	—	—	\$3262
	60	—	—	—	—	—	\$3558
	72	—	—	—	—	—	\$3740
		XT	ZT	PT	AT	JT	CT
DT5AT. 24	48	\$3427	3838	2587	—	—	—
	60	\$3608	4041	2713	—	—	—
	72	\$3788	4243	2848	—	—	—
	30 48	\$3640	4077	2739	—	—	—
	60	\$3967	4443	2984	—	—	—
	72	\$4166	4666	3133	—	—	—
		XT	ZT	PT	AT	JT	CT
DT5AE. 24	48	—	—	\$2587	—	—	—
	60	—	—	\$2713	—	—	—
	72	—	—	\$2848	—	—	—
	30 48	—	—	\$2739	—	—	—
	60	—	—	\$2984	—	—	—
	72	—	—	\$3133	—	—	—

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Flip-Top Rectangular
Table *continued*

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M), thermally-fused laminate top/universal edge (T), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0

652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0
652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0

Everywhere™ Flip-Top Rectangular Table *continued*

Everywhere™ Standard-Height Tables

009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0
009C	white oak / high gloss / closed pore (CP) A	+\$0
009D	white oak / low gloss / open pore (CP) A	+\$0
009E	white oak / medium gloss / open pore (CP) A	+\$0
009F	white oak / high gloss / open pore (CP) A	+\$0
010A	golden oak / low gloss / closed pore (CP) A	+\$0
010B	golden oak / medium gloss / closed pore (CP) A	+\$0
010C	golden oak / high gloss / closed pore (CP) A	+\$0
010D	golden oak / low gloss / open pore (CP) A	+\$0
010E	golden oak / medium gloss / open pore (CP) A	+\$0
010F	golden oak / high gloss / open pore (CP) A	+\$0
012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
012D	oxford walnut / low gloss / open pore (CP) A	+\$0
012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
012F	oxford walnut / high gloss / open pore (CP) A	+\$0
016A	umber on oak / low gloss / closed pore (CP) A	+\$0
016B	umber on oak / medium gloss / closed pore (CP) A	+\$0
016C	umber on oak / high gloss / closed pore (CP) A	+\$0
016D	umber on Oak / low gloss / open pore (CP) A	+\$0
016E	umber on oak / medium gloss / open pore (CP) A	+\$0
016F	umber on oak / high gloss / open pore (CP) A	+\$0
017A	light walnut / low gloss / closed pore (CP) A	+\$0
017B	light walnut / medium gloss / closed pore (CP) A	+\$0
017C	light walnut / high gloss / closed pore (CP) A	+\$0
017D	light walnut / low gloss / open pore (CP) A	+\$0
017E	light walnut / medium gloss / open pore (CP) A	+\$0
017F	light walnut / high gloss / open pore (CP) A	+\$0
021A	peacock green walnut / low gloss / closed pore (CP) A	+\$0
021B	peacock green walnut / medium gloss / closed pore (CP) A	+\$0
021C	peacock green walnut / high gloss / closed pore (CP) A	+\$0
021D	peacock green walnut / low gloss / open pore (CP) A	+\$0
021E	peacock green walnut / medium gloss / open pore (CP) A	+\$0
021F	peacock green walnut / high gloss / open pore (CP) A	+\$0
653A	vivid oak techwood / low gloss / closed pore (CP) A	+\$0
653B	vivid oak techwood / medium gloss / closed pore (CP) A	+\$0
653C	vivid oak techwood / high gloss / closed pore (CP) A	+\$0
653D	vivid oak techwood / low gloss / open pore (CP) A	+\$0
653E	vivid oak techwood / medium gloss / open pore (CP) A	+\$0
653F	vivid oak techwood / high gloss / open pore (CP) A	+\$0
659A	brushed teak techwood / low gloss / closed pore (CP) A	+\$0

659B	brushed teak techwood / medium gloss / closed pore (CP) A	+\$0
659C	brushed teak techwood / high gloss / closed pore (CP) A	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) A	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) A	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) A	+\$0
660A	white maple techwood / low gloss / closed pore (CP) A	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) A	+\$0
660C	white maple techwood / high gloss / closed pore (CP) A	+\$0
660D	white maple techwood / low gloss / open pore (CP) A	+\$0
660E	white maple techwood / medium gloss / open pore (CP) A	+\$0
660F	white maple techwood / high gloss / open pore (CP) A	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) A	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) A	+\$0
670C	deep rosewood techwood / high gloss / closed pore (CP) A	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) A	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) A	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) A	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) A	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) A	+\$0
070C	ebonized oak / high gloss / closed pore (CP) A	+\$0
070D	ebonized oak / low gloss / open pore (CP) A	+\$0
070E	ebonized oak / medium gloss / open pore (CP) A	+\$0
070F	ebonized oak / high gloss / open pore (CP) A	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Flip-Top Rectangular
Table *continued*

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge (T), high-pressure laminate top/universal edge with MicrobeCare™ (C), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)

PLY	plywood edge	+\$50
-----	--------------	-------

Step 9. Leg Finish

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Sand Texture Paint		
UBK	ultra black (CP)	+\$0

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 10. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Standard-Height Table DT2A.
Leg



Everywhere™ Standard-Height Table Legs and Bases

Product Information


Description

This product is a kit of a full set of table legs with attachment hardware. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

- Height adjustable table legs have a 5" range in 1" increments.
- Tabletop must be no more than 30" deep and no less than 24" deep for C and D options. Tabletop must be no more than 36" deep and no less than 18" deep for P, A, and T options.
- Tabletops 54" and wider are recommended to have a steel support channel.
- Not recommended for tables wider than 84".
- Table leg must be located such that the floor glides are not more than 3" from the front and rear sides for table stability.
- Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.
- 1" long screws provided with base are recommended to attach to tabletop.
- Ensure mounting surface is no less than 1" thick.

Dimensions



Everywhere™ Standard-Height Table
Leg *continued*

Specification Information

Step 1.

DT2A.

Step 2. Depth

18	18" deep
24	24" deep
30	30" deep
36	36" deep

Step 3. Leg Type

For 18" deep (18) or 36" deep (36)

P	post leg
T	T-leg
A	T-leg with height adjustment

For 24" deep (24) or 30" deep (30)

P	post leg
T	T-leg
A	T-leg with height adjustment
C	C-leg
D	C-leg with height adjustment

Step 4. Table Top Surface Material

For post leg (P)

P	painted table top
Z	high-pressure laminate or veneer table top

For T-leg (T), T-leg with height adjustment (A), C-leg (C), or C-leg with height adjustment (D)

N	laminate, painted or veneer table top
----------	---------------------------------------

Prices for Steps 1-4.

		N	P	Z
DT2A.	18 P	—	\$812	812
	T	\$1028	—	—
	A	\$1564	—	—
	24 P	—	\$812	812
	T	\$1063	—	—
	A	\$1616	—	—
	C	\$1063	—	—
	D	\$1635	—	—

30 P	—	\$812	812
T	\$1063	—	—
A	\$1616	—	—
C	\$1063	—	—
D	\$1635	—	—
36 P	—	\$812	812
T	\$1121	—	—
A	\$1674	—	—

Step 5. Leg Finish

Metallic Paint

For post leg (P), T-leg (T), or C-leg (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), T-leg (T), or C-leg (C)

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint

For post leg (P), T-leg (T), or C-leg (C)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), T-leg (T), or C-leg (C)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Everywhere™ Standard-Height Table

Leg *continued*

Everywhere™ Standard-Height Table Legs and Bases

Smooth Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For T-leg with height adjustment (A) or C-leg with height adjustment (D)


CD	polished aluminum	+\$110
-----------	-------------------	--------

Step 6. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Standard-Height Table
Base

DT2B.



Product Information

Description

This product is a kit of a full set of center column table legs with attachment hardware. It has either single column S or 4 column X leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tabletop must be no more than 42" deep and no less than 30" deep for X base.

Tabletop must be no more than 36" deep and no less than 24" deep for S base.


Table base to be centered side-to-side and left-to-right under tabletop.

Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.

1" long screws provided with base are recommended to attach to tabletop.

Ensure mounting surface is no less than 1" thick.

Dimensions



Specification Information

Step 1.

DT2B.

Step 2. Leg/Base Type

X 4-column base

S single-column base

Prices for Steps 1-2.

DT2B. X	\$1133
S	\$790

Step 3. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110


Step 4. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Standard-Height Table Legs and Bases

Everywhere™ Standing-Height Square Table

DT3BE.
DT3BS.
DT3BT.



Everywhere™ Standing-Height Tables

Product Information


Description

This 42"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT3B

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth/Width

- 3030** 30" deep x 30" wide
- 3636** 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- U high-pressure laminate/universal edge
- T thermally-fused laminate top/universal edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 5. Base Type

- X 4-column base

Everywhere™ Standing-Height Square
Table *continued*

Prices for Steps 1-5.

		X
DT3BS. 3030	L	\$1439
	N	\$1770
	M	\$1371
	U	\$1439
	T	\$1371
	W	\$1642
	X	\$1859
	Z	\$2082
	P	\$1590
3636	L	\$1723
	N	\$2131
	M	\$1643
	U	\$1723
	T	\$1643
	W	\$1986
	X	\$2238
	Z	\$2507
	P	\$1908
		X
DT3BT. 3030	W	\$1971
	X	\$2221
	Z	\$2488
	P	\$1693
3636	W	\$2377
	X	\$2667
	Z	\$2987
	P	\$2027
		X
DT3BE. 3030	P	\$1693
3636	P	\$2027

Step 6.

Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Standing-Height Tables

Everywhere™ Standing-Height Square
Table *continued*

Everywhere™ Standing-Height Tables

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Standing-Height Square
Table *continued*

009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070C	ebonized oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
070E	ebonized oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
070F	ebonized oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Standing-Height Square
Table *continued*

Everywhere™ Standing-Height Tables

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Base Finish


Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint		
UBK	ultra black (CP)	+\$0

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Everywhere™ Standing-Height Round Table

DT3CE.
DT3CS.
DT3CT.



Product Information

Description


This 42"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT3C

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Diameter

- 30 30" diameter
- 36 36" diameter

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge
- Z premium veneer top/veneer edge
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 5. Base Type

- X 4-column base

Prices for Steps 1-5.

	X
DT3CS. 30 L	\$1663
N	\$2024
M	\$1575
W	\$1884
X	\$2125
Z	\$2380
P	\$1829

Everywhere™ Standing-Height Round
Table *continued*

Everywhere™ Standing-Height Tables

36 L	\$1995
N	\$2438
M	\$1889
W	\$2279
X	\$2560
Z	\$2867
P	\$2193
	X
DT3CT. 30 W	\$2262
X	\$2541
Z	\$2846
P	\$1944
36 W	\$2737
X	\$3064
Z	\$3432
P	\$2331
	X
DT3CE. 30 P	\$1944
36 P	\$2331

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Everywhere™ Standing-Height Round
Table *continued*

Top/Edge Finish

For matte high-pressure laminate top/thermoplastic edge (N)

NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For natural veneer top/techwood/veneer edge (W)

639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0
652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0

683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark umber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark umber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark umber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark umber techwood / low gloss / open pore (CP) A	+\$0
684E	dark umber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark umber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish

For natural veneer top/premium techwood/veneer edge (X)

008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0
009C	white oak / high gloss / closed pore (CP) A	+\$0
009D	white oak / low gloss / open pore (CP) A	+\$0
009E	white oak / medium gloss / open pore (CP) A	+\$0
009F	white oak / high gloss / open pore (CP) A	+\$0
010A	golden oak / low gloss / closed pore (CP) A	+\$0
010B	golden oak / medium gloss / closed pore (CP) A	+\$0
010C	golden oak / high gloss / closed pore (CP) A	+\$0
010D	golden oak / low gloss / open pore (CP) A	+\$0
010E	golden oak / medium gloss / open pore (CP) A	+\$0
010F	golden oak / high gloss / open pore (CP) A	+\$0
012A	oxford walnut / low gloss / closed pore (CP) A	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) A	+\$0
012C	oxford walnut / high gloss / closed pore (CP) A	+\$0
012D	oxford walnut / low gloss / open pore (CP) A	+\$0
012E	oxford walnut / medium gloss / open pore (CP) A	+\$0
012F	oxford walnut / high gloss / open pore (CP) A	+\$0
016A	umber on oak / low gloss / closed pore (CP) A	+\$0

Everywhere™ Standing-Height Round
Table *continued*

Everywhere™ Standing-Height Tables

016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0

670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070C	ebonized oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
070E	ebonized oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
070F	ebonized oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Standing-Height Round
Table *continued*

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Everywhere™ Occasional Table,
Square

DT4BS.
DT4BT.



Everywhere™ Occasional Tables

Product Information


Description

This 16"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4B

Step 2. Edge

- S. squared-edge
- T. thin-edge

Step 3. Depth/Width

- 2424** 24" deep x 24" wide
- 3030** 30" deep x 30" wide
- 3636** 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- U high-pressure laminate/universal edge
- T thermally-fused laminate top/universal edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

Step 5. Base Type

- S single-column base

Prices for Steps 1-5.

			S
DT4BS. 2424	L		\$1110
	N		\$1342
	M		\$1046
	U		\$1110
	T		\$1046
	W		\$1233
	X		\$1409
	Z		\$1578
	P		\$1216

Everywhere™ Occasional Table,
Square *continued*

3030	L	\$1330	Step 6.	
	N	\$1615		
	M	\$1253	Top Finish	
	U	\$1330	<i>For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)</i>	
	T	\$1253		
	W	\$1494	125	natural maple (CP) +\$0
	X	\$1696	126	natural cherry (CP) +\$0
	Z	\$1900	127	walnut (CP) +\$0
	P	\$1456	139	light ash (CP) +\$0
3636	L	\$1529	140	warm ash (CP) +\$0
	N	\$1861	UBK	ultra black (CP) +\$0
	M	\$1441	76	light brown walnut +\$0
	U	\$1529	91	white (CP) +\$0
	T	\$1441	98	studio white (CP) +\$0
	W	\$1728	8Q	folkstone grey (CP) +\$0
	X	\$1954	CL	cool grey neutral +\$0
	Z	\$2188	HF	inner tone light +\$0
	P	\$1674	HP	light anigre +\$0
			LBA	clear on ash (CP) +\$0
			LBR	phantom ecru +\$0
			LBS	phantom cocoa +\$0
DT4BT. 2424	W	\$1479	LBU	medium matte walnut (CP) +\$0
	X	\$1680	LBV	warm grey teak +\$0
	Z	\$1882	LBB	oak on ash (CP) +\$0
	P	\$1292	LBC	walnut on ash (CP) +\$0
3030	W	\$1793	LBF	neutral twill +\$0
	X	\$2025	LBJ	graphite twill +\$0
	Z	\$2268	LBQ	white twill +\$0
	P	\$1549	LT	light tone +\$0
3636	W	\$2079	LU	soft white +\$0
	X	\$2339	WL	warm stone (CP) +\$0
	Z	\$2620	WN	warm grey neutral +\$0
	P	\$1782	X1	chalk white +\$0

Everywhere™ Occasional Table,
Square *continued*

Everywhere™ Occasional Tables

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Occasional Table,
Square *continued*

009C	white oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	659C	brushed teak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
009D	white oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	659D	brushed teak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
009E	white oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	659E	brushed teak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
009F	white oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	659F	brushed teak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
010A	golden oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660A	white maple techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010B	golden oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660B	white maple techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010C	golden oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	660C	white maple techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
010D	golden oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	660D	white maple techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
010E	golden oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	660E	white maple techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
010F	golden oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	660F	white maple techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
012A	oxford walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670A	deep rosewood techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012B	oxford walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670B	deep rosewood techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012C	oxford walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0	670C	deep rosewood techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
012D	oxford walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0	670D	deep rosewood techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
012E	oxford walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0	670E	deep rosewood techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
012F	oxford walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0	670F	deep rosewood techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0
016A	umber on oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016B	umber on oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016C	umber on oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
016D	umber on Oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016E	umber on oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
016F	umber on oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017A	light walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017B	light walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017C	light walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
017D	light walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017E	light walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
017F	light walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021A	peacock green walnut / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021B	peacock green walnut / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021C	peacock green walnut / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
021D	peacock green walnut / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021E	peacock green walnut / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
021F	peacock green walnut / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653A	vivid oak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653B	vivid oak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653C	vivid oak techwood / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
653D	vivid oak techwood / low gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653E	vivid oak techwood / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0			
653F	vivid oak techwood / high gloss / open pore (CP) <input type="checkbox"/>	+\$0			
659A	brushed teak techwood / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0			
659B	brushed teak techwood / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0			

Top/Edge Finish

For premium veneer top/veneer edge (Z)

070A	ebonized oak / low gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070B	ebonized oak / medium gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070C	ebonized oak / high gloss / closed pore (CP) <input type="checkbox"/>	+\$0
070D	ebonized oak / low gloss / open pore (CP) <input type="checkbox"/>	+\$0
070E	ebonized oak / medium gloss / open pore (CP) <input type="checkbox"/>	+\$0
070F	ebonized oak / high gloss / open pore (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Everywhere™ Occasional Table,
Square *continued*

Everywhere™ Occasional Tables

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Base Finish


Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint		
UBK	ultra black (CP)	+\$0

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Everywhere™ Occasional Table,
Round

DT4CS.
DT4CT.



Product Information

Description


This 16"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4C

Step 2. Edge

- S. squared-edge
- T. thin-edge

Step 3. Diameter

- 30 30" diameter
- 36 36" diameter

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- N matte high-pressure laminate top/thermoplastic edge A
- M thermally-fused laminate top/thermoplastic edge
- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W natural veneer top/techwood/veneer edge A
- X natural veneer top/premium techwood/veneer edge A
- Z premium veneer top/veneer edge A
- P painted Formcoat® top/edge

Step 5. Base Type

- S single-column base

Prices for Steps 1-5.

	S
DT4CS. 30 L	\$1552
N	\$1851
M	\$1433
W	\$1719
X	\$1944
Z	\$2177
P	\$1673

Everywhere™ Occasional Table,
Round *continued*

Everywhere™ Occasional Tables

36 L	\$1787
N	\$2134
M	\$1648
W	\$1989
X	\$2241
Z	\$2510
P	\$1921
S	
DT4CT. 30 W	\$2058
X	\$2316
Z	\$2594
P	\$1781
36 W	\$2385
X	\$2676
Z	\$2997
P	\$2047

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Everywhere™ Occasional Table,
Round *continued*

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish		
<i>For matte high-pressure laminate top/thermoplastic edge (N)</i>		
NSD	matte celestial grey (CP) A	+\$0
NSJ	matte asteroid grey (CP) A	+\$0
NSK	matte nebula black (CP) A	+\$0

Top/Edge Finish: Wood Veneer		
<i>For natural veneer top/techwood/veneer edge (W)</i>		
639A	light cherry techwood / low gloss / closed pore (CP) A	+\$0
639B	light cherry techwood / medium gloss / closed pore (CP) A	+\$0
639C	light cherry techwood / high gloss / closed pore (CP) A	+\$0
639D	light cherry techwood / low gloss / open pore (CP) A	+\$0
639E	light cherry techwood / medium gloss / open pore (CP) A	+\$0
639F	light cherry techwood / high gloss / open pore (CP) A	+\$0
651A	soft grey techwood / low gloss / closed pore (CP) A	+\$0
651B	soft grey techwood / medium gloss / closed pore (CP) A	+\$0
651C	soft grey techwood / high gloss / closed pore (CP) A	+\$0
651D	soft grey techwood / low gloss / open pore (CP) A	+\$0
651E	soft grey techwood / medium gloss / open pore (CP) A	+\$0
651F	soft grey techwood / high gloss / open pore (CP) A	+\$0
652A	whitened quartered oak techwood / low gloss / closed pore (CP) A	+\$0
652B	whitened quartered oak techwood / medium gloss / closed pore (CP) A	+\$0
652C	whitened quartered oak techwood / high gloss / closed pore (CP) A	+\$0

652D	whitened quartered oak techwood / low gloss / open pore (CP) A	+\$0
652E	whitened quartered oak techwood / medium gloss / open pore (CP) A	+\$0
652F	whitened quartered oak techwood / high gloss / open pore (CP) A	+\$0
658A	clear techwood / low gloss / closed pore (CP) A	+\$0
658B	clear techwood / medium gloss / closed pore (CP) A	+\$0
658C	clear techwood / high gloss / closed pore (CP) A	+\$0
658D	clear techwood / low gloss / open pore (CP) A	+\$0
658E	clear techwood / medium gloss / open pore (CP) A	+\$0
658F	clear techwood / high gloss / open pore (CP) A	+\$0
683A	soft walnut techwood / low gloss / closed pore (CP) A	+\$0
683B	soft walnut techwood / medium gloss / closed pore (CP) A	+\$0
683C	soft walnut techwood / high gloss / closed pore (CP) A	+\$0
683D	soft walnut techwood / low gloss / open pore (CP) A	+\$0
683E	soft walnut techwood / medium gloss / open pore (CP) A	+\$0
683F	soft walnut techwood / high gloss / open pore (CP) A	+\$0
684A	dark amber techwood / low gloss / closed pore (CP) A	+\$0
684B	dark amber techwood / medium gloss / closed pore (CP) A	+\$0
684C	dark amber techwood / high gloss / closed pore (CP) A	+\$0
684D	dark amber techwood / low gloss / open pore (CP) A	+\$0
684E	dark amber techwood / medium gloss / open pore (CP) A	+\$0
684F	dark amber techwood / high gloss / open pore (CP) A	+\$0
2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish		
<i>For natural veneer top/premium techwood/veneer edge (X)</i>		
008A	blonde oak / low gloss / closed pore (CP) A	+\$0
008B	blonde oak / medium gloss / closed pore (CP) A	+\$0
008C	blonde oak / high gloss / closed pore (CP) A	+\$0
008D	blonde oak / low gloss / open pore (CP) A	+\$0
008E	blonde oak / medium gloss / open pore (CP) A	+\$0
008F	blonde oak / high gloss / open pore (CP) A	+\$0
009A	white oak / low gloss / closed pore (CP) A	+\$0
009B	white oak / medium gloss / closed pore (CP) A	+\$0

Everywhere™ Occasional Table,
Round *continued*

Step 7. Edge Finish

*For high-pressure laminate top/thermoplastic edge (L) or
thermally-fused laminate top/thermoplastic edge (M)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Base Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
-----	------------------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT354.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$1139	1139	1178	1178	1212	1212
46	\$1198	1198	1245	1245	1294	1294
CR 42	\$1139	1139	1178	1178	1212	1212
46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish

UBK ultra black (CP) +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

G1 graphite (CP) +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20


Price Category 3 +\$48

Price Category 5 +\$102

Price Category B +\$378

Price Category C +\$128

Flat Edge Screen, Surface Attached FT356.



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen heights are overall datum heights to align with Canvas Office Landscape®; they are not the actual heights of screens.

42"-high (42) screen is a nominal 13" above work surface.

46"-high (46) screen is a nominal 17" above work surface.

53"-high (53) screen is a nominal 24" above work surface.

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.49

46—1.73

53—2.18

For horizontal fabric direction (R):

Width—Yardage

40—1.34

42—1.51

46—1.62

48—1.71

52—1.81

54—1.90


60—2.07

66—2.27

72—2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Everywhere™ Screens

Flat Edge Screen, Surface Attached

continued

Specification Information

Step 1.

FT356.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

40 39½" wide

42 42" wide

46 45½" wide

48 48" wide

52 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT356. C	42	\$806	806	822	822	860	860
	46	\$869	869	908	908	939	939
	53	\$1124	1124	1232	1232	1248	1248
		48R	48T	52R	54R	60R	66R
FT356. C	42	\$879	879	907	933	1010	1057
	46	\$1002	1002	1033	1095	1186	1239
	53	\$1270	1270	1285	1304	1339	1347

		72R
FT356. C	42	\$1124
	46	\$1294
	53	\$1355

Step 6. Bracket Finish
G1 graphite (CP) +\$0

Step 7. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)


Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$65
Price Category 5	+\$166
Price Category B	+\$132
Price Category C	+\$161
Price Category E	+\$203

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$78
Price Category 5	+\$188
Price Category B	+\$132
Price Category C	+\$198
Price Category E	+\$203

Everywhere™ Screens

Flat Edge Screen, Surface Attached FT357.
with Modesty



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen heights are overall datum heights to align with Canvas Office Landscape®; they are not the actual heights of screens.

42"-high (A42) screen is a nominal 13" above work surface.

46"-high (A46) screen is a nominal 17" above work surface.

53"-high (A53) screen is a nominal 24" above work surface.

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.90

46—2.14

53—2.59

For horizontal fabric direction (R):

Width—Yardage

40—2.87

42—3.02

46—3.22

48—3.41

52—3.63

54—3.78


60—4.17

66—4.54

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FT357.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

A42 42" high/9" below surface

A46 46" high/ 9" below surface

A53 53" high/ 9" below surface

Step 4. Width

40 39½" wide

42 42" wide

46 45½" wide

48 48" wide

52 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT357. C	A42	\$869	869	908	908	945	945
	A46	\$1043	1043	1113	1113	1117	1117
	A53	\$1245	1245	1274	1274	1280	1280
		48R	48T	52R	54R	60R	66R
FT357. C	A42	\$959	959	1004	1009	1110	1139
	A46	\$1128	1128	1170	1224	1241	1276
	A53	\$1292	1292	1298	1307	1327	1438

		72R
FT357. C	A42	\$1218
	A46	\$1319
	A53	\$1486

Step 6. Cable Trough

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Cable Trough Finish

G1	graphite (CP)	+\$0
-----------	---------------	------

Step 8. Bracket Finish

G1	graphite (CP)	+\$0
-----------	---------------	------


Step 9. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$43
Price Category 3	+\$103
Price Category 5	+\$260
Price Category B	+\$151
Price Category C	+\$356
Price Category E	+\$539

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1	+\$0
Price Category 2	+\$62
Price Category 3	+\$148
Price Category 5	+\$380
Price Category B	+\$262
Price Category C	+\$515
Price Category E	+\$778



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT358. CL	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
CR	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish

UBK ultra black (CP) +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

G1 graphite (CP) +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48

Price Category 5 +\$140


Price Category B +\$68

Price Category C +\$122

Price Category E +\$203

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$276	487
		Y	\$489	720
	30	N	\$300	545
		Y	\$554	824
	36	N	\$327	605
		Y	\$601	907
	42	N	\$354	665
		Y	\$661	1002
	48	N	\$380	727
		Y	\$721	1101
	54	N	\$408	787
		Y	\$784	1195
	60	N	\$434	845
		Y	\$845	1290
	66	N	\$434	904
		Y	\$906	1386
	72	N	\$469	964
		Y	\$965	1481

Modesty Panel *continued*

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)


2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0

Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Pari Screen, Surface Attached with Modesty FT353.



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 10" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.90

46—2.14

53—2.59

For horizontal fabric direction (R):

Width—Yardage

40—2.87

42—3.02

46—3.22

48—3.41

52—3.63

54—3.78


60—4.17

66—4.54

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FT353. A

Step 2. Attachment

C Canvas surface attached A

Step 3. Height

A42 42" high/10" below surface A

A46 46" high/10" below surface A

A53 53" high/10" below surface A

Step 4. Width

40 39½" wide A

42 42" wide A

46 45½" wide A

48 48" wide A

52 51½" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 51½" wide (52)

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT353. C	A42	\$1121	1121	1157	1157	1275	1275
	A46	\$1287	1287	1359	1359	1415	1415
	A53	\$1480	1480	1505	1505	1602	1602
		48R	48T	52R	54R	60R	66R
FT353. C	A42	\$1287	1287	1417	1449	1480	1595
	A46	\$1460	1460	1516	1530	1621	1703
	A53	\$1621	1621	1657	1678	1735	1883

72R

FT353. C	A42	\$1639
	A46	\$1743
	A53	\$1917

Step 6. Cable Trough

NC no cable way A +\$0

CW cable way A +\$25

Step 7. Cable Trough Finish

G1 graphite (CP) A +\$0

Step 8. Bracket Finish

G1 graphite (CP) A +\$0

Step 9. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category 1 A +\$0

Price Category 2 A +\$43

Price Category 3 A +\$103

Price Category 5 A +\$0

Price Category B A +\$244

Price Category C A +\$336

For 51½" wide (52), 54" wide (54), or 60" wide (60)

Price Category 1 A +\$0

Price Category 2 A +\$62

Price Category 3 A +\$148

Price Category 5 A +\$0

Price Category B A +\$322

Price Category C A +\$436

For 66" wide (66) or 72" wide (72)

Price Category 1 A +\$0

Price Category 2 A +\$77


Price Category 3 A +\$185

Price Category 5 A +\$0

Price Category B A +\$378

Price Category C A +\$436

Everywhere™ Screens



Everywhere™ Screens

Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.49

46—1.73

53—2.18

For horizontal fabric direction (R):

Width—Yardage

40—1.34

42—1.51

46—1.62

48—1.71

52—1.81

54—1.90


60—2.07

66—2.27

72—2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT351. A

Step 2. Attachment

C Canvas surface attached A

Step 3. Height

42 42" high A

46 46" high A

53 53" high A

Step 4. Width

40 39½" wide A

42 42" wide A

46 45½" wide A

48 48" wide A

52 51½" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 51½" wide (52)

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT351.	C 42	\$984	984	1019	1019	1032	1032
	46	\$1064	1064	1104	1104	1157	1157
	53	\$1287	1287	1390	1390	1449	1449
		48R	48T	52R	54R	60R	66R
FT351.	C 42	\$1050	1050	1136	1163	1242	1331
	46	\$1217	1217	1299	1331	1428	1505
	53	\$1465	1465	1530	1549	1576	1621

Pari Screen, Surface Attached

continued

	72R
FT351. C 42	\$1402
46	\$1563
53	\$1651

Step 6. Bracket Finish

G1 graphite (CP) <input type="checkbox"/> A	+\$0
---	------

Step 7. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)


Price Category 1 <input type="checkbox"/> A	+\$0
Price Category 2 <input type="checkbox"/> A	+\$28
Price Category 3 <input type="checkbox"/> A	+\$65
Price Category 5 <input type="checkbox"/> A	+\$0
Price Category B <input type="checkbox"/> A	+\$136
Price Category C <input type="checkbox"/> A	+\$167

For 51½" wide (52), 54" wide (54), or 60" wide (60)

Price Category 1 <input type="checkbox"/> A	+\$0
Price Category 2 <input type="checkbox"/> A	+\$32
Price Category 3 <input type="checkbox"/> A	+\$78
Price Category 5 <input type="checkbox"/> A	+\$0
Price Category B <input type="checkbox"/> A	+\$160
Price Category C <input type="checkbox"/> A	+\$234

For 66" wide (66) or 72" wide (72)

Price Category 1 <input type="checkbox"/> A	+\$0
Price Category 2 <input type="checkbox"/> A	+\$40
Price Category 3 <input type="checkbox"/> A	+\$94
Price Category 5 <input type="checkbox"/> A	+\$0
Price Category B <input type="checkbox"/> A	+\$190
Price Category C <input type="checkbox"/> A	+\$234



Product Information


Description
 This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.

Notes


Surface clamp (Y1414.xxxS) mounts on worksurfaces 1"-1 1/4" thick.
 Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.
 Cable clips for cord management are intended for a 1-time installation.
 Clamp versions can be reoriented in the field by a technician.
 USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.
 Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.
 Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Everywhere™ Power and Data Support

Dimensions



Surface Clamp



Grommet Mount

Specification Information

Step 1.

Y1414.

Step 2. Configuration

L 1 simplex receptacles, 1 powered USB A/C Combo

K 2 simplex receptacles

Step 3. Cord/Conduit Length

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

Step 4. Attachment

G grommet mount

S surface clamp

Prices for Steps 1-4.

		G	S
Y1414. L	03	\$471	471
	06	\$471	471
	10	\$483	483
K	03	\$264	264
	06	\$264	264
	10	\$278	278


Step 5. Finish

UBK ultra black (CP) +\$0

91 white (CP) **A** +\$0

98 studio white (CP) **A** +\$0

G1 graphite (CP) **A** +\$0



Product Information

Description



This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes


- Cable clips for cord management are intended for a 1-time installation.
- Clamp versions can be reoriented in the field by a technician.
- Jumper length denotes distance between center points of each split point.
- Cord length denotes distance from plug end to first split point.
- Cord color is black for all module finish colors.
- All branch lengths from main power cord to module are 12".
- Jumper length from split to end power module is 72".
- USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.
- The cord head contains a circuit breaker when there are more than 3 simplex receptacles.
- Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Everywhere™ Power and Data Support


Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

Specification Information

Step 1.
Y1415.

Step 2. Number of Modules

- 2 two power modules
- 3 three power modules
- 4 four power modules

Step 3. Power Type

- M 1 simplex receptacles, 1 powered USB A/C Combo
- K 2 simplex receptacles, all modules
- N first module has 1 AC simplex plus 1 powered USB A/C Combo all other modules have all AC simplexes

Step 4. Jumper Length

- 36 36" between split points
- 48 48" between split points
- 60 60" between split points

Step 5. Attachment

- G grommet mount
- S surface clamp

Step 6. Cord/Conduit Length

- 06 6' cord/conduit
- 10 10' cord/conduit

Prices for Steps 1-6.


		36G06	36G10	36S06	36S10	48G06	48G10
Y1415. 2	M	\$1036	1050	1036	1050	1048	1063
	K	\$623	636	623	636	633	648
	N	\$829	843	829	843	841	855
3	M	\$1542	1556	1542	1556	1564	1579
	K	\$942	959	942	959	968	979
	N	\$1151	1164	1151	1164	1173	1189
4	M	\$2093	2108	2093	2108	2127	2142
	K	\$1266	1278	1266	1278	1300	1312
	N	\$1471	1486	1471	1486	1506	1519
		48S06	48S10	60G06	60G10	60S06	60S10
Y1415. 2	M	\$1048	1063	1060	1077	1060	1077
	K	\$633	648	643	659	643	659
	N	\$841	855	853	868	853	868
3	M	\$1564	1579	1589	1602	1589	1602
	K	\$968	979	989	1002	989	1002
	N	\$1173	1189	1198	1211	1198	1211

4	M	\$2127	2142	2177	2191	2177	2191
	K	\$1300	1312	1331	1349	1331	1349
	N	\$1506	1519	1540	1554	1540	1554

Step 7. Finish

- 91 white (CP) A +\$0
- 98 studio white (CP) A +\$0
- G1 graphite (CP) A +\$0
- UBK ultra black (CP) +\$0

Logic C1000 Universal Clamp Mount Distributor Y1423.
Distributor



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes

Clamp mounts on worksurfaces 1"-1 1/4" thick.


Faceplate color matches unit color.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.

Everywhere™ Power and Data Support

Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)



4 simplex receptacles with 1 powered USB A/C combo (I)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic C1000 Universal Clamp Mount
 Distributor *continued*

Specification Information

Step 1.

Y1423.

Step 2. Configuration

- H** 2 simplex receptacles, 1 powered USB A/C Combo
- I** 4 simplex receptacles, 1 powered USB A/C Combo
- E** 3 simplex receptacles
- F** 5 simplex receptacles

Step 3. Power Type

- A** power cord with plug end

Step 4. Cord Length

- 03** 3' cord
- 06** 6' cord
- 10** 10' cord

Prices for Steps 1-4.


		03	06	10
Y1423. H A		\$633	633	648
I A		\$761	761	773
E A		\$425	425	440
F A		\$555	555	567

Step 5. Finish

- 613** silver (CP) +\$0
- UBK** ultra black (CP) +\$0
- 91** white (CP) **A** +\$0
- 98** studio white (CP) **A** +\$0
- G1** graphite (CP) **A** +\$0

Logic G1000 Grommet Mounted
Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.


20' cord/conduit length (20) is recommended for Exclave® applications.

Everywhere™ Power and Data Support


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)



4 simplex receptacles with 1 powered USB A/C combo (I)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic G1000 Grommet Mounted
Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

- H 2 simplex receptacles, 1 powered USB A/C Combo
- I 4 simplex receptacles, 1 powered USB A/C Combo
- E 3 simplex receptacles
- F 5 simplex receptacles

Step 3. Power Type

- A power cord with plug end
- C IEC connector for Renew Tables

Step 4. Cord Length

For power cord with plug end (A)

- 03 3' cord
- 06 6' cord
- 10 10' cord
- 20 20' cord

For IEC connector for Renew Tables (C)


- 03 3' cord

Prices for Steps 1-4.

		03	06	10	20
Y1425.	H A	\$900	900	914	929
	C	\$914	—	—	—
	I A	\$1042	1042	1059	1074
	C	\$1059	—	—	—
	E A	\$693	693	706	718
	C	\$706	—	—	—
	F A	\$836	836	851	867
	C	\$851	—	—	—

Step 5. Finish

- 613 silver (CP) +\$0
- 91 white (CP) A +\$0
- 98 studio white (CP) A +\$0
- G1 graphite (CP) A +\$0
- UBK ultra black (CP) +\$0



Product Information



Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.



Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions



Grommet - Rectangle



Grommet - Square

Specification Information

Step 1.

Y1412.

Step 2. Configuration

- 1 mini rectangle grommet
- 2 mini square grommet


Prices for Steps 1-2.

Y1412. 1	\$42
2	\$47

Step 3. Finish

91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Everywhere™ Power and Data Support



Product Information



Description

This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.

Notes

Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.

Dimensions



Specification Information

Step 1.

Y1420.

Step 2. Configuration


- T** three outlet opening
- V** five outlet opening

Prices for Steps 1-2.

Y1420. T	\$303
V	\$333

Step 3. Finish

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0





Product Information

Description

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

Dimensions



Specification Information

Step 1.

Y1424.

Step 2. Size


17 17" wide tray

Prices for Steps 1-2.

Y1424. 17 \$333

Step 3. Finish

613	silver (CP)	+\$0
SNA	satın aluminum	+\$0
SNB	satın bronze	+\$0
SNC	satın carbon	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) A	+\$0
98	studio white (CP) A	+\$0
G1	graphite (CP) A	+\$0



Product Information


Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Prices for Steps 1-3.


	03	06	10	20
Y1321. A	\$308	308	322	395
B	\$386	386	401	473

Step 4. Wiring Type

- 4Z** standard +\$0

Step 5. Finish

- 0H** black +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (0I) or white finish option (0J) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (0H) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1322. 1	A	\$366	366	379	451
	B	\$442	442	455	525
2	A	\$386	386	401	473
	B	\$464	464	479	552

Step 5. Wiring Type

- 4Z standard +\$0
- LZ PVC-free +\$39

Step 6. Finish

- 0H black +\$0
- 0I silver +\$0
- 0J white +\$0



Product Information

Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 4 openings is 8" wide. Overall width for distributor with 6 openings is 11" wide.

USB port charges at 2.1 amps.

Dimensions



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
4	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Step 5. Attachment


G	grommet mount
S	surface clamp

Prices for Steps 1-5.

			03G	03S	06G	06S	10G	10S	20G	20S
Y1323.	3	A	\$415	415	415	415	433	433		
		B	\$493	493	493	493	510	510		
	4	A	\$517	517	517	517	530	530		
		B	\$599	599	599	599	613	613		
	5	A	\$580	580	580	580	597	597		
		B	\$662	662	662	662	674	674		
	6	A	\$681	681	681	681	699	699		
		B	\$764	764	764	764	778	778		
Y1323.	3	A					\$504	504		
		B					\$578	578		
	4	A					\$606	606		
		B					\$681	681		
	5	A					\$668	668		
		B					\$773	773		
	6	A					\$768	768		
		B					\$879	879		

Step 6. Finish		
0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0

Everywhere™ Power and Data Support



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (0K) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (0K) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 1/4" wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is 12 3/4" wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


			03	06	10	20
Y1324.	3	A	\$578	578	594	666
		B	\$657	657	674	743
	5	A	\$742	742	758	828
		B	\$821	821	831	901
	6	A	\$743	743	758	828
		B	\$824	824	839	911
	7	A	\$907	907	925	997
		B	\$988	988	1000	1069
	8	A	\$1073	1073	1087	1160
		B	\$1154	1154	1164	1232

Step 5. Wiring Type

4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish

0K	silver anodized	+\$0
----	-----------------	------



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 3/8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11 3/8" wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 7 3 simplex receptacles, 3 data openings
- 5 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit


Prices for Steps 1-4.

			03	06	10	20
Y1325.	3	A	\$680	680	698	767
		B	\$762	762	773	844
	7	A	\$782	782	801	870
		B	\$864	864	878	950
	5	A	\$849	849	864	934
		B	\$929	929	941	1010
	6	A	\$950	950	965	1038
		B	\$1028	1028	1045	1114

Step 5. Finish

- OK silver anodized +\$0

Everywhere™ Cable Management Clip DT9A.




Product Information

Description

This plastic clip snaps onto an Everywhere™ table leg to route cables or cords. Finish is clear. Package of 10.

Dimensions




Specification Information

Step 1.

DT9A.

\$60



Product Information

Description

These cord covers attach to Everywhere™ table T-leg and Y-leg sections that have either casters or glides. The covers are field installed, and are easily removed and reinstalled for ease of cable management.

Notes


The T cover works with both the (T) and (C) base options.

The Y cover works with both the (E) and (G) base options.


To ensure proper height of the covers, select (C) if your table has casters or select (G) if your table has glides.

Dimensions


Everywhere™ Accessories




T-leg with casters



T-leg with glides



Y-leg with casters



Y-leg with glides

Specification Information

Step 1.

DT9B.

Step 2. Leg Type

T	T-leg	
E	Y-leg	

Prices for Steps 1-2.

DT9B. T	\$395
E	\$395

Step 3. Caster or Glide Table

C	for table with caster base	+\$0
G	for table with glide base	+\$0

Step 4. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


UBK	ultra black (CP)	+\$0
------------	------------------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$276	487
		Y	\$489	720
	30	N	\$300	545
		Y	\$554	824
	36	N	\$327	605
		Y	\$601	907
	42	N	\$354	665
		Y	\$661	1002
	48	N	\$380	727
		Y	\$721	1101
	54	N	\$408	787
		Y	\$784	1195
	60	N	\$434	845
		Y	\$845	1290
	66	N	\$434	904
		Y	\$906	1386
	72	N	\$469	964
		Y	\$965	1481

Everywhere™ Accessories

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
 For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information

Step 1.

Y1114. A

Step 2. Width

- 24 24" wide A
- 30 30" wide A
- 36 36" wide A
- 42 42" wide A
- 48 48" wide A
- 54 54" wide A
- 60 60" wide A
- 66 66" wide A
- 72 72" wide A

Prices for Steps 1-2.

Y1114. 24	\$251
30	\$274
36	\$297
42	\$314
48	\$334
54	\$375
60	\$395
66	\$417
72	\$433


Step 3. Fabric

Price Category 4 +\$28

Everywhere™ Accessories

Cable Trough

Y1200.



Product Information


Description

This trough attaches to a table, desk, peninsula, or work surface to hold and conceal cords and cables. It pivots down to allow easy access when laying cords inside, and can be specified with an optional modesty panel. The modesty panel has a fabric surface with aluminum top rail. Attachment hardware is included.

Notes

Specify trough to be equal to or less than the surface width.

Dimensions



Everywhere™ Accessories

Specification Information

Step 1.

Y1200.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Modesty Panel Option

N	no modesty panel
M	modesty panel

Prices for Steps 1-3.

		N	M
Y1200.	24	\$392	500
	30	\$428	562
	36	\$469	613
	42	\$514	670
	48	\$553	728

Step 4. Cable Trough Finish

AN	clear anodized aluminum	+\$0
-----------	-------------------------	------


Step 5. Modesty Panel Fabric

For modesty panel (M)

Price Category 4	+\$28
------------------	-------

Cable Management Trough, Work
Surface Suspended

AO382.




Product Information

Description

This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

AO382.

Step 2. Width

30 30" wide

40 40" wide

Prices for Steps 1-2.


AO382. 30	\$123
40	\$151

Step 3. Surface Finish

UBK	ultra black (CP)	+\$0
MT	medium tone	+\$0

Cord Manager

FV984.




Product Information

Description

This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.

Dimensions



Specification Information

Step 1.


FV984.

Step 2. Height

- 12 12" high
- 24 24" high
- 30 29½" high

Prices for Steps 1-2.

FV984.	12	\$118
	24	\$181
	30	\$217



Product Information


Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.


Notes

Surface clamp (Y1414.xxxS) mounts on worksurfaces 1"-1 1/4" thick.
 Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.
 Cable clips for cord management are intended for a 1-time installation.
 Clamp versions can be reoriented in the field by a technician.
 USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.
 Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.
 Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Surface Clamp



Grommet Mount

Specification Information

Step 1.

Y1414.

Step 2. Configuration

- L** 1 simplex receptacles, 1 powered USB A/C Combo
- K** 2 simplex receptacles

Step 3. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit

Step 4. Attachment


- G** grommet mount
- S** surface clamp

Prices for Steps 1-4.

			G	S
Y1414.	L	03	\$471	471
		06	\$471	471
		10	\$483	483
	K	03	\$264	264
		06	\$264	264
		10	\$278	278

Step 5. Finish

UBK	ultra black (CP)		+\$0
91	white (CP) <input type="checkbox"/>		+\$0
98	studio white (CP) <input type="checkbox"/>		+\$0
G1	graphite (CP) <input type="checkbox"/>		+\$0



Product Information



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.


Notes

- Cable clips for cord management are intended for a 1-time installation.
- Clamp versions can be reoriented in the field by a technician.
- Jumper length denotes distance between center points of each split point.
- Cord length denotes distance from plug end to first split point.
- Cord color is black for all module finish colors.
- All branch lengths from main power cord to module are 12".
- Jumper length from split to end power module is 72".
- USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.
- The cord head contains a circuit breaker when there are more than 3 simplex receptacles.
- Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

Specification Information

Step 1.

Y1415.

Step 2. Number of Modules

- 2** two power modules
- 3** three power modules
- 4** four power modules

Step 3. Power Type

- M** 1 simplex receptacles, 1 powered USB A/C Combo
- K** 2 simplex receptacles, all modules
- N** first module has 1 AC simplex plus 1 powered USB A/C Combo all other modules have all AC simplexes

Step 4. Jumper Length

- 36** 36" between split points
- 48** 48" between split points
- 60** 60" between split points

Step 5. Attachment

- G** grommet mount
- S** surface clamp

Step 6. Cord/Conduit Length

- 06** 6' cord/conduit
- 10** 10' cord/conduit

Prices for Steps 1-6.

			36G06	36G10	36S06	36S10	48G06	48G10
Y1415. 2	M		\$1036	1050	1036	1050	1048	1063
	K		\$623	636	623	636	633	648
	N		\$829	843	829	843	841	855
3	M		\$1542	1556	1542	1556	1564	1579
	K		\$942	959	942	959	968	979
	N		\$1151	1164	1151	1164	1173	1189
4	M		\$2093	2108	2093	2108	2127	2142
	K		\$1266	1278	1266	1278	1300	1312
	N		\$1471	1486	1471	1486	1506	1519


			48S06	48S10	60G06	60G10	60S06	60S10
Y1415. 2	M		\$1048	1063	1060	1077	1060	1077
	K		\$633	648	643	659	643	659
	N		\$841	855	853	868	853	868
3	M		\$1564	1579	1589	1602	1589	1602
	K		\$968	979	989	1002	989	1002
	N		\$1173	1189	1198	1211	1198	1211

4	M	\$2127	2142	2177	2191	2177	2191
	K	\$1300	1312	1331	1349	1331	1349
	N	\$1506	1519	1540	1554	1540	1554

Step 7. Finish

- 91** white (CP) **A** +\$0
- 98** studio white (CP) **A** +\$0
- G1** graphite (CP) **A** +\$0
- UBK** ultra black (CP) +\$0

Logic C1000 Universal Clamp Mount Distributor Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes


Clamp mounts on worksurfaces 1"-1¼" thick.

Faceplate color matches unit color.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)



4 simplex receptacles with 1 powered USB A/C combo (I)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic C1000 Universal Clamp Mount
 Distributor *continued*

Everywhere™ Accessories

Specification Information

Step 1.

Y1423.

Step 2. Configuration

- H** 2 simplex receptacles, 1 powered USB A/C Combo
- I** 4 simplex receptacles, 1 powered USB A/C Combo
- E** 3 simplex receptacles
- F** 5 simplex receptacles

Step 3. Power Type

- A** power cord with plug end

Step 4. Cord Length

- 03** 3' cord
- 06** 6' cord
- 10** 10' cord

Prices for Steps 1-4.


			03	06	10
Y1423.	H	A	\$633	633	648
	I	A	\$761	761	773
	E	A	\$425	425	440
	F	A	\$555	555	567

Step 5. Finish

- 613** silver (CP) +\$0
- UBK** ultra black (CP) +\$0
- 91** white (CP) **A** +\$0
- 98** studio white (CP) **A** +\$0
- G1** graphite (CP) **A** +\$0

Logic G1000 Grommet Mounted
Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.


IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)



4 simplex receptacles with 1 powered USB A/C combo (I)



3 simplex receptacles (E)



5 simplex receptacles (F)

Everywhere™ Accessories

Logic G1000 Grommet Mounted
Electrical Distributor *continued*

Everywhere™ Accessories

Specification Information

Step 1.

Y1425.

Step 2. Configuration

- H** 2 simplex receptacles, 1 powered USB A/C Combo
- I** 4 simplex receptacles, 1 powered USB A/C Combo
- E** 3 simplex receptacles
- F** 5 simplex receptacles

Step 3. Power Type

- A** power cord with plug end
- C** IEC connector for Renew Tables

Step 4. Cord Length

For power cord with plug end (A)

- 03** 3' cord
- 06** 6' cord
- 10** 10' cord
- 20** 20' cord

For IEC connector for Renew Tables (C)


- 03** 3' cord

Prices for Steps 1-4.

			03	06	10	20
Y1425.	H	A	\$900	900	914	929
		C	\$914	—	—	—
	I	A	\$1042	1042	1059	1074
		C	\$1059	—	—	—
	E	A	\$693	693	706	718
		C	\$706	—	—	—
	F	A	\$836	836	851	867
		C	\$851	—	—	—

Step 5. Finish

- 613** silver (CP) +\$0
- 91** white (CP) **A** +\$0
- 98** studio white (CP) **A** +\$0
- G1** graphite (CP) **A** +\$0
- UBK** ultra black (CP) +\$0



Product Information



Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.



Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions



Grommet - Rectangle



Grommet - Square

Specification Information

Step 1.

Y1412.

Step 2. Configuration

- 1 mini rectangle grommet
- 2 mini square grommet

Prices for Steps 1-2.


Y1412. 1	\$42
2	\$47

Step 3. Finish

91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Connect™-Ganging Bracket Kit

Y1338.



Product Information


Description

This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.

Notes

Ganging bracket kit should not be used on 18"-deep Everywhere™ tables.

Dimensions




Specification Information

Step 1.

Y1338.

\$119



Product Information


Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Prices for Steps 1-3.


	03	06	10	20
Y1321. A	\$308	308	322	395
B	\$386	386	401	473

Step 4. Wiring Type

- 4Z** standard +\$0

Step 5. Finish

- 0H** black +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (0I) or white finish option (0J) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (0H) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1322. 1	A	\$366	366	379	451
	B	\$442	442	455	525
2	A	\$386	386	401	473
	B	\$464	464	479	552

Step 5. Wiring Type

- 4Z standard +\$0
- LZ PVC-free +\$39

Step 6. Finish

- 0H black +\$0
- 0I silver +\$0
- 0J white +\$0



Product Information

Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 4 openings is 8" wide. Overall width for distributor with 6 openings is 11" wide.

USB port charges at 2.1 amps.

Dimensions



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
4	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit


Step 5. Attachment

G	grommet mount
S	surface clamp

Prices for Steps 1-5.

			03G	03S	06G	06S	10G	10S		
Y1323.	3	A	\$415	415	415	415	433	433		
		B	\$493	493	493	493	510	510		
	4	A	\$517	517	517	517	530	530		
		B	\$599	599	599	599	613	613		
	5	A	\$580	580	580	580	597	597		
		B	\$662	662	662	662	674	674		
	6	A	\$681	681	681	681	699	699		
		B	\$764	764	764	764	778	778		
									20G	20S
Y1323.	3	A							\$504	504
		B							\$578	578
	4	A							\$606	606
		B							\$681	681
	5	A							\$668	668
		B							\$773	773
	6	A							\$768	768
		B							\$879	879

Step 6. Finish		
0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (0K) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (0K) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 1/4" wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is 12 3/4" wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


			03	06	10	20
Y1324.	3	A	\$578	578	594	666
		B	\$657	657	674	743
	5	A	\$742	742	758	828
		B	\$821	821	831	901
	6	A	\$743	743	758	828
		B	\$824	824	839	911
	7	A	\$907	907	925	997
		B	\$988	988	1000	1069
	8	A	\$1073	1073	1087	1160
		B	\$1154	1154	1164	1232

Step 5. Wiring Type

4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish

0K	silver anodized	+\$0
----	-----------------	------



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 3/8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11 3/8" wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 7 3 simplex receptacles, 3 data openings
- 5 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.


			03	06	10	20
Y1325.	3	A	\$680	680	698	767
		B	\$762	762	773	844
	7	A	\$782	782	801	870
		B	\$864	864	878	950
	5	A	\$849	849	864	934
		B	\$929	929	941	1010
	6	A	\$950	950	965	1038
		B	\$1028	1028	1045	1114

Step 5. Finish

- OK silver anodized +\$0

Connect™ - S720 - Connect Single
Circuit Power Unit

Y1372.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. Cord length is 60". A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.


To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

Step 1.

Y1372.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

Step 3. Cord Length

60 60" long

Prices for Steps 1-3.

	60
Y1372. 1	\$530
2	\$553


Step 4. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0

Everywhere™ Accessories

Connect™ - S730 - Connect Single Circuit Power Unit

Y1373.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface or with an edge clamp mount. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.


To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

Step 1.

Y1373.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 4 2 simplex receptacles, 1 data opening, 1 charging USB port

Step 3. Cord Length

- 60 60" long

Step 4. Attachment

- G grommet mount
- S surface clamp

Prices for Steps 1-4.


			G	S
Y1373.	3	60	\$599	580
	4	60	\$764	749

Step 5. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0

Connect™ - S740 - Connect Single
Circuit Power Unit

Y1374.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is 8 1/4" wide.

Dimensions



Connect™ - S740 - Connect Single
 Circuit Power Unit *continued*

Specification Information

Step 1.

Y1374.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

Step 3. Cord Length

60 60" long

Prices for Steps 1-3.

60

Y1374. 3 **\$741**


Step 4. Finish

0K silver anodized **+\$0**

Everywhere™ Accessories

Connect™ - S750 - Connect Single Circuit Power Unit

Y1375.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The lid can be closed once devices are connected for a clean visual appearance. The distributor has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is 8 3/8" wide.

Dimensions



Everywhere™ Accessories

Connect™ - S750 - Connect Single
 Circuit Power Unit *continued*

Specification Information

Step 1.

Y1375.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 2 simplex receptacles, 1 data opening, 1 charging USB port

Step 3. Cord Length

60 60" long

Prices for Steps 1-3.

	60
Y1375. 3	\$840
4	\$1007


Step 4. Finish

0K silver anodized +\$0

Everywhere™ Accessories

Connect™ Single Circuit Electrical Power Entry

Y1377.



Product Information

Description


This standard receptacle 15-amp power entry provides power for single circuit electrical distributors. Up to 8 single circuit modular electrical distributors can be daisy chained and connected in any order. If more than 8 units are connected to this power entry, the system automatically shuts down and a red LED illuminates. A green LED indicates that more units can be connected and the system is ready. Standard attachment hardware is included.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables.

Order electrical distributors (Y1372., Y1373., Y1374., Y1375.) and single circuit jumpers (Y1378.) separately.

Dimensions



Specification Information

Step 1.

Y1377.

Step 2. Cord Length


06 6' long

10 10' long

Prices for Steps 1-2.

Y1377. 06	\$678
10	\$712

Connect™ Single Circuit Electrical By-Pass Jumper Y1378.



Product Information

Description

This electrical jumper provides additional length for the Connect™ single circuit modular electrical system. Jumpers are available in a variety of lengths and count as one of the 8 electrical distributors allowed per power entry.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables.

Order electrical distributors (Y1372., Y1373., Y1374., Y1375.) and single circuit power entry (Y1377.) separately.

Dimensions

Specification Information

Step 1.

Y1378.


Step 2. Cord Length

12	12" long
24	24" long
36	36" long
48	48" long
60	60" long

Prices for Steps 1-2.

Y1378. 12	\$144
24	\$155
36	\$170
48	\$184
60	\$194

Everywhere™ Accessories



Index by Product Name

Everywhere™ Tables	
Cable Management Trough, Work Surface Suspended	page(s) 149
Cable Trough	148
Connect™-Ganging Bracket Kit	160
Connect™-S100	137, 161
Connect™-S200	138, 162
Connect™-S300	139, 163
Connect™-S400	141, 165
Connect™-S500	142, 166
Connect™ - S720 - Connect Single Circuit Power Unit	167
Connect™ - S730 - Connect Single Circuit Power Unit	168
Connect™ - S740 - Connect Single Circuit Power Unit	169
Connect™ - S750 - Connect Single Circuit Power Unit	171
Connect™ Single Circuit Electrical By-Pass Jumper	174
Connect™ Single Circuit Electrical Power Entry	173
Cord Manager	150
Everywhere™ Cable Management Clip	143
Everywhere™ Classroom Curve Table	67
Everywhere™ Concave Rectangle	51
Everywhere™ Conference Corner Table	72
Everywhere™ D-Shaped Table	34
Everywhere™ Flip-Top Rectangular Table	82
Everywhere™ Occasional Table, Round	107
Everywhere™ Occasional Table, Square	102
Everywhere™ Oval Table	28
Everywhere™ Rectangular Table	5
Everywhere™ Round Corner Table	77
Everywhere™ Round Table	22
Everywhere™ Soft Rectangle - Meeting Table	40
Everywhere™ Soft Square Table	57
Everywhere™ Square Table	16
Everywhere™ Standard-Height Table Base	91
Everywhere™ Standard-Height Table Leg	88
Everywhere™ Standing-Height Round Table	97
Everywhere™ Standing-Height Square Table	92
Everywhere™ Tear Drop Table	62
Everywhere™ Vertical Cord Covers	144
Everywhere™ Video Oval - Meeting Table	46
Fabric Modesty Panel	147
Flat Edge Screen, Delineation	118
Flat Edge Screen, Surface Attached	114
Flat Edge Screen, Surface Attached with Modesty	116
Logic C1000 Universal Clamp Mount Distributor	130, 155
Logic G1000 Grommet Mounted Electrical Distributor	132, 157
Logic G1200 Grommet Pass Thru	135
Logic HD Cable Manager	136
Logic Mini	126, 151

Logic Mini Grommet	134, 159
Logic Mini - Vine	128, 153
Modesty Panel	120, 145
Pari Screen, Delineation	112
Pari Screen, Surface Attached	124
Pari Screen, Surface Attached with Modesty	122

Index: Product Name

Index by Product Number

AO382. Cable Management Trough, Work Surface			
Suspended		page(s)	149
DT1AE. Everywhere™ Rectangular Table			5
DT1AS.			
DT1AT.			
DT1BE. Everywhere™ Square Table			16
DT1BS.			
DT1BT.			
DT1CE. Everywhere™ Round Table			22
DT1CS.			
DT1CT.			
DT1DE. Everywhere™ Oval Table			28
DT1DS.			
DT1DT.			
DT1EE. Everywhere™ D-Shaped Table			34
DT1ES.			
DT1ET.			
DT1FE. Everywhere™ Soft Rectangle - Meeting Table			40
DT1FS.			
DT1FT.			
DT1GE. Everywhere™ Video Oval - Meeting Table			46
DT1GS.			
DT1GT.			
DT1HE. Everywhere™ Concave Rectangle			51
DT1HS.			
DT1HT.			
DT1JE. Everywhere™ Soft Square Table			57
DT1JS.			
DT1JT.			
DT1KE. Everywhere™ Tear Drop Table			62
DT1KS.			
DT1KT.			
DT1LE. Everywhere™ Classroom Curve Table			67
DT1LS.			
DT1LT.			
DT1ME. Everywhere™ Conference Corner Table			72
DT1MS.			
DT1MT.			
DT1NE. Everywhere™ Round Corner Table			77
DT1NS.			
DT1NT.			
DT2A. Everywhere™ Standard-Height Table Leg			88
DT2B. Everywhere™ Standard-Height Table Base			91
DT3BE. Everywhere™ Standing-Height Square Table			92
DT3BS.			
DT3BT.			
DT3CE. Everywhere™ Standing-Height Round Table			97
DT3CS.			
DT3CT.			
DT4BS. Everywhere™ Occasional Table, Square			102
DT4BT.			
DT4CS. Everywhere™ Occasional Table, Round			107
DT4CT.			
DT5AE. Everywhere™ Flip-Top Rectangular Table			82
DT5AS.			
DT5AT.			
DT9A. Everywhere™ Cable Management Clip			143
DT9B. Everywhere™ Vertical Cord Covers			144
FT351. Pari Screen, Surface Attached			124
FT353. Pari Screen, Surface Attached with Modesty			122
FT354. Pari Screen, Delineation			112
FT356. Flat Edge Screen, Surface Attached			114
FT357. Flat Edge Screen, Surface Attached with Modesty			116
FT358. Flat Edge Screen, Delineation			118
FV984. Cord Manager			150
Y1113. Modesty Panel			120, 145
Y1114. Fabric Modesty Panel			147
Y1200. Cable Trough			148
Y1321. Connect™ - S100			137, 161
Y1322. Connect™ - S200			138, 162
Y1323. Connect™ - S300			139, 163
Y1324. Connect™ - S400			141, 165
Y1325. Connect™ - S500			142, 166
Y1338. Connect™ - Ganging Bracket Kit			160
Y1372. Connect™ - S720 - Connect Single Circuit Power Unit			167
Y1373. Connect™ - S730 - Connect Single Circuit Power Unit			168
Y1374. Connect™ - S740 - Connect Single Circuit Power Unit			169
Y1375. Connect™ - S750 - Connect Single Circuit Power Unit			171
Y1377. Connect™ Single Circuit Electrical Power Entry			173
Y1378. Connect™ Single Circuit Electrical By-Pass Jumper			174
Y1412. Logic Mini Grommet			134, 159
Y1414. Logic Mini			126, 151
Y1415. Logic Mini - Vine			128, 153
Y1420. Logic G1200 Grommet Pass Thru			135
Y1423. Logic C1000 Universal Clamp Mount Distributor			130, 155
Y1424. Logic HD Cable Manager			136
Y1425. Logic G1000 Grommet Mounted Electrical Distributor			132, 157



20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

GSA

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.



Stain-to-Match Program

GSA

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA:	Stain-to-Match on Recut Ash
STC:	Stain-to-Match on Cherry
STD:	Stain-to-Match on Oak
STK:	Stain-to-Match on Reltech Anigre (Geiger)
STP:	Stain-to-Match on Maple
STU:	Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



Central Palette Overview

GSA

Central Palette

Program Overview

The Central Palette is the result of an intentional effort to integrate future design direction, field insights, and long-term business strategy.

The palette provides a foundation of design continuity between Herman Miller and Knoll products, while each brand retains their distinct colors, materials, and finishes.

A centralized palette allows designers to create a greater variety of cross-branded premium workplace solutions at a variety of price points.

Finishes

A consolidation of like colors focused in the neutral color space. Painted and plastic components within the palette meet consistent performance and aesthetic criteria, allowing for improved efficiency and reliability.

Paint & Plastic:

8Q Folkstone Grey
91 White
98 Studio White
CRB Carbon
G1 Graphite
UBK Ultra Black
WL Warm Stone

Metallics:

611 Beige Mist Metallic
613 Silver

Laminate

The following solid color and woodgrain laminates will be available in high pressure (HPL) and thermally fused (TFL) versions with coordinating edgbands to support both brands of products.

Solid Color:

8Q Folkstone Grey
91 White
98 Studio White
UBK Ultra Black
WL Warm Stone

Woodgrain:

125 Natural Maple
126 Natural Cherry
127 Walnut
139 Light Ash
140 Warm Ash
LBA Clear on Ash *
LBB Oak on Ash *
LBC Walnut on Ash *
LBU Medium Matte Walnut

Matte:

NSD Celestial Grey
NSJ Asteroid Grey
NSK Nebula Black

* HPL features a woodgrain textured surface; TFL (Melamine) has a smooth surface.

Veneer

The following veneers will be available in aligned gloss and pore options across workspace products for Knoll and Herman Miller.

Techwood:

639 Light Cherry Techwood
651 Soft Grey Techwood
652 Whitened Quartered Oak Techwood
658 Clear Techwood
683 Soft Walnut Techwood
684 Dark Umber Techwood

Natural Veneer & Premium Techwood:

008 Blonde Oak
009 White Oak
010 Golden Oak
012 Oxford Walnut
016 Umber on Oak
017 Light Walnut
021 Peacock Green Walnut
653 Vivid Oak Techwood
659 Brushed Teak Techwood
660 White Maple Techwood
670 Deep Rosewood Techwood

Premium Veneer:

070 Ebonized Oak

Gloss & Pore Options include:

A - low gloss/closed pore
B - medium gloss/closed pore
C - high gloss/closed pore
D - low gloss/open pore
E - medium gloss/open pore
F - high gloss/open pore

Textiles

Textiles are not yet part of the Central Palette program.

Refer to the COM Database for Textiles approved on products from various MillerKnoll Brands.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—
Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.