

Introducing Flo Modular

Designed by Colebrook Bosson Saunders for Herman Miller


Flo Modular

Perfect monitor placement, every time

In today's workspace, we need technology that's durable, flexible, and easy on the eyes. Flo Modular combines the award-winning Flo Monitor Arm with a central Wishbone post to manage multiple screens and maximise comfort, space, and efficiency.



Flo Modular lets you mount arms anywhere on the post, raising screens higher without losing lower adjustment. Ideal for sit-to-stand setups or a mix of portrait and landscape screens, it adapts seamlessly to your workspace.



Flo Modular supports multiple screens, making it easy to track or refer to different sources of information simultaneously.

Performance

With the Flo arm mounted anywhere along the Wishbone post, Flo Modular increases the height at which a monitor can be positioned without losing lower-level adjustment. This makes it ideal for sit-to-stand applications. Smooth fingertip control and patented Flo Dual Rate Spring Technology provide effortless vertical, horizontal, tilt, and rotation adjustments. Whether your screens are in landscape or portrait orientation, Flo Modular promotes healthier viewing distances and ergonomic postures.

Design

Flo Modular supports multiple screens, making it easy to track or reference different sources of information simultaneously. Each Flo arm offers a 341mm vertical adjustment range, 677mm horizontal reach, and a tilt range of +30° upward / -25° downward, accommodating most flat or curved screens up to 34" (1000R and above). Devices can be independently adjusted for height, reach, and viewing angle to suit different users and tasks.

Support

As part of a complete family of monitor arms, Flo Modular offers scalable, space-saving solutions for modern workspaces. Its modular design lets you add or remove arms as needs change, without replacing the entire system.

Technical specifications

Device capacity: Multiple screens

Monitor weight capacity: up to 7 kg each in single, dual and quad setups, up to 5 kg each in triple and hex setups

Screen size compatibility: Up to 34" flat, or curved (1000R and above) in single, dual and quad setups, up to 27" flat in triple and hex setups

Vertical adjustment: 341mm

Horizontal reach: 677mm

Rotation: Portrait / Landscape



Components



1 Monitor



2 Monitors



3 Monitors



4 Monitors



6 Monitors



**For more information, please visit
hermanmiller.com**

Herman Miller and the Herman Miller logo are among the registered trademarks of MillerKnoll and its subsidiaries. All other trademarks are the property of their respective owners.

© 2026 MillerKnoll
All rights reserved.