

COPENHAGUE / CPH20

DESIGN BY RONAN & ERWAN BOUROULLEC



Sharing the same characteristic angled legs as the rest of the Bouroullec brothers' Copenhagen range, the CPH20 tables feature a round tabletop that softens the engineered expression. Equally suitable for intimate meetings and larger, café-like environments, this versatile table has an ability to blend into private homes as well as public spaces. The tables come in a variety of heights and sizes and are available in stained and lacquered oak with tabletops in veneer, laminate or linoleum

PRODUCT DETAILS

- / Variability of veneer, laminate and linoleum colors and base finishes.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.

HAY

MATERIAL

TABLETOP / 18 mm plywood tabletop with laminate, linoleum or veneer in different finishes. Beveled edge. Tabletop edge matches base finish. 1 mm laminate / 2 mm linoleum.

FRAME / 3 solid wood legs.

COLOUR & FINISH

Please note that the color codes are indicative.

TABLETOP/ Available in 4 different colors.

- / Black linoleum (Forbo Nero 4023)
- / Off white linoleum (Forbo Mushroom 4176)
- / White laminate (Formica Blanc Polaire F2274)
- / Matte lacquered oak veneer

FRAME FINISH / Available in 2 different frame finishes.

- / Black stained solid oak
- / Matte lacquered solid oak

CONSTRUCTION

The legs must be mounted with self-tapping screws in predrilled holes in the tabletop.

Requires assembly.

Please follow the instruction manual.

TABLETOP COLOUR



BLACK LINOLEUM

WHITE LINOLEUM

MATTE LACQUERED
OAK VENEER

OFF WHITE
LINOLEUM

FRAME FINISH




MATTE LACQUERED
SOLID OAK


BLACK STAINED
SOLID OAK

DIMENSIONS


/ DIAMETER Ø50 cm / 19.68"
/ HEIGHT 49 cm / 19.29"




/ DIAMETER Ø70 cm / 27.56"
/ HEIGHT 105 cm / 41.34"



/ DIAMETER Ø90 cm / 35.43"
/ HEIGHT 74 cm / 29.13"



/ Diameter Ø120 cm / 47.24"
/ HEIGHT 74 cm / 29.13"



TESTS

EN 1729 Furniture

- Chairs and tables for educational institutions -
Part 1: Functional dimensions. Tested according to table A.1 clauses 1-6.
Part 2: Safety requirements and test methods. Loading according to EN 1729-2: 2012 size 7, (Brown). Clauses 4, 6.

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care- and maintenance instructions and test certificates are available at hay.com.

HAY