





Canvas Office Landscape® Interiors Open Support Installation and Disassembly for Recycling Instructions

Parts Included:




A Open Support



Hardware Pack

Tools Required:



Power Driver



#2 Phillips Bit




Safety Glass

1

1. Remove screw in horizontal slot from anti-dislodgement clip. Set screw aside.
2. Loosen screw in vertical slot.

Assembly Instructions:



IMPORTANT: Save these instructions for layout changes.

HermanMiller

Part no. 1b2tdk rev F.


© 2013 Herman Miller, Inc. Zeeland, Michigan. Printed in the U.S.A.

© Herman Miller and Canvas Office Landscape are among the registered trademarks of Herman Miller, Inc.

Illustrations and specifications are based on the latest product information available at the time of publication.


The right is reserved to make changes in design and specifications at any time, without notice, and also to discontinue products.

2



1. Insert teeth on support and anti-dislodgement clip into slots in frame.
2. Push down on support to fully engage teeth.

3



1. Lift up on anti-dislodgement clip to align hole in clip with hole in support.
2. Return screw previously removed to clip and tighten.
3. Tighten other screw in vertical slot.


HermanMiller

Part no. 1b2tdk rev F.

© 2013 Herman Miller, Inc. Zeeland, Michigan. Printed in the U.S.A.
 ® **HermanMiller** and Canvas Office Landscape are among the registered trademarks of Herman Miller, Inc.
 Illustrations and specifications are based on the latest product information available at the time of publication.
 The right is reserved to make changes in design and specifications at any time, without notice, and also to discontinue products.


4

1. Set work surface onto support.



5

1. Align holes in support with holes in work surface.
2. Install 2 screws (B).



Disassembly for Recycling:

Materials Identification and Segregation:

Where possible, plastic components are marked with ASTM recycling codes. Use these codes to identify material type for recycling. Non marked components should be treated as mixed plastic. Ferrous metals can be identified using a small magnet for recycling. Non-ferrous metals should be separated and recycled separately.

To disassemble product, reverse the above installation steps.